






























PRICE LIST 2026
AVK AUSTRALIA



TABLE OF CONTENTS

Our Range of Products

	Gate Valves, Resilient Seated	3		Air Valves	37		Socket Leak Clamps	78
	Gate Valves, Resilient Seated	4		Control Valves	38		Encapsulation Collars	80
	Gate Valves, PE Ends	16		Plug Valves	43		Fittings & Dismantling Joints	90
	Gate Valves, Metal Seated	18		Supa-Gib Couplings, Flange Adapters & Blank Ends	44		Y-strainers	109
	Butterfly Valves	23		Supa Maxi™ Couplings	52		Spares & Accessories	110
	Swing Check Valves, Metal Seated	25		Support Bushes	54			
	Swing Check Valves, Resilient Seated	26		Repair Clamps	55			
	Ball Check Valves	30		Offtake Clamps	61			
	Check Valves	31		OB Junction Clamps	73			
	Knife Gate Valves	32		Repair Clamps	74			
	Air Isolation Valves	34		Offtake Clamps	75			
	Hydrants	35		Saddle Clamps	77			

570/91-001

Gate Valve, Flanged
 Ductile Iron
 EPDM rubber
 Epoxy coated to AS/NZS 4158
 Clockwise Close
 Product Class: PN16
 Flange Drilling: AS/NZS 4087 B5



AVK ref. no.	DN mm	Theoretical weight / kg	Deliv. code	Gross Price AUD
570-080-91-2540120	80	12.24	B	336.17
570-100-91-2540120	100	15.04	A	339.19
570-150-91-2540120	150	30.81	A	579.57
570-200-91-2540120	200	49.73	A	1,113.98
570-225-91-2540120	225	85.27	B	1,595.32
570-250-91-2540120	250	90.92	A	1,720.36
570-300-91-2540120	300	124.18	A	2,173.39



570/91-002

Gate Valve, Flanged
 Ductile Iron
 EPDM rubber
 Epoxy coated to AS/NZS 4158
 Anti Clockwise Close
 Product Class: PN16
 Flange Drilling: AS/NZS 4087 B5



AVK ref. no.	DN mm	Theoretical weight / kg	Deliv. code	Gross Price AUD
570-080-91-3540120	80	12.24	A	336.17
570-100-91-3540120	100	15.04	A	339.19
570-150-91-3540120	150	30.81	A	579.57
570-200-91-3540120	200	49.73	A	1,113.98
570-225-91-3540120	225	85.27	A	1,595.32
570-250-91-3540120	250	90.92	A	1,720.36
570-300-91-3540120	300	124.18	A	2,173.39



570/51-001

Gate Valve, Socket ends
 Ductile Iron
 EPDM rubber
 Epoxy coated to AS/NZS 4158
 Clockwise Close
 Product Class: PN16



AVK ref. no.	DN mm	Theoretical weight/kg	Deliv. code	Gross Price AUD
570-080-51-2940120	80	13	C	336.17
570-100-51-2940120	100	16	B	339.19
570-150-51-2940120	150	30	B	579.57
570-200-51-2940120	200	51	C	1,113.98
570-225-51-2940120	225	82	C	1,595.32
570-250-51-2940120	250	85	C	1,720.36
570-300-51-2940120	300	116	C	2,173.39



570/51-002

Gate Valve, Socket ends
 Ductile Iron
 EPDM rubber
 Epoxy coated to AS/NZS 4158
 Anti Clockwise Close
 Product Class: PN16



AVK ref. no.	DN mm	Theoretical weight/kg	Deliv. code	Gross Price AUD
570-080-51-3940120	80	13	B	336.17
570-100-51-3940120	100	16	A	339.19
570-150-51-3940120	150	30	A	579.57
570-200-50-3940120	200	51	B	1,113.98
570-225-51-3940120	225	82	B	1,595.32
570-250-51-3940120	250	85	B	1,720.36
570-300-51-3940120	300	116	B	2,173.39



570/90-001

Gate Valve, Flanged, SS316 Gland
 Face-to-face dimension according to AS/NZS 2638.2
 Ductile Iron
 EPDM rubber
 Epoxy coated to AS/NZS 4158
 Clockwise Close
 Product class: PN16
 Flange drilling: AS/NZS 4087 B5



AVK ref. no.	DN mm	Theoretical weight/kg	Deliv. code	Gross Price AUD
570-080-90-2540120	80	13	A	428.24
570-100-90-2540120	100	16	A	428.34
570-150-90-2540120	150	32	A	682.69
570-200-90-2540120	200	52	A	1,427.39
570-225-90-2540120	225	87	B	1,863.11
570-250-90-2540120	250	93	A	2,298.85
570-300-90-2540120	300	126	A	2,914.86
570-375-90-2540120	375	227	A	5,488.89
570-400-90-2540120	400	237	C	8,950.16



570/90-002

Gate Valve, Flanged, SS316 Gland
 Face-to-face dimension according to AS/NZS 2638.2
 Ductile Iron
 EPDM rubber
 Epoxy coated to AS/NZS 4158
 Clockwise Close
 Product class: PN16
 Flange drilling: AS 2129 E



AVK ref. no.	DN mm	Theoretical weight / kg	Deliv. code	Gross Price AUD
570-100-90-2640120	100	18	A	473.20
570-150-90-2640120	150	32	B	827.00
570-200-90-2640120	200	52	C	1,596.24
570-225-90-2640120	225	86	C	2,034.17
570-250-90-2640120	250	92	B	2,398.85
570-300-90-2640120	300	125	C	3,470.16



570/90-003

Gate Valve, Flanged, SS316 Gland
 Face-to-face dimension according to AS/NZS 2638.2
 Ductile Iron
 EPDM rubber
 Epoxy coated to AS/NZS 4158
 Anti Clockwise Close
 Product class: PN16
 Flange drilling: AS/NZS 4087 B5



AVK ref. no.	DN mm	Theoretical weight / kg	Deliv. code	Gross Price AUD
570-080-90-3540120	80	13	A	428.24
570-100-90-3540120	100	16	A	428.34
570-150-90-3540120	150	32	A	682.69
570-200-90-3540120	200	52	A	1,427.39
570-225-90-3540120	225	87	B	1,863.11
570-250-90-3540120	250	93	A	2,298.85
570-300-90-3540120	300	126	A	2,914.86
570-375-90-3540120	375	227	A	5,488.89
570-400-90-3540120	400	237	B	8,950.16



570/90-004

Gate Valve, Flanged, SS316 Gland
 Face-to-face dimension according to AS/NZS 2638.2
 Ductile Iron
 EPDM rubber
 Epoxy coated to AS/NZS 4158
 Anti Clockwise Close
 Product class: PN16
 Flange drilling: AS 2129 E



AVK ref. no.	DN mm	Theoretical weight / kg	Deliv. code	Gross Price AUD
570-100-90-3640120	100	18	B	473.20
570-150-90-3640120	150	32	B	827.00
570-200-90-3640120	200	52	C	1,596.24
570-225-90-3640120	225	86	C	2,034.17
570-250-90-3640120	250	92	C	2,398.85
570-300-90-3640120	300	125	C	3,470.16



57/90-001

Gate Valve, Flanged
Ductile Iron
EPDM rubber
Epoxy coated to AS/NZS 4158
Product class: PN16
Flange drilling: AS 2129
Table D/E



AVK ref. no.	DN mm	Theoretical weight/kg	Deliv. code	Gross Price AUD
57-050-90-2543120	50	11	A	342.45
57-065-90-2543120	65	15	B	379.23

57/90-002

Gate Valve, Flanged
Ductile Iron
EPDM rubber
Epoxy coated to AS/NZS 4158
Product Class: PN16
Flange drilling: AS 2129
Table D/E



AVK ref. no.	DN mm	Theoretical weight/kg	Deliv. code	Gross Price AUD
57-050-90-3543120	50	12	A	342.45
57-065-90-3543120	65	18	B	379.23

570/92-001

Gate Valve, Flanged, SS316
ISO Mount
Face-to-face dimension according to AS/NZS 2638.2
Ductile Iron
EPDM rubber
Epoxy coated to AS/NZS 4158
Clockwise Close
Product class: PN16
Flange drilling: AS/NZS 4087
B5



AVK ref. no.	DN mm	ISO Flange	Theoretical weight/kg	Deliv. code	Gross Price AUD
570-080-92-0540120	80	F10	13	C	912.81
570-100-92-0540120	100	F10	16	C	937.99
570-150-92-0540120	150	F10	33	B	1,320.24
570-200-92-0540120	200	F10/F14	52	C	2,152.05
570-225-92-0540120	225	F10/F14	88	C	2,702.15
570-250-92-0540120	250	F10/F14	93	C	3,695.05
570-300-92-0540120	300	F10/F14	126	B	4,273.87
570-375-92-0540120	375	F10/F14	227	C	8,256.63
570-400-92-0540120	400	F10/F14	237	C	10,314.40



570/92-008

Gate Valve, Flanged, SS316
ISO Mount
Ductile Iron
EPDM rubber
Epoxy coated to AS/NZS 4158
Clockwise Close
Product class: PN16
Flange drilling: AS 2129 E



AVK ref. no.	DN mm	ISO Flange	Theoretical weight/kg	Deliv. code	Gross Price AUD
570-100-92-0640120	100	F10	18	C	1,004.99
570-150-92-0640120	150	F10	33	C	1,414.55
570-200-92-0640120	200	F10/F14	52	C	2,152.05
570-225-92-0640120	225	F10/F14	87	C	2,702.15
570-250-92-0640120	250	F10/F14	93	C	3,695.05
570-300-92-0640120	300	F10/F14	126	C	4,273.87



570/92-002

Gate Valve, Flanged, SS316
ISO Mount
Face-to-face dimension
according to AS/NZS 2638.2
Ductile Iron
EPDM rubber
Epoxy coated to AS/NZS
4158
Anti Clockwise Close
Product class: PN16
Flange drilling: AS/NZS 4087
B5



AVK ref. no.	DN mm	ISO Flange	Theoretical weight/kg	Deliv. code	Gross Price AUD
570-080-92-1540120	80	F10	13	C	912.81
570-100-92-1540120	100	F10	16	C	937.99
570-150-92-1540120	150	F10	33	C	1,320.24
570-200-92-1540120	200	F10/F14	52	C	2,152.05
570-225-92-1540120	225	F10/F14	88	C	2,702.15
570-250-92-1540120	250	F10/F14	93	C	3,695.05
570-300-92-1540120	300	F10/F14	126	C	4,273.87
570-375-92-1540120	375	F10/F14	227	C	8,256.63
570-400-92-1540120	400	F10/F14	237	C	10,314.40



570/92-009

Gate Valve, Flanged, SS316
ISO Mount
Face-to-face dimension
according to AS/NZS 2638.2
Ductile Iron
EPDM rubber
Epoxy coated to AS/NZS
4158
Anti Clockwise Close
Product class: PN16
Flange drilling: AS 2129 E



AVK ref. no.	DN mm	Theoretical weight/kg	Deliv. code	Gross Price AUD
570-100-92-1640120	100	18	C	1,004.99
570-150-92-1640120	150	33	C	1,414.55
570-200-92-1640120	200	52	C	2,152.05
570-225-92-1640120	225	87	C	2,702.15
570-250-92-1640120	250	93	C	3,695.05
570-300-92-1640120	300	126	C	4,273.87



570/92-003

Gate Valve, Flanged, SS316
ISO Mount
Face-to-face dimension
according to AS/NZS 2638.2
Ductile Iron
EPDM rubber
Epoxy coated to AS/NZS
4158
Clockwise Close
Product class: PN16
Flange drilling: AS/NZS 4087
B5



AVK ref. no.	DN mm	ISO Flange	Theoretical weight/kg	Deliv. code	Gross Price AUD
570-450-92-2540120	450	F14/F16	482	B	9,451.51
570-500-92-2540120	500	F14/F16	517	B	14,968.41
570-600-92-2540120	600	F14/F16	720	B	18,370.31
570-750-92-2540120	750	F14/F16	1705	C	59,845.28



570/92-005

Gate Valve, Flanged, SS316
ISO Mount
Face-to-face dimension
according to AS/NZS 2638.2
Ductile Iron
EPDM rubber
Epoxy coated to AS/NZS
4158
Clockwise Close
Product class: PN16
Flange drilling: AS 2129 E



AVK ref. no.	DN mm	ISO Flange	Theoretical weight/kg	Deliv. code	Gross Price AUD
570-450-92-2640120	450	F14/F16	482	C	11,425.18
570-600-92-2640120	600	F14/F16	720	C	22,522.77
570-750-92-2640120	750	F16	1703	C	64,770.36



570/92-004

Gate Valve, Flanged, SS316
ISO Mount
Face-to-face dimension
according to AS/NZS 2638.2
Ductile Iron
EPDM rubber
Epoxy coated to AS/NZS
4158
Anti Clockwise Close
Product class: PN16
Flange drilling: AS/NZS 4087
B5



AVK ref. no.	DN mm	ISO Flange	Theoretical weight/kg	Deliv. code	Gross Price AUD
570-450-92-3540120	450	F14/F16	482	A	9,451.52
570-500-92-3540120	500	F14/F16	517	B	14,968.41
570-600-92-3540120	600	F14/F16	720	B	18,370.31
570-750-92-3540120	750	F16	1705	B	59,845.28



570/92-006

Gate Valve, Flanged, SS316
ISO Mount
Face-to-face dimension
according to AS/NZS 2638.2
Ductile Iron
EPDM rubber
Epoxy coated to AS/NZS
4158
Anti Clockwise Close
Product class: PN16
Flange drilling: AS 2129 E



AVK ref. no.	DN mm	ISO Flange	Theoretical weight/kg	Deliv. code	Gross Price AUD
570-450-92-3640120	450	F14/F16	482	C	11,425.18
570-600-92-3640120	600	F14/F16	720	C	22,522.77
570-750-92-3640120	750	F16	1703	C	64,770.36



570/42-008

Gate Valve, Flanged, ISO
Mount, By-pass
Face-to-face dimension
according to AS/NZS 2638.2
Ductile Iron
EPDM drinking water
approved
Epoxy coated to AS/NZS
4158
Product class: PN16
Flange drilling: AS/NZS 4087
B5 & AS 2129 T/E



AVK ref. no.	DN mm	By-pass DN	ISO Flange	Theoretical weight/kg	Deliv. code	Gross Price AUD
570-450-42-2540120003	450	100	F14/F16	566	A	16,061.07
570-450-42-2540120004	450	150	F14/F16	602	C	16,689.59
570-450-42-2640120003	450	100	F14/F16	566	C	17,667.20
570-450-42-2640120004	450	150	F14/F16	602	C	18,358.56
570-500-42-2540120003	500	100	F14/F16	606	A	21,172.93
570-500-42-2540120004	500	150	F14/F16	641	A	21,849.35
570-600-42-2540120003	600	100	F14/F16	831	A	27,203.27
570-600-42-2540120004	600	150	F14/F16	866	A	27,731.08
570-600-42-2640120003	600	100	F14/F16	831	C	29,923.58
570-600-42-2640120004	600	150	F14/F16	866	C	30,504.17
570-750-42-254012C039	750	150	F16	2547	C	63,545.61
570-750-42-264012C039	750	150	F16	2547	C	64,768.34



570/42-009

Gate Valve, Flanged, ISO
Mount, By-pass
Face-to-face dimension
according to AS/NZS 2638.2
Ductile Iron
EPDM drinking water
approved
Epoxy coated to AS/NZS
4158
Product class: PN16
Flange drilling: AS/NZS 4087
B5 & AS 2129 T/E



AVK ref. no.	DN mm	By-pass DN	ISO Flange	Theoretical weight/kg	Deliv. code	Gross Price AUD
570-450-42-3540120003	450	100	F14/F16	566	A	16,061.07
570-450-42-3540120004	450	150	F14/F16	602	A	16,689.59
570-450-42-3640120003	450	100	F14/F16	566	C	17,667.20
570-450-42-3640120004	450	150	F14/F16	602	C	18,358.56
570-500-42-3540120003	500	100	F14/F16	606	A	21,172.93
570-500-42-3540120004	500	150	F14/F16	641	A	21,849.35
570-600-42-3540120003	600	100	F14/F16	831	A	27,203.27
570-600-42-3540120004	600	150	F14/F16	866	A	27,731.07
570-600-42-3640120003	600	100	F14/F16	831	C	29,923.58
570-600-42-3640120004	600	150	F14/F16	866	C	30,504.17
570-750-42-354012C039	750	150	F16	2547	C	63,545.61
570-750-42-364012C039	750	150	F16	2547	C	64,768.34



55/80-007

Gate Valve, Flanged, ISO Mount, By-pass
Ductile Iron
EPDM rubber
Epoxy coated to AS/NZS 4158
Clockwise Close
Product class: PN16
Flange drilling: AS 4087 B5



AVK ref. no.	DN mm	ISO Flange	Theoretical weight/kg	Deliv. code	Gross Price AUD
55-800-80-05412G0111	800	F16	2599	C	75,532.07
55-900-80-05412N0111	900	F16	3918	C	112,699.08
55-1000-80-0544122011	1000	F16	3896	C	115,530.00

55/80-008

Gate Valve, Flanged, ISO Mount
Ductile Iron
EPDM rubber
Epoxy coated to AS/NZS 4158
Clockwise Close
Product class: PN16
Flange drilling: AS 4087 B5



AVK ref. no.	DN mm	ISO Flange	Theoretical weight/kg	Deliv. code	Gross Price AUD
55-800-80-0541200101	800	F16	2539	C	62,552.00
55-900-80-0541200101	900	F16	3855	C	92,917.45
55-1000-80-054412001	1000	F16	3833	C	94,630.31

55/80-009

Gate Valve, Flanged, ISO Mount, By-pass
Ductile Iron
EPDM rubber
Epoxy coated to AS/NZS 4158
Anti Clockwise Close
Product class: PN16
Flange drilling: AS 4087 B5



AVK ref. no.	DN mm	ISO Flange	Theoretical weight/kg	Deliv. code	Gross Price AUD
55-900-80-15412N0111	900	F16	3918	C	112,699.08
55-800-80-15412G0111	800	F16	2599	C	75,532.07
55-1000-80-1544122011	1000	F16	3896	C	115,530.00

55/80-010

Gate Valve, Flanged, ISO Mount
Ductile Iron
EPDM rubber
Epoxy coated to AS/NZS 4158
Anti Clockwise Close
Product class: PN16
Flange drilling: AS 4087 B5



AVK ref. no.	DN mm	ISO Flange	Theoretical weight/kg	Deliv. code	Gross Price AUD
55-800-80-1541200101	800	F16	2539	C	62,552.00
55-900-80-1541200101	900	F16	3855	C	92,917.45
55-1000-80-154412001	1000	F16	3833	C	94,630.31

570/98-001

Gate Valve, Flanged, SS316 Gland, Handwheel
Face-to-face dimension according to AS/NZS 2638.2
Ductile Iron
EPDM rubber
Epoxy coated to AS/NZS 4158
Clockwise Close
Product class: PN16
Flange drilling: AS/NZS 4087 B5



AVK ref. no.	DN mm	Theoretical weight/kg	Deliv. code	Gross Price AUD
570-080-98-0540120	80	15	A	557.95
570-100-98-0540120	100	18	A	550.77
570-150-98-0540120	150	34	B	835.87
570-200-98-0540120	200	56	B	1,675.09
570-225-98-0540120	225	94	C	2,216.96
570-250-98-0540120	250	100	C	2,683.22
570-300-98-0540120	300	133	C	3,279.87
570-375-98-0540120	375	241	C	5,692.62
570-400-98-0540120	400	251	C	9,321.88



570/98-003

Gate Valve, Flanged, SS316
Gland, Handwheel
Face-to-face dimension
according to AS/NZS 2638.2
Ductile Iron
EPDM rubber
Epoxy coated to AS/NZS
4158



Clockwise Close
Product class: PN16
Flange drilling: AS 2129 E

AVK ref. no.	DN mm	Theoretical weight/kg	Deliv. code	Gross Price AUD
570-100-98-0640120	100	20	A	562.44
570-150-98-0640120	150	34	B	944.96
570-200-98-0640120	200	55	C	1,994.61
570-225-98-0640120	225	93	C	2,226.10
570-250-98-0640120	250	99	C	2,934.00
570-300-98-0640120	300	132	C	3,514.06



570/98-002

Gate Valve, Flanged, SS316
Gland, Handwheel
Face-to-face dimension
according to AS/NZS 2638.2
Ductile Iron
EPDM rubber
Epoxy coated to AS/NZS
4158



Anti Clockwise Close
Product class: PN16
Flange drilling: AS/NZS 4087
B5

AVK ref. no.	DN mm	Theoretical weight/kg	Deliv. code	Gross Price AUD
570-080-98-1540120	80	15	B	557.95
570-100-98-1540120	100	18	B	550.77
570-150-98-1540120	150	34	B	835.87
570-200-98-1540120	200	56	C	1,675.09
570-225-98-1540120	225	94	C	2,216.96
570-250-98-1540120	250	100	C	2,683.22
570-300-98-1540120	300	133	C	3,279.87
570-375-98-1540120	375	241	C	5,692.62
570-400-98-1540120	400	251	C	9,321.88



570/98-004

Gate Valve, Flanged, SS316
Gland, Handwheel
Face-to-face dimension
according to AS/NZS 2638.2
Ductile Iron
EPDM rubber
Epoxy coated to AS/NZS
4158



Anti Clockwise Close
Product class: PN16
Flange drilling: AS 2129 E

AVK ref. no.	DN mm	Theoretical weight/kg	Deliv. code	Gross Price AUD
570-100-98-1640120	100	20	C	562.44
570-150-98-1640120	150	34	C	944.96
570-200-98-1640120	200	55	C	1,994.61
570-225-98-1640120	225	93	C	2,226.10
570-250-98-1640120	250	99	C	2,934.00
570-300-98-1640120	300	132	C	3,514.06



57/98-001

Gate Valve, Flanged,
Handwheel
Ductile Iron
EPDM rubber
Epoxy coated to AS/NZS
4158
Product class: PN16
Flange drilling: AS 2129
Table D/E



AVK ref. no.	DN mm	Theoretical weight/kg	Deliv. code	Gross Price AUD
57-050-98-0543120	50	17	B	453.14
57-065-98-0543120	65	19	A	489.92

57/98-002

Gate Valve, Flanged,
Handwheel
Ductile Iron
EPDM rubber
Epoxy coated to AS/NZS
4158
Product class: PN16
Flange drilling: AS 2129
Table D/E



AVK ref. no.	DN mm	Theoretical weight/kg	Deliv. code	Gross Price AUD
57-050-98-1543120	50	17	C	453.14
57-065-98-1543120	65	19	C	489.92

570/96-001

Gate Valve, Flanged,
Handwheel OS&Y
Face-to-face dimension
according to AS/NZS 2638.2
Ductile Iron
EPDM rubber
Epoxy coated to AS/NZS
4158
Clockwise Close
Product class: PN16
Flange drilling: AS/NZS 4087
B5



AVK ref. no.	DN mm	Theoretical weight/kg	Deliv. code	Gross Price AUD
570-080-96-0540120	80	19	B	778.46
570-100-96-0540120	100	22	B	756.04
570-150-96-0540120	150	45	C	1,309.24
570-200-96-0540120	200	63	C	2,283.87
570-225-96-0540120	225	112	C	3,357.29
570-250-96-0540120	250	117	C	3,600.49
570-300-96-0540120	300	150	C	4,920.45

**570/96-002**

Gate Valve, Flanged,
Handwheel OS&Y
Face-to-face dimension
according to AS/NZS 2638.2
Ductile Iron
EPDM rubber
Epoxy coated to AS/NZS
4158
Clockwise Close
Product class: PN16
Flange drilling: AS 2129 E



AVK ref. no.	DN mm	Theoretical weight/kg	Deliv. code	Gross Price AUD
570-100-96-0640120	100	22	A	831.64
570-150-96-0640120	150	45	A	1,431.36
570-200-96-0640120	200	63	C	2,283.87
570-225-96-0640120	225	112	C	3,357.29
570-250-96-0640120	250	117	C	3,600.49
570-300-96-0640120	300	150	B	4,920.45

**57/46-001**

Gate Valve, Flanged,
Handwheel OS&Y
Ductile Iron
EPDM rubber
Epoxy coated to AS/NZS
4158
Clockwise Close
Product class: PN16
Flange drilling: AS/NZS 4087
B5



AVK ref. no.	DN mm	Theoretical weight/kg	Deliv. code	Gross Price AUD
57-050-46-0543120	50	20	C	730.23
57-065-46-0543120	65	22	C	763.43

570/50-001

Gate Valve, Socket ends,
SS316 Gland
Ductile Iron
EPDM rubber
Epoxy coated to AS/NZS
4158
Clockwise Close
Product class: PN16



AVK ref. no.	DN mm	Theoretical weight/kg	Deliv. code	Gross Price AUD
570-080-50-2940120	80	13	C	482.34
570-100-50-2940120	100	17	B	480.17
570-150-50-2940120	150	31	B	765.25
570-200-50-2940120	200	53	C	1,772.50
570-225-50-2940120	225	84	C	2,240.16
570-250-50-2940120	250	87	B	2,845.68
570-300-50-2940120	300	117	C	3,646.57
570-375-50-2940120	375	223	C	8,501.48



570/50-002

Gate Valve, Socket ends,
SS316 Gland
Ductile Iron
EPDM rubber
Epoxy coated to AS/NZS
4158
Anti Clockwise Close
Product class: PN16



AVK ref. no.	DN mm	Theoretical weight/kg	Deliv. code	Gross Price AUD
570-080-50-3940120	80	13	C	482.34
570-100-50-3940120	100	17	A	480.17
570-150-50-3940120	150	31	A	765.25
570-200-50-3940120	200	53	B	1,772.50
570-225-50-3940120	225	84	B	2,240.16
570-250-50-3940120	250	87	B	2,845.68
570-300-50-3940120	300	117	B	3,646.57
570-375-50-3940120	375	223	B	8,501.48



01/91-001

SUPA PLUS™ Gate Valve,
Socket ends tensile resistant
Ductile Iron
EPDM rubber
Epoxy coated to AS/NZS
4158
Clockwise Close
Product class: PN16



AVK ref. no.	DN mm	Dd mm	Theoretical weight/kg	Deliv. code	Gross Price AUD
01-090-91-41412	80	90	16	C	479.75
01-110-91-41412	100	110	20	C	653.07
01-125-91-41412	125	125	25	C	686.28
01-140-91-41412	125	140	27	C	916.25
01-160-91-41412	150	160	35	C	1,145.64
01-180-91-41412	150	180	39	C	1,202.92
01-200-91-41412	200	200	57	C	1,609.10
01-225-91-41412	200	225	65	C	1,781.24
01-250-91-41412	250	250	100	C	2,595.10
01-280-91-41412	250	280	102	C	2,808.23
01-315-91-41412	300	315	136	C	3,425.84



01/91-003

SUPA PLUS™ Gate Valve,
Socket ends tensile resistant
Ductile Iron
EPDM rubber
Epoxy coated to AS/NZS
4158
Anti Clockwise Close
Product class: PN16



AVK ref. no.	DN mm	Dd mm	Theoretical weight/kg	Deliv. code	Gross Price AUD
01-090-91-51412	80	90	16	C	479.75
01-110-91-51412	100	110	20	C	653.07
01-125-91-51412	125	125	25	C	686.28
01-140-91-51412	125	140	27	C	916.25
01-160-91-51412	150	160	35	C	1,145.64
01-180-91-51412	150	180	39	C	1,202.92
01-200-91-51412	200	200	57	C	1,609.10
01-225-91-51412	200	225	65	C	1,781.24
01-250-91-51412	250	250	100	B	2,595.10
01-280-91-51412	250	280	102	C	2,808.23
01-315-91-51412	300	315	136	B	3,425.84



570/60-001

Gate Valve, Spigot ends,
SS316 Gland
Ductile Iron
EPDM rubber
Epoxy coated to AS/NZS
4158
Clockwise Close
Product class: PN16



AVK ref. no.	DN mm	Theoretical weight/kg	Deliv. code	Gross Price AUD
570-080-60-2940120	80	12	C	535.55
570-100-60-2940120	100	16	B	565.89
570-150-60-2940120	150	32	B	901.93
570-200-60-2940120	200	55	C	2,044.79
570-225-60-2940120	225	93	C	2,642.66
570-250-60-2940120	250	88	C	3,252.19
570-300-60-2940120	300	123	C	4,167.49



570/60-002

Gate Valve, Spigot ends,
SS316 Gland
Ductile Iron
EPDM rubber
Epoxy coated to AS/NZS
4158
Anti Clockwise Close
Product class: PN16




AVK ref. no.	DN mm	Theoretical weight/kg	Deliv. code	Gross Price AUD
570-080-60-3940120	80	12	C	535.55
570-100-60-3940120	100	16	A	565.89
570-150-60-3940120	150	32	B	901.93
570-200-60-3940120	200	55	C	2,044.79
570-225-60-3940120	225	93	C	2,642.66
570-250-60-3940120	250	88	C	3,252.19
570-300-60-3940120	300	123	C	4,167.49



570/62-001

Gate Valve, Spigot ends,
SS316 ISO Mount
Ductile Iron
EPDM rubber
Epoxy coated to AS/NZS
4158
Clockwise Close
Product class: PN16




AVK ref. no.	DN mm	ISO Flange	Theoretical weight/kg	Deliv. code	Gross Price AUD
570-080-62-0940120	80	F10	12	C	945.27
570-100-62-0940120	100	F10	16	C	1,042.77
570-150-62-0940120	150	F10	32	C	1,478.02
570-200-62-0940120	200	F10/F14	56	C	2,278.99
570-225-62-0940120	225	F10/F14	93	C	3,558.51
570-250-62-0940120	250	F10/F14	88	C	4,223.28
570-300-62-0940120	300	F10/F14	123	C	4,941.04



570/62-002

Gate Valve, Spigot ends,
SS316 ISO Mount
Ductile Iron
EPDM rubber
Epoxy coated to AS/NZS
4158
Anti Clockwise Close
Product class: PN16



AVK ref. no.	DN mm	ISO Flange	Theoretical weight/kg	Deliv. code	Gross Price AUD
570-080-62-1940120	80	F10	12	C	945.27
570-100-62-1940120	100	F10	16	C	1,042.77
570-150-62-1940120	150	F10	32	C	1,478.02
570-200-62-1940120	200	F10/F14	56	C	2,278.99
570-225-62-1940120	225	F10/F14	93	C	3,558.51
570-250-62-1940120	250	F10/F14	88	C	4,223.28
570-300-62-1940120	300	F10/F14	123	C	4,941.04



570/68-001

Gate Valve, Spigot ends,
Handwheel
Ductile Iron
EPDM rubber
Epoxy coated to AS/NZS
4158
Clockwise Close
Product class: PN16



AVK ref. no.	DN mm	Theoretical weight/kg	Deliv. code	Gross Price AUD
570-080-68-0940120	80	14	C	499.45
570-100-68-0940120	100	18	C	593.93
570-150-68-0940120	150	33	C	1,023.13
570-200-68-0940120	200	59	C	1,880.02
570-225-68-0940120	225	95	C	2,556.54
570-250-68-0940120	250	100	C	3,101.92
570-300-68-0940120	300	130	C	3,924.60



570/68-002

Gate Valve, Spigot ends,
Handwheel
Ductile Iron
EPDM rubber
Epoxy coated to AS/NZS
4158
Anti Clockwise Close
Product class: PN16



AVK ref. no.	DN mm	Theoretical weight/kg	Deliv. code	Gross Price AUD
570-080-68-1940120	80	14	C	499.45
570-100-68-1940120	100	18	C	593.93
570-150-68-1940120	150	33	C	1,023.13
570-200-68-1940120	200	59	C	1,880.02
570-225-68-1940120	225	95	C	2,556.54
570-250-68-1940120	250	100	C	3,101.92
570-300-68-1940120	300	130	C	3,924.60



570/70-001

Gate Valve, Flange/Socket,
SS316 Gland
Ductile Iron
EPDM rubber
Epoxy coated to AS/NZS
4158
Clockwise Close
Product class: PN16
Flange drilling: AS/NZS 4087
B5



AVK ref. no.	DN mm	DP Nom. O.D. mm	Theoretical weight/kg	Deliv. code	Gross Price AUD
570-080-70-2540121	80	94-97	13	C	497.21
570-080-70-2540122	80	88.7-89.1	13	C	497.21
570-100-70-2540121	100	120-123	16	C	493.68
570-100-70-2540122	100	114-114.5	16	C	493.68
570-150-70-2540121	150	175-178	32	C	836.44
570-150-70-2540122	150	160-160.5	32	C	836.44



570/70-002

Gate Valve, Flange/Socket,
SS316 Gland
Face-to-face dimension
according to AS/NZS 2638.2
Ductile Iron
EPDM rubber
Epoxy coated to AS/NZS
4158
Anti Clockwise Close
Product class: PN16
Flange drilling: AS/NZS 4087
B5



AVK ref. no.	DN mm	DP Nom. O.D. mm	Theoretical weight/kg	Deliv. code	Gross Price AUD
570-080-70-3540121	80	94-97	13	C	497.21
570-080-70-3540122	80	88.7-89.1	13	C	497.21
570-100-70-3540121	100	120-123	16	A	493.68
570-100-70-3540122	100	114-114.5	16	C	493.68
570-150-70-3540121	150	175-178	32	B	836.44
570-150-70-3540122	150	160-160.5	32	C	836.44



570/72-001

Gate Valve, Flange/Socket,
SS316 ISO Mount
Face-to-face dimension
according to AS/NZS 2638.2
Ductile Iron
EPDM rubber
Epoxy coated to AS/NZS
4158
Clockwise Close
Product class: PN16
Flange drilling: AS/NZS 4087
B5



AVK ref. no.	DN mm	DP Nom. O.D. mm	ISO Flange	Theoretical weight/kg	Deliv. code	Gross Price AUD
570-080-72-0540121	80	94-97	F10	14	C	947.57
570-080-72-0540122	80	88.7-89.1	F10	14	C	947.57
570-100-72-0540121	100	120-123	F10	17	C	1,042.77
570-100-72-0540122	100	114-114.5	F10	17	C	1,042.77
570-150-72-0540121	150	175-178	F10	33	C	1,478.02
570-150-72-0540122	150	160-160.5	F10	33	C	1,478.02



570/72-002

Gate Valve, Flange/Socket,
SS316 ISO Mount
Ductile Iron
EPDM rubber
Epoxy coated to AS/NZS
4158
Anti Clockwise Close
Product class: PN16
Flange drilling: AS/NZS 4087
B5



AVK ref. no.	DN mm	DP Nom. O.D. mm	ISO Flange	Theoretical weight/kg	Deliv. code	Gross Price AUD
570-080-72-1540121	80	94-97	F10	14	C	947.57
570-080-72-1540122	80	88.7-89.1	F10	14	C	947.57
570-100-72-1540121	100	120-123	F10	17	C	1,042.77
570-100-72-1540122	100	114-114.5	F10	17	C	1,042.77
570-150-72-1540121	150	175-178	F10	33	C	1,478.02
570-150-72-1540122	150	160-160.5	F10	33	C	1,478.02



570/78-001

Gate Valve, Flange/Socket,
SS316 Gland, Handwheel
Face-to-face dimension
according to AS/NZS 2638.2
Ductile Iron
EPDM rubber
Epoxy coated to AS/NZS
4158
Clockwise Close
Product class: PN16
Flange drilling: AS/NZS 4087
B5



AVK ref. no.	DN mm	DP Nom. O.D. mm	Theoretical weight/kg	Deliv. code	Gross Price AUD
570-080-78-0540121	80	94-97	15	C	562.19
570-080-78-0540122	80	88.7-89.1	15	C	562.19
570-100-78-0540121	100	120-123	18	C	554.33
570-100-78-0540122	100	114-114.5	18	C	554.33
570-150-78-0540121	150	175-178	34	C	954.92
570-150-78-0540122	150	160-160.5	34	C	954.92



570/78-002

Gate Valve, Flange/Socket,
SS316 Gland, Handwheel
Face-to-face dimension
according to AS/NZS 2638.2
Ductile Iron
EPDM rubber
Epoxy coated to AS/NZS
4158
Anti Clockwise Close
Product class: PN16
Flange drilling: AS/NZS 4087
B5



AVK ref. no.	DN mm	DP Nom. O.D. mm	Theoretical weight/kg	Deliv. code	Gross Price AUD
570-080-78-1540121	80	94-97	15	C	562.19
570-080-78-1540122	80	88.7-89.1	15	C	562.19
570-100-78-1540121	100	120-123	18	C	554.33
570-100-78-1540122	100	114-114.5	18	C	554.33
570-150-78-1540121	150	175-178	34	C	954.92
570-150-78-1540122	150	160-160.5	34	C	954.92



57/80-001

Gate Valve, Flanged
Face-to-face dimension
according to AS/NZS 2638.2
Ductile Iron
EPDM rubber
Epoxy coated to AS/NZS
4158
Clockwise Close
Product class: PN25
Flange drilling: AS 2129 F



AVK ref. no.	DN mm	Theoretical weight/kg	Deliv. code	Gross Price AUD
57-050-80-2748120	50	17	C	1,066.14
57-080-80-2748120	80	19	C	1,066.14
57-100-80-2748120	100	28	B	1,141.99
57-150-80-2748120	150	51	B	1,649.93
57-200-80-2748120	200	73	C	3,012.12
57-250-80-2748120	250	107	B	4,617.15
57-300-80-2748120	300	144	C	6,148.99

57/80-002

Gate Valve, Flanged
 Face-to-face dimension according to AS/NZS 2638.2
 Ductile Iron
 EPDM rubber
 Epoxy coated to AS/NZS 4158
 Anti Clockwise Close
 Product class: PN25
 Flange drilling: AS 2129 F



AVK ref. no.	DN mm	Theoretical weight/kg	Deliv. code	Gross Price AUD
57-050-80-3748120	50	17	C	1,066.14
57-080-80-3748120	80	19	C	1,066.14
57-100-80-3748120	100	28	B	1,141.99
57-150-80-3748120	150	51	B	1,649.93
57-200-80-3748120	200	73	B	3,012.12
57-250-80-3748120	250	107	B	4,617.15
57-300-80-3748120	300	144	C	6,148.99

57/86-001

Gate Valve, Flanged,
 Handwheel OS&Y
 Face-to-face dimension according to AS/NZS 2638.2
 Ductile Iron
 EPDM rubber
 Epoxy coated to AS/NZS 4158
 Clockwise Close
 Product class: PN25
 Flange drilling: AS 2129 F



AVK ref. no.	DN mm	Theoretical weight/kg	Deliv. code	Gross Price AUD
57-080-86-0748120	80	22	C	1,415.11
57-100-86-0748120	100	34	C	1,550.14
57-150-86-0748120	150	58	C	1,812.93
57-200-86-0748120	200	86	C	3,384.69
57-250-86-0748120	250	125	C	5,711.56
57-300-86-0748120	300	173	C	7,744.03

57/86-002

Gate Valve, Flanged,
 Handwheel OS&Y
 Face-to-face dimension according to AS/NZS 2638.2
 Ductile Iron
 EPDM rubber
 Epoxy coated to AS/NZS 4158
 Clockwise Close
 Product class: PN25
 Flange drilling: ANSI CL150



AVK ref. no.	DN mm	Theoretical weight/kg	Deliv. code	Gross Price AUD
57-080-86-0248120	80	22	C	1,582.57
57-100-86-0248120	100	34	C	1,705.15
57-150-86-0248120	150	58	C	1,927.75
57-200-86-0248120	200	86	C	3,723.17
57-250-86-0248120	250	125	C	6,282.71
57-300-86-0248120	300	173	C	8,518.43

36/20-001

Gate Valve, PE Pipe ends
Ductile Iron
EPDM rubber
Epoxy coated to AS/NZS 4158
Clockwise Close
Product class: PN16
SDR11 PE100



AVK ref. no.	DN mm	D mm	Theoretical weight/kg	Deliv. code	Gross Price AUD
36-090-20-483412	80	90	13	A	521.63
36-110-20-483412	100	110	18	B	708.41
36-125-20-483412	125	125	24	A	776.67
36-140-20-483412	125	140	27	C	1,018.70
36-160-20-483412	150	160	40	B	1,296.36
36-180-20-483412	150	180	38	A	1,280.78
36-200-20-483412	200	200	66	B	1,931.94
36-225-20-483412	200	225	74	C	2,223.02
36-250-20-483412	250	250	101	B	3,245.97
36-280-20-483412	250	280	123	C	4,058.62
36-315-20-483412	300	315	172	C	4,845.00

36/20-003

Gate Valve, PE Pipe ends
Ductile Iron
EPDM rubber
Epoxy coated to AS/NZS 4158
Anti Clockwise Close
Product class: PN16
SDR 11 PE100



AVK ref. no.	DN mm	D mm	Theoretical weight/kg	Deliv. code	Gross Price AUD
36-090-20-483512	80	90	13	A	521.63
36-110-20-483512	100	110	18	A	708.41
36-125-20-483512	125	125	24	A	776.67
36-140-20-483512	125	140	27	C	1,018.70
36-160-20-483512	150	160	40	B	1,296.36
36-180-20-483512	150	180	38	A	1,280.78
36-200-20-483512	200	200	66	A	1,931.94
36-225-20-483512	200	225	74	B	2,223.02
36-250-20-483512	250	250	101	A	3,245.97
36-280-20-483512	250	280	123	A	4,058.62
36-315-20-483512	300	315	172	B	4,845.00

36/22-001

Gate Valve, PE Pipe ends, ISO Mount
Ductile Iron
EPDM rubber
Epoxy coated to AS/NZS 4158
Clockwise Close
Product class: PN16
SDR11 PE100



AVK ref. no.	DN mm	D mm	ISO Flange	Theoretical weight/kg	Deliv. code	Gross Price AUD
36-090-22-483012	80	90	F10	13	C	917.82
36-110-22-483012	100	110	F10	18	C	1,086.61
36-125-22-483012	125	125	F10	24	C	1,191.76
36-140-22-483012	125	140	F10	28	C	1,640.49
36-160-22-483012	150	160	F10	41	C	1,901.46
36-180-22-483012	150	180	F10	39	C	1,965.13
36-200-22-483012	200	200	F10/F14	66	C	2,537.04
36-225-22-483012	200	225	F10/F14	75	C	3,293.02
36-250-22-483012	250	250	F10/F14	102	C	4,315.97
36-280-22-483012	250	280	F10/F14	124	C	5,128.62
36-315-22-483012	300	315	F10/F14	173	C	5,951.90

36/22-002

Gate Valve, PE Pipe ends, ISO Mount
Ductile Iron
EPDM rubber
Epoxy coated to AS/NZS 4158
Anti Clockwise Close
Product class: PN16
SDR11 PE100



AVK ref. no.	DN mm	D mm	ISO Flange	Theoretical weight/kg	Deliv. code	Gross Price AUD
36-090-22-483112	80	90	F10	13	C	917.82
36-110-22-483112	100	110	F10	18	C	1,086.61
36-125-22-483112	125	125	F10	24	C	1,191.76
36-140-22-483112	125	140	F10	28	C	1,640.49
36-160-22-483112	150	160	F10	41	C	1,901.46
36-180-22-483112	150	180	F10	39	C	1,965.13
36-200-22-483112	200	200	F10/F14	66	C	2,537.04
36-225-22-483112	200	225	F10/F14	75	C	3,293.02
36-250-22-483112	250	250	F10/F14	102	C	4,315.97
36-280-22-483112	250	280	F10/F14	124	C	5,128.62
36-315-22-483112	300	315	F10/F14	173	C	5,951.90

36/28-001

Gate Valve, PE Pipe ends,
Handwheel
Ductile Iron
EPDM rubber
Epoxy coated to AS/NZS
4158
Clockwise Close
Product class: PN16
SDR11 PE100



AVK ref. no.	DN mm	D mm	Theoretical weight/kg	Deliv. code	Gross Price AUD
36-090-28-483612	80	90	15	C	650.32
36-110-28-483612	100	110	20	C	819.11
36-125-28-483612	125	125	26	C	887.36
36-140-28-483612	125	140	29	C	1,146.08
36-160-28-483612	150	160	42	C	1,490.07
36-180-28-483612	150	180	40	C	1,553.74
36-200-28-483612	200	200	70	C	2,125.65
36-225-28-483612	200	225	78	C	2,416.72
36-250-28-483612	250	250	108	C	3,439.69
36-280-28-483612	250	280	131	C	4,252.33
36-315-28-483612	300	315	179	C	5,038.70

36/28-002

Gate Valve, PE Pipe ends,
Handwheel
Ductile Iron
EPDM rubber
Epoxy coated to AS/NZS
4158
Anti Clockwise Close
Product class: PN16
SDR11 PE100



AVK ref. no.	DN mm	D mm	Theoretical weight/kg	Deliv. code	Gross Price AUD
36-090-28-483712	80	90	15	C	650.32
36-110-28-483712	100	110	20	C	819.11
36-125-28-483712	125	125	26	C	887.36
36-140-28-483712	125	140	29	C	1,146.08
36-160-28-483712	150	160	42	C	1,490.07
36-180-28-483712	150	180	40	C	1,553.74
36-200-28-483712	200	200	70	C	2,125.65
36-225-28-483712	200	225	78	C	2,416.72
36-250-28-483712	250	250	108	C	3,439.69
36-280-28-483712	250	280	131	C	4,252.33
36-315-28-483712	300	315	179	C	5,038.70

36/81-001

Gate Valve, PE Pipe ends
Ductile Iron
EPDM rubber
Epoxy coated to AS/NZS
4158
Clockwise Close
Product class: PN16
SDR11 PE100



AVK ref. no.	DN mm	D mm	Theoretical weight/kg	Deliv. code	Gross Price AUD
36-063-81-483412	50	63	10	A	521.63
36-075-81-483412	65	75	12	B	521.63

36/81-002

Gate Valve, PE Pipe ends
Ductile Iron
EPDM rubber
Epoxy coated to AS/NZS
4158
Anti Clockwise Close
Product class: PN16
SDR11 PE100



AVK ref. no.	DN mm	D mm	Theoretical weight/kg	Deliv. code	Gross Price AUD
36-063-81-483512	50	63	10	A	521.63
36-075-81-483512	65	75	12	B	521.63

580/80-001

Gate Valve, Flanged, Stem Cap

Face to face according to AS/NZS 2638.1

Ductile Iron

Epoxy coated to AS/NZS 4158

CC / ACC

Product class: PN35

Flange drilling: AS/NZS 4087 B6



AVK ref. no.	DN mm	Operating Direction	Theoretical weight/kg	Deliv. code	Gross Price AUD
580-080-80-270412	80	CC	27	C	1,117.09
580-080-80-370412	80	ACC	27	C	1,117.09
580-100-80-270412	100	CC	35	A	1,151.32
580-100-80-370412	100	ACC	35	A	1,151.32
580-150-80-270412	150	CC	65	C	1,698.76
580-150-80-370412	150	ACC	65	C	1,698.75
580-200-80-270412	200	CC	115	C	4,231.70
580-200-80-370412	200	ACC	115	C	4,231.70
580-225-80-270412	225	CC	159	C	5,119.96
580-225-80-370412	225	ACC	159	C	5,119.96
580-250-80-270412	250	CC	167	C	6,347.80
580-250-80-370412	250	ACC	167	C	6,347.80
580-300-80-270412	300	CC	254	C	8,055.12
580-300-80-370412	300	ACC	254	C	8,055.12



580/82-001

Gate Valve, Flanged, ISO Mount

Face to face according to AS/NZS 2638.1

Ductile Iron

Epoxy coated to AS/NZS 4158

CC / ACC

Product class: PN35

Flange drilling: AS/NZS 4087 B6



AVK ref. no.	DN mm	Operating Direction	ISO Flange	Theoretical weight/kg	Deliv. code	Gross Price AUD
580-080-82-070412	80	CC	F10	28	C	1,380.74
580-080-82-170412	80	ACC	F10	28	C	1,380.74
580-100-82-070412	100	CC	F10	36	C	1,414.97
580-100-82-170412	100	ACC	F10	36	C	1,414.97
580-150-82-070412	150	CC	F10	65	C	2,015.13
580-150-82-170412	150	ACC	F10	65	C	2,015.13
580-200-82-070412	200	CC	F14	115	C	4,653.54
580-200-82-170412	200	ACC	F14	115	C	4,653.54
580-225-82-070412	225	CC	F14	159	C	5,647.26
580-225-82-170412	225	ACC	F14	159	C	5,647.26
580-250-82-070412	250	CC	F14	166	C	6,875.10
580-250-82-170412	250	ACC	F14	166	C	6,875.10
580-300-82-070412	300	CC	F14	255	C	8,687.87
580-300-82-170412	300	ACC	F14	255	C	8,687.88



580/82-004

Gate Valve, flanged, metal seated, shoe and channel, ISO mount

Face to face according to AS/NZS 2638.1

Ductile Iron

Epoxy coated to AS/NZS 4158

CC / ACC

Product class: PN35

Flange drilling: AS/NZS 4087 B6



AVK ref. no.	DN mm	Operating Direction	ISO Flange	Theoretical weight/kg	Deliv. code	Gross Price AUD
580-375-82-270312	375	CC	F14	519	C	13,414.21
580-375-82-370312	375	ACC	F14	519	C	13,414.21
580-450-82-270312	450	CC	F14	683	C	20,543.64
580-450-82-370312	450	ACC	F14	683	C	20,543.64
580-500-82-270312	500	CC	F16	842	C	27,859.31
580-500-82-370312	500	ACC	F16	842	C	27,859.31
580-600-82-270312	600	CC	F16	1314	C	31,415.36
580-600-82-370312	600	ACC	F16	1314	C	31,415.36



580/83-004

Gate valve, flanged, metal seated, ISO mount, by-pass

Face to face according to AS/NZS 2638.1

Ductile Iron

Epoxy coated to AS/NZS 4158

CC / ACC

Product class: PN35

Flange drilling: AS/NZS 4087 B6



AVK ref. no.	DN mm	Operating Direction	ISO Flange	Theoretical weight/kg	Deliv. code	Gross Price AUD
580-375-83-270312	375	CC	F14	605	C	15,727.17
580-375-83-370312	375	ACC	F14	605	C	15,727.17
580-450-83-270312	450	CC	F14	768	C	22,848.01
580-450-83-370312	450	ACC	F14	768	C	22,848.01
580-500-83-270312	500	CC	F16	1003	C	33,015.25
580-500-83-370312	500	ACC	F16	1003	C	33,015.25
580-600-83-270312	600	CC	F16	1471	C	37,702.87
580-600-83-370312	600	ACC	F16	1471	C	37,702.87



580/87-001

Gate Valve, Flanged, ISO Mount, Shoe & Channel, PN35
 Ductile Iron
 Epoxy coated to AS/NZS 4158
 CC / ACC
 Product class: PN35
 Flange drilling: AS/NZS 4087 B6



AVK ref. no.	DN mm	Operating Direction	Theoretical weight/kg	Deliv. code	Gross Price AUD
580-750-87-0703121001	750	CC	3038	C	147,125.00
580-750-87-1703121001	750	ACC	3038	C	147,125.00
580-900-87-0703121001	900	CC	4487	C	176,550.00
580-900-87-1703121001	900	ACC	4487	C	176,550.00
580-A00-87-0703121001	1000	CC	5479	C	196,166.67
580-A00-87-1703121001	1000	ACC	5479	C	196,166.67



580/87-002

Gate Valve, Flanged, ISO Mount, Shoe & Channel, By-Pass, PN35
 Ductile Iron
 Epoxy coated to AS/NZS 4158
 CC / ACC
 Product class: PN35
 Flange drilling: AS/NZS 4087 B6



AVK ref. no.	DN mm	Operating Direction	Theoretical weight/kg	Deliv. code	Gross Price AUD
580-750-87-0703121	750	CC	3164	C	166,741.67
580-750-87-1703121	750	ACC	3164	C	166,741.67
580-900-87-0703121	900	CC	4697	C	196,166.67
580-900-87-1703121	900	ACC	4697	C	196,166.67
580-A00-87-0703121	1000	CC	5689	C	215,783.33
580-A00-87-1703121	1000	ACC	5689	C	215,783.33



580/88-001

Gate Valve, Flanged, Handweel
 Face to face according to AS/NZS 2638.1
 Ductile Iron
 Epoxy coated to AS/NZS 4158
 CC / ACC
 Product class: PN35
 Flange drilling: AS/NZS 4087 B6



AVK ref. no.	DN mm	Operating Direction	Theoretical weight/kg	Deliv. code	Gross Price AUD
580-080-88-070412	80	CC	29	C	1,173.78
580-080-88-170412	80	ACC	29	C	1,173.78
580-100-88-070412	100	CC	39	C	1,230.69
580-100-88-170412	100	ACC	39	C	1,230.69
580-150-88-070412	150	CC	70	C	1,800.82
580-150-88-170412	150	ACC	70	C	1,800.82
580-200-88-070412	200	CC	123	C	4,413.13
580-200-88-170412	200	ACC	123	C	4,413.13

For sizes above DN200, refer to AVK for details



580/49-001

Metal seat gate valve shouldered ends
 Ductile Iron
 Epoxy coated to AS/NZS 4158
 CC / ACC



AVK ref. no.	DN mm	Operating Direction	L mm	Theoretical weight/kg	Deliv. code	Gross Price AUD
580-100-49-090012	100	CTC	229	27	C	1,558.66
580-100-49-190012	100	CTO	229	27	C	1,558.66
580-150-49-090012	150	CTC	267	46	C	2,007.05
580-150-49-190012	150	CTO	267	46	C	2,007.05

580/90-001

Gate Valve, Flanged, Stem Cap

Face to face according to AS/NZS 2638.1

Ductile Iron

Epoxy coated to AS/NZS 4158

CC / ACC

Product class: PN16

Flange drilling: AS/NZS 4087 B5



AVK ref. no.	DN mm	Operating Direction	Theoretical weight/kg	Deliv. code	Gross Price AUD
580-080-90-250012	80	CC	19	A	910.98
580-080-90-350012	80	ACC	19	C	910.98
580-100-90-250012	100	CC	26	A	845.28
580-100-90-350012	100	ACC	26	A	845.28
580-150-90-250012	150	CC	45	A	1,192.96
580-150-90-350012	150	ACC	45	A	1,192.96
580-200-90-250012	200	CC	77	A	2,490.86
580-200-90-350012	200	ACC	77	A	2,490.86
580-225-90-250012	225	CC	99	C	3,632.74
580-225-90-350012	225	ACC	99	C	3,632.74
580-250-90-250012	250	CC	107	A	3,790.81
580-250-90-350012	250	ACC	107	A	3,790.80
580-300-90-250012	300	CC	149	A	4,883.09
580-300-90-350012	300	ACC	149	A	4,883.09

580/92-001

Gate Valve, Flanged, ISO Mount

Face to face according to AS/NZS 2638.1

Ductile Iron

Epoxy coated to AS/NZS 4158

CC / ACC

Product class: PN16

Flange drilling: AS/NZS 4087 B5



AVK ref. no.	DN mm	Operating Direction	ISO Flange	Theoretical weight/kg	Deliv. code	Gross Price AUD
580-080-92-050012	80	CC	F10	20	C	1,174.63
580-080-92-150012	80	ACC	F10	20	C	1,174.63
580-100-92-050012	100	CC	F10	27	C	1,108.92
580-100-92-150012	100	ACC	F10	27	C	1,108.92
580-150-92-050012	150	CC	F10	46	C	1,509.33
580-150-92-150012	150	ACC	F10	46	C	1,509.33
580-200-92-050012	200	CC	F14	77	C	2,912.70
580-200-92-150012	200	ACC	F14	77	C	2,912.70
580-225-92-050012	225	CC	F14	99	C	4,146.76
580-225-92-150012	225	ACC	F14	99	C	4,146.76
580-250-92-050012	250	CC	F14	107	C	4,318.11
580-250-92-150012	250	ACC	F14	107	C	4,318.11
580-300-92-050012	300	CC	F14	150	C	5,094.68
580-300-92-150012	300	ACC	F14	150	C	5,094.68

580/92-003

Gate Valve, Flanged, ISO Mount, Shoe & Channel

Face to face according to AS/NZS 2638.1

Ductile Iron

Epoxy coated to AS/NZS 4158

CC / ACC

Product class: PN16

Flange drilling: AS/NZS 4087 B5



AVK ref. no.	DN mm	Operating Direction	ISO Flange	Theoretical weight/kg	Deliv. code	Gross Price AUD
580-375-92-250112	375	CC	F14	290	C	10,860.52
580-375-92-350112	375	ACC	F14	290	A	10,860.52
580-400-92-250112	400	CC	F14	290	C	13,503.22
580-400-92-350112	400	ACC	F14	290	C	13,503.22
580-450-92-250112	450	CC	F14	377	C	15,221.81
580-450-92-350112	450	ACC	F14	377	C	15,221.81
580-500-92-250112	500	CC	F16	474	C	22,088.99
580-500-92-350112	500	ACC	F16	474	C	22,088.99
580-600-92-250112	600	CC	F16	631	C	26,820.79
580-600-92-350112	600	ACC	F16	631	A	26,820.79

580/92-007

Gate Valve, Flanged, ISO Mount, Shoe & Channel

Face to face according to AS/NZS 2638.1

Ductile Iron

Epoxy coated to AS/NZS 4158

CC / ACC

Product class: PN16

Flange drilling: AS/NZS 4087 B5



AVK ref. no.	DN mm	Operating Direction	ISO Flange	Theoretical weight/kg	Deliv. code	Gross Price AUD
580-750-92-050312	750	CC	F25	1832	C	57,205.46
580-750-92-150312	750	ACC	F25	1832	C	57,205.46
580-900-92-050312	900	CC	F25	2465	C	60,089.85
580-900-92-150312	900	ACC	F25	2465	C	60,089.85

580/93-007

Gate Valve, Flanged, ISO Mount, Shoe & Channel Face to face according to AS/NZS 2638.1

Ductile Iron

Epoxy coated to AS/NZS 4158

CC / ACC

Product class: PN16

Flange drilling: AS/NZS 4087 B5



AVK ref. no.

	DN mm	Operating Direction	ISO Flange	Theoretical weight/kg	Deliv. code	Gross Price AUD
580-A00-93-0503120001 ⁽¹⁾	1000	CC	F25	3266	C	74,944.51
580-A00-93-1503120001 ⁽¹⁾	1000	ACC	F25	3266	C	74,944.51

⁽¹⁾ Excluded from AS/NZS 2638.1

580/93-004

Gate Valve, Flanged, ISO Mount, Shoe & Channel, Bypass

Face to face according to AS/NZS 2638.1

Ductile Iron

Epoxy coated to AS/NZS 4158

CC / ACC

Product class: PN16

Flange drilling: AS/NZS 4087 B5



AVK ref. no.

	DN mm	Operating Direction	ISO Flange	Theoretical weight/kg	Deliv. code	Gross Price AUD
580-375-93-250112	375	CC	F14	357	C	13,536.68
580-375-93-350112	375	ACC	F14	357	C	13,536.68
580-450-93-250112	450	CC	F14	465	C	18,633.93
580-450-93-350112	450	ACC	F14	465	C	18,633.93
580-500-93-250112	500	CC	F16	619	C	25,333.86
580-500-93-350112	500	ACC	F16	619	C	25,333.86
580-600-93-250112	600	CC	F16	792	C	32,340.38
580-600-93-350112	600	ACC	F16	792	C	32,340.38



580/93-008

Gate Valve, Flanged, ISO Mount, Shoe & Channel Face to face according to AS/NZS 2638.1

Ductile Iron

Epoxy coated to AS/NZS 4158

CC / ACC

Product class: PN16

Flange drilling: AS/NZS 4087 B5



AVK ref. no.

	DN mm	Operating Direction	ISO Flange	Theoretical weight/kg	Deliv. code	Gross Price AUD
580-750-93-050312	750	CC	F25	2130	C	58,974.19
580-750-93-150312	750	ACC	F25	2130	C	58,974.19
580-900-93-050312	900	CC	F25	2873	C	61,858.58
580-900-93-150312	900	ACC	F25	2873	C	61,858.58
580-A00-93-050312 ⁽¹⁾	1000	CC	F25	3402	C	77,339.10
580-A00-93-150312 ⁽¹⁾	1000	ACC	F25	3402	C	77,339.10

⁽¹⁾ Excluded from AS/NZS 2638.1



580/98-001

Gate Valve, Flanged, Handwheel Face to face according to AS/NZS 2638.1

Ductile Iron

Epoxy coated to AS/NZS 4158

CC / ACC

Product class: PN16

Flange drilling: AS/NZS 4087 B5



AVK ref. no.

	DN mm	Operating Direction	Theoretical weight/kg	Deliv. code	Gross Price AUD
580-080-98-050012	80	CC	21	C	963.71
580-080-98-150012	80	ACC	21	C	963.71
580-100-98-050012	100	CC	29	C	919.10
580-100-98-150012	100	ACC	29	C	919.10
580-150-98-050012	150	CC	50	C	1,287.87
580-150-98-150012	150	ACC	50	C	1,287.87
580-200-98-050012	200	CC	84	C	2,617.42
580-200-98-150012	200	ACC	84	C	2,617.42
580-225-98-050012	225	CC	106	C	3,788.20
580-225-98-150012	225	ACC	106	C	3,788.20
580-250-98-050012	250	CC	114	C	4,022.83
580-250-98-150012	250	ACC	114	C	4,022.83
580-300-98-050012	300	CC	156	C	4,653.80
580-300-98-150012	300	ACC	156	C	4,653.80



37/46-002

Metal seat OS&Y gate valve
with handwheel

Face to face according to EN
558 Table 2 Basic Series 3

Ductile Iron

EPDM rubber, WRAS
approved

Blue epoxy RAL 5017 300
my

Clockwise Close



AVK ref. no.	DN mm	Flange drilling	Theoretical weight/kg	Deliv. code	Gross Price AUD
37-050-46-61013110	50	PN16	29	C	1,005.31
37-080-46-61013110	80	PN16	34	C	1,128.75
37-100-46-61013110	100	PN16	41	C	1,359.48
37-150-46-61013110	150	PN16	55	C	2,198.49
37-200-46-61013110	200	PN16	111	C	3,654.43
37-250-46-61013110	250	PN16	135	C	5,199.16
37-300-46-61013110	300	PN16	207	C	6,843.87

758/10-001

758/10 AVK bevel gearbox

Ductile Iron

Epoxy coated according to
WIS 4-52-01 class B



AVK ref. no.	Theoretical weight/kg	Deliv. code	Gross Price AUD
758-10-0-000	5.2	A	1,446.21

756/242-001

SS seat/retainer ring, duplex shaft, IP68 gearbox with actuator flange and position indicator
Face-to-face dimension according to EN 558 Table 2 Basic Series 13
Ductile Iron
EPDM rubber
Epoxy coated according to AS/NZS 4158
Anti Clockwise Close
AS/NZS 4087 B5 drilling
PN16



AVK ref. no.	DN mm	Theoretical weight/kg	Deliv. code	Gross Price AUD
756-0200-2-5474297	200	50	C	6,333.96
756-0250-2-5474297	250	67	C	6,758.86
756-0300-2-5474297	300	105	C	7,186.27
756-0350-2-A474297	350	128	C	8,634.77
756-0375-2-5474297	375	153	A	8,822.40
756-0400-2-A474297	400	153	A	8,956.37
756-0450-2-5474297	450	201	A	12,168.69
756-0500-2-A474297	500	256	C	13,448.68
756-0600-2-5474297	600	410	A	17,232.23
756-0700-2-5474297	700	518	C	30,791.87
756-0750-2-5474297	750	545	C	32,158.37
756-0800-2-A474297	800	644	C	33,627.71
756-0900-2-A474297	900	797	A	35,194.37
756-1000-2-5474297	1000	1155	C	57,428.61
756-1200-2-5474297	1200	1652	C	73,301.32

756/142-001

SS seat/retainer ring, duplex shaft, IP68 gearbox with actuator flange and position indicator
Face-to-face dimension according to EN 558 Table 2 Basic Series 14
Ductile Iron
EPDM rubber
Epoxy coated according to AS/NZS 4158
Anti Clockwise Close
AS/NZS 4087 B6 drilling
PN25



AVK ref. no.	DN mm	Theoretical weight/kg	Deliv. code	Gross Price AUD
756-0150-1-E474297	150	47	C	3,588.19
756-0200-1-E474297	200	60	C	6,521.94
756-0250-1-E474297	250	102	C	7,360.69
756-0300-1-E474297	300	131	C	11,185.84
756-0350-1-E474297	350	166	C	12,615.11
756-0400-1-E474297	400	205	C	14,164.72
756-0450-1-E474297	450	294	C	18,933.94
756-0500-1-E474297	500	342	C	20,400.81
756-0600-1-E474297	600	530	C	29,540.56
756-0700-1-E474297	700	715	C	36,916.29
756-0800-1-E474297	800	1016	C	50,276.12
756-0900-1-E474297	900	1247	C	54,074.94
756-1000-1-E474297	1000	1582	C	63,658.52
756-1200-1-E474297	1200	2335	C	88,760.84

76/70-010

Butterfly Valve Wafer, PN16, AS2129 Table D/E
Ductile Iron
EPDM rubber
Epoxy coated to AS/NZS 4158




AVK ref. no.	DN mm	Product PN Class	Theoretical weight/kg	Deliv. code	Gross Price AUD
76-0050-70-818702690301	50	PN16	2.2	A	113.78
76-0065-70-818702690301	65	PN16	2.8	A	125.07
76-0080-70-818702690301	80	PN16	3.5	A	152.87
76-0100-70-818702690301	100	PN16	5.3	C	186.89
76-0125-70-818702690301	125	PN16	6.8	A	256.32
76-0150-70-818702690301	150	PN16	8.1	C	317.40
76-0200-70-818702690301 (1)	200	PN16	13	A	473.88
76-0200-70-818702690326 (2)	200	PN16	14	A	602.14
76-0250-70-818702690326	250	PN16	23	A	910.47
76-0250-70-818742690326 (3)	250	PN16	23	C	910.47
76-0300-70-818702690326	300	PN16	32	A	1,208.77
76-0350-70-818702690326	350	PN16	50	A	2,029.77
76-0400-70-818702690313	400	PN16	83	C	2,233.83
76-0450-70-818702690313	450	PN16	84	C	4,183.99
76-0500-70-818702690313	500	PN16	108	C	5,216.76
76-0600-70-818702690313	600	PN16	155	C	8,038.00

- (1) With lever
- (2) With wormgear
- (3) Gearbox, centering holes according to AS2129 table D



76/71-015

Butterfly Valve Lugged, PN16,
AS2129 Table D/E
Ductile Iron
EPDM rubber
Epoxy coated to AS/NZS
4158



AVK ref. no.	DN mm	Flange drilling	Theoretical weight/kg	Deliv. code	Gross Price AUD
76-0050-71-838740690301	50	AS2129 D/E	2.6	A	123.35
76-0065-71-838740690301	65	AS2129 D/E	3.2	C	136.30
76-0080-71-838740690301	80	AS2129 D/E	3.5	A	163.24
76-0100-71-838740690301	100	AS2129 E	6.5	A	209.13
76-0100-71-838742690301	100	AS2129 D	5.6	A	209.13
76-0125-71-838740690301	125	AS2129 D/E	9.1	C	278.80
76-0150-71-838740690301	150	AS2129 E	10	C	343.62
76-0150-71-838742690301	150	AS2129 D	10	A	343.62
76-0200-71-838740690301 (1)	200	AS2129 E	15	A	505.83
76-0200-71-838740690326 (2)	200	AS2129 E	16	A	634.63
76-0200-71-838742690301 (1)	200	AS2129 D	15	A	505.83
76-0200-71-838742690326 (2)	200	AS2129 D	16	C	634.63
76-0250-71-838740690326	250	AS2129 E	29	A	962.27
76-0250-71-838742690326	250	AS2129 D	29	A	962.27
76-0300-71-838740690326	300	AS2129 E	41	C	1,276.58
76-0300-71-838742690326	300	AS2129 D	41	A	1,276.58
76-0350-71-838740690326	350	AS2129 D/E	59	C	2,753.22
76-0400-71-838740690313	400	AS2129 D/E	95	C	3,730.58
76-0450-71-838740690313	450	AS2129 E	106	C	4,559.31
76-0450-71-838742690313	450	AS2129 D	103	C	4,559.31
76-0500-71-838740690313	500	AS2129 D/E	136	C	5,743.23
76-0600-71-838740690313	600	AS2129 E	196	C	8,783.61
76-0600-71-838742690313	600	AS2129 D	196	C	8,783.61

(1) With lever
(2) With wormgear

76/74-013

Concentric Butterfly Valve,
Flanged
Face-to-face dimension
according to EN 558 Table 2
Basic Series 13
Ductile Iron
EPDM rubber
Clockwise Close



AVK ref. no.	DN mm	Flange drilling	Theoretical weight/kg	Deliv. code	Gross Price AUD
76-0050-74-868740690301	50	AS2129 D/E	5.4	C	294.46
76-0065-74-868740690301	65	AS2129 D/E	6.8	C	330.93
76-0080-74-868740690301	80	AS2129 D/E	7.8	C	362.74
76-0100-74-868740690301	100	AS2129 E	11	C	448.69
76-0100-74-868742690301	100	AS2129 D	10	C	448.69
76-0125-74-868740690301	125	AS2129 D/E	14	C	644.97
76-0150-74-868740690301	150	AS2129 E	17	C	762.20
76-0150-74-868742690301	150	AS2129 D	17	C	762.20
76-0200-74-868740390301	200	AS2129 E	25	C	1,200.45
76-0200-74-868740390326	200	AS2129 E	26	C	1,389.94
76-0200-74-868742390301	200	AS2129 D	25	C	1,200.45
76-0200-74-868742390326	200	AS2129 D	26	C	1,389.94
76-0250-74-868740390326	250	AS2129 E	41	C	2,114.33
76-0250-74-868742390326	250	AS2129 D	41	C	2,114.33
76-0300-74-868740390326	300	AS2129 E	53	C	2,755.50
76-0300-74-868742390326	300	AS2129 D	53	C	2,755.50

755/4-001

Manual quarter-turn gear,
40:1
Cast Iron



AVK ref. no.	F mm	ISO Flange	Theoretical weight/kg	Deliv. code	Gross Price AUD
755-4-A5-04590220C	#9	F05	1.5	A	120.67
755-4-A5-041500300	#11	F07	1.5	A	155.15
755-4-A5-041600300	#14	F07	1.5	A	155.15
755-4-A5-041600400	#14	F07	1.5	A	172.39
755-4-A1-046000300	#17	F07	2.0	A	172.39

41/36-011


Swing check valve, metal seated, lever
 Face to face: EN 558-2, Ser. 48
 Ductile Iron
 EPDM rubber wedge, WRAS appr.
 Epoxy coated to AS/NZS 4158
 Product class: PN16
 Flange drilling: AS/NZS 4087 B5



AVK ref. no.	DN mm	Theoretical weight/kg	Deliv. code	Gross Price AUD
41-400-36-0281206	400	345	C	15,808.18

41/F6-003

Metal seat, lever/weight with steel guard and proximity switch
 Face to face: AS 4794
 Ductile Iron
 EPDM rubber wedge, WRAS appr.
 Blue epoxy RAL 5017 300 my



AVK ref. no.	DN mm	Flange drilling	Theoretical weight/kg	Deliv. code	Gross Price AUD
41-350-F6-C2B1244 (1)	350	AS4087B5	343	C	16,874.67
41-375-F6-C2B1244	375	AS4087B5	414	A	18,556.86
41-450-F6-C2B1244	450	AS4087B5	607	A	27,206.62
41-500-F6-C2B1244	500	AS4087B5	801	A	35,316.02
41-600-F6-C2B1244	600	AS4087B5	1095	A	41,125.65

(1)

41/21-001

Swing check valve, resilient seated
Face to face according to EN 558 Table 2 Basic Series 10
Ductile Iron
EPDM rubber wedge, WRAS appr.
Epoxy coated to AS/NZS 4158



AVK ref. no.	DN mm	Flange drilling	Theoretical weight/kg	Deliv. code	Gross Price AUD
41-050-21-018	50	PN10/16	13	C	483.93
41-080-21-018	80	PN10/16	17	C	555.18
41-100-21-018	100	PN10/16	21	C	713.12
41-150-21-018	150	PN10/16	41	C	1,208.14
41-200-21-018	200	PN16	63	C	1,768.60
41-250-21-018	250	PN16	150	C	4,204.39
41-300-21-018	300	PN16	201	C	4,908.96

41/21-002

Swing check valve, resilient seated
Ductile Iron
EPDM rubber wedge, WRAS appr.
Epoxy coated to AS/NZS 4158
Product class: PN16
Flange drilling: AS 2129 D/E



AVK ref. no.	DN mm	Flange drilling	Theoretical weight/kg	Deliv. code	Gross Price AUD
41-050-21-028	50	AS 4087 B5	13	A	897.16

41/22-002

Swing check valve, resilient seated, lever
Face to face according to EN 558 Table 2 Basic Series 10
Ductile Iron
EPDM seals, WRAS approved
Blue epoxy RAL 5017 250 my
Product class: PN16
Flange drilling: AS 2129 D/E



AVK ref. no.	DN mm	Theoretical weight/kg	Deliv. code	Gross Price AUD
41-050-22-028	50	15	B	1,038.30

41/80-001

Swing check valve, closed bushing
Face to face: AS 4794
Ductile Iron
EPDM rubber
Epoxy coated to AS/NZS 4158
Product class: PN16
Flange drilling: AS/NZS 4087 B5



AVK ref. no.	DN mm	Theoretical weight/kg	Deliv. code	Gross Price AUD
41-080-80-0271206	80	16	B	738.17
41-100-80-0271206	100	22	C	833.89
41-150-80-0271206	150	49	C	1,503.92
41-200-80-0271206	200	80	C	2,139.25
41-250-80-0271206	250	199	C	6,588.36
41-300-80-0271206	300	248	C	6,911.21



41/80-002

Swing check valve, closed bushing
Face to face: AS 4794
Ductile Iron
EPDM rubber
Epoxy coated to AS/NZS 4158
Product class: PN16
Flange drilling: AS 2129 E



AVK ref. no.	DN mm	Theoretical weight/kg	Deliv. code	Gross Price AUD
41-100-80-0371206	100	22	A	833.89
41-150-80-0371206	150	49	B	1,503.92
41-200-80-0371206	200	80	C	2,291.14
41-250-80-0371206	250	199	C	6,588.36
41-300-80-0371206	300	248	C	6,911.21



41/81-001

Swing check valve, free acting

Face to face: AS 4794

Ductile Iron

EPDM rubber

Epoxy coated to AS/NZS 4158

Product class: PN16

Flange drilling: AS/NZS 4087 B5



AVK ref. no.	DN mm	Theoretical weight/kg	Deliv. code	Gross Price AUD
41-080-81-0271206	80	16	A	738.17
41-100-81-0271206	100	22	A	833.89
41-150-81-0271206	150	49	A	1,503.92
41-200-81-0271206	200	80	A	2,310.23
41-250-81-0271206	250	199	A	6,588.36
41-300-81-0271206	300	248	A	6,911.21



41/81-002

Swing check valve, free acting

Face to face: AS 4794

Ductile Iron

EPDM rubber

Epoxy coated to AS/NZS 4158

Product class: PN16

Flange drilling: AS 2129 E



AVK ref. no.	DN mm	Theoretical weight/kg	Deliv. code	Gross Price AUD
41-100-81-0371206	100	22	C	833.89
41-150-81-0371206	150	54	C	1,503.92
41-200-81-0371206	200	80	C	2,310.23
41-250-81-0371206	250	199	C	6,588.36
41-300-81-0371206	300	248	C	6,911.21



41/81-003

Swing check valve, free acting, limit switch and cam

Face to face: AS 4794

Ductile Iron

EPDM rubber

Epoxy coated to AS/NZS 4158

Product class: PN16

Flange drilling: AS/NZS 4087 B5



AVK ref. no.	DN mm	Theoretical weight/kg	Deliv. code	Gross Price AUD
41-080-81-0271207	80	17	C	1,539.61
41-100-81-0271207	100	25	C	1,638.57
41-150-81-0271207	150	54	C	2,306.98
41-200-81-0271207	200	80	C	3,189.79
41-250-81-0271207	250	208	C	6,987.87
41-300-81-0271207	300	256	C	7,045.93



41/81-004

Swing check valve, free acting, proximity switch and cam

Face to face: AS 4794

Ductile Iron

EPDM rubber

Epoxy coated to AS/NZS 4158

Product class: PN16

Flange drilling: AS/NZS 4087 B5



AVK ref. no.	DN mm	Theoretical weight/kg	Deliv. code	Gross Price AUD
41-080-81-0271208	80	17	C	2,009.57
41-100-81-0271208	100	25	C	2,107.72
41-150-81-0271208	150	54	C	2,793.69
41-200-81-0271208	200	85	C	3,972.48
41-250-81-0271208	250	208	C	8,238.29
41-300-81-0271208	300	256	C	8,490.39



41/81-006

Swing check valve, free acting, NBR
 Face to face: AS 4794
 Ductile Iron
 NBR rubber
 Epoxy coated to AS/NZS 4158
 Product class: PN16
 Flange drilling: AS/NZS 4087 B5



AVK ref. no.	DN mm	Theoretical weight/kg	Deliv. code	Gross Price AUD
41-080-81-0231206	80	16	C	738.17
41-100-81-0231206	100	22	C	833.88
41-150-81-0231206	150	49	C	1,503.92
41-200-81-0231206	200	80	C	2,310.23
41-250-81-0231206	250	199	C	6,588.36
41-300-81-0231206	300	248	C	6,911.20



41/81-007

Swing check valve, free acting, NBR
 Face to face: AS 4794
 Ductile Iron
 NBR rubber
 Epoxy coated to AS/NZS 4158
 Product class: PN16
 Flange drilling: AS 2129 E



AVK ref. no.	DN mm	Theoretical weight/kg	Deliv. code	Gross Price AUD
41-100-81-0331206	100	22	C	833.88
41-150-81-0331206	150	54	C	1,503.92
41-200-81-0331206	200	80	C	2,310.23
41-250-81-0331206	250	199	C	6,588.38
41-300-81-0331206	300	248	C	6,911.20



41/82-001

Swing check valve, lever and weight
 Face to face: AS 4794
 Ductile Iron
 EPDM rubber
 Epoxy coated to AS/NZS 4158
 Product class: PN16
 Flange drilling: AS/NZS 4087 B5



AVK ref. no.	DN mm	Theoretical weight/kg	Deliv. code	Gross Price AUD
41-080-82-0271206	80	18	A	833.89
41-100-82-0271206	100	25	A	929.61
41-150-82-0271206	150	54	A	1,658.04
41-200-82-0271206	200	85	A	2,482.20
41-250-82-0271206	250	207	B	6,890.12
41-300-82-0271206	300	256	B	7,214.59



41/82-002

Swing check valve, lever and weight
 Face to face: AS 4794
 Ductile Iron
 EPDM rubber
 Epoxy coated to AS/NZS 4158
 Flange drilling: AS2129 Table E



AVK ref. no.	DN mm	Theoretical weight/kg	Deliv. code	Gross Price AUD
41-100-82-0371206	100	25	C	929.61
41-150-82-0371206	150	54	C	1,658.04
41-200-82-0371206	200	85	C	2,482.20
41-250-82-0371206	250	207	C	6,890.12
41-300-82-0371206	300	256	C	7,214.59



41/82-003

Swing check valve, lever and weight, limit switch and cam
 Face to face: AS 4794
 Ductile Iron
 EPDM rubber
 Epoxy coated to AS/NZS 4158
 Product class: PN16
 Flange drilling: AS/NZS 4087 B5



AVK ref. no.	DN mm	Theoretical weight/kg	Deliv. code	Gross Price AUD
41-080-82-0271207	80	16	C	1,638.57
41-100-82-0271207	100	25	C	1,734.29
41-150-82-0271207	150	54	C	2,462.73
41-200-82-0271207	200	85	C	3,690.85
41-250-82-0271207	250	208	C	6,968.05
41-300-82-0271207	300	256	C	8,377.81



41/82-004

Swing check valve, lever and weight, limit switch and cam
 Face to face: AS 4794
 Ductile Iron
 EPDM rubber
 Epoxy coated to AS/NZS 4158
 Product class: PN16
 Flange drilling: AS/NZS 2129 E



AVK ref. no.	DN mm	Theoretical weight/kg	Deliv. code	Gross Price AUD
41-080-82-0371207	80	16	C	1,638.58
41-100-82-0371207	100	25	C	1,734.29
41-150-82-0371207	150	54	C	2,301.61
41-200-82-0371207	200	85	C	3,690.85
41-250-82-0371207	250	208	C	7,985.17
41-300-82-0371207	300	256	C	8,377.81



927/00-001

Flex Check Valve Sewage
 Face-to-face dimension according to AWWA C508, Full Waterway
 Ductile Iron
 NBR rubber
 Refer to AVK for details of size range and pricing.



Deliv. code	Gross Price

53/35-017

Ball check valve, flanged
Face-to-face dimension according to AS/NZS 2638.2
Ductile Iron
NBR rubber
Epoxy coated to AS/NZS 4158
Product class: PN10
Flange drilling: AS2129 T/D



AVK ref. no.	DN mm	Theoretical weight/kg	Deliv. code	Gross Price AUD
53-050-35-5007	50	7.3	B	459.12
53-065-35-5007	65	11	C	670.03

53/30-005

Ball check valve, BSP threads
Ductile Iron
NBR rubber
AVK coating standard
Product class: PN10



AVK ref. no.	DN mm	BSP thread Inch	Product PN Class	Theoretical weight/kg	Deliv. code	Gross Price AUD
53-032-30-9007	32	1¼"	PN10	2.0	C	288.78
53-040-30-9007	40	1½"	PN10	2.0	C	298.51
53-050-30-9007	50	2"	PN10	3.0	C	345.56

53/50-001

Ball check valve, flanged
Face to face: AS 4794
Ductile Iron
NBR rubber
Epoxy coated to AS/NZS 4158
Product class: PN16
Flange drilling: AS 4087 B5



AVK ref. no.	DN mm	Theoretical weight/kg	Deliv. code	Gross Price AUD
53-080-50-5012	80	13	A	738.17
53-100-50-5012	100	18	A	833.89
53-150-50-5012	150	37	B	1,503.92
53-200-50-5012	200	68	C	2,310.23
53-250-50-5012	250	112	C	6,588.36
53-300-50-5012	300	163	C	6,911.21

903/20-014

Metal Seated Silent Check Valve, PN16
 Face to face according to MSS SP-125 short globe
 Ductile Iron
 Blue epoxy RAL 5017 250 my



AVK ref. no.	DN mm	Flange drilling	Theoretical weight/kg	Deliv. code	Gross Price AUD
903-100-20-53012	100	AS2129 D	17	C	743.77
903-100-20-63012	100	AS2129 E	17	C	743.77
903-125-20-63012	125	AS2129 D/E	23	C	1,168.27
903-150-20-53012	150	AS2129 D	34	C	1,541.97
903-150-20-63012	150	AS2129 E	34	C	1,541.97
903-200-20-53012	200	AS2129 D	56	C	2,405.47
903-200-20-63012	200	AS2129 E	56	C	2,405.47
903-250-20-53012	250	AS2129 D	83	C	3,780.54
903-250-20-63012	250	AS2129 E	83	C	3,780.54
903-300-20-53012	300	AS2129 D	107	C	5,282.60
903-300-20-63012	300	AS2129 E	107	C	5,282.60
903-350-20-63012	350	AS2129 D/E	149	C	7,517.55
903-400-20-63012	400	AS2129 D/E	194	C	9,211.90

1410/35-001

Tilting Disc Check Valve
 Stainless Steel



AVK ref. no.	DN mm	Product PN Class	Deliv. code	Gross Price AUD
1410-0150-35-0000007	150	PN40	C	994.08
1410-0200-35-0000008	200	PN40	C	1,713.05

779/20-003

Unidirectional knife gate valve, lug type, PN10, resilient seat, handwheel actuator
Stainless Steel
NBR rubber
Clockwise Close



AVK ref. no.	Deliv. code	Gross Price AUD
779-0050-20-0000042	A	633.77
779-0080-20-0000045	A	884.26
779-0100-20-0000061	A	1,164.93
779-0125-20-0000045	C	1,364.11
779-0150-20-0000065	A	1,671.94
779-0200-20-0000060	A	2,800.66
779-0250-20-0000055	C	3,869.01
779-0300-20-0000068	C	5,387.04
779-0350-20-0000066	C	8,079.05
779-0400-20-0000073	C	10,288.19
779-0450-20-0000071	C	12,959.07
779-0500-20-0000061	C	17,751.57
779-0600-20-0000069	C	23,331.76

779/20-004

Unidirectional knife gate valve, lug type, PN10, resilient seat, pneum actuator
Stainless Steel
NBR rubber



AVK ref. no.	Deliv. code	Gross Price AUD
779-0050-20-0000043	C	1,146.82
779-0080-20-0000046	C	1,361.09
779-0100-20-0000062	C	1,659.87
779-0125-20-0000046	C	2,058.24
779-0150-20-0000066	C	2,438.50
779-0200-20-0000061	C	3,684.92
779-0250-20-0000056	C	5,737.12
779-0300-20-0000066	C	6,959.39
779-0350-20-0000065	C	11,320.33
779-0400-20-0000072	C	14,042.52
779-0450-20-0000070	C	17,138.93
779-0500-20-0000060	C	21,810.72
779-0600-20-0000068	C	27,973.37

779/20-005

Unidirectional knife gate valve, lug type, PN10, resilient seat, gearbox actuator
Stainless Steel
NBR rubber
Clockwise Close



AVK ref. no.	Deliv. code	Gross Price AUD
779-0200-20-0000067	C	3,784.51
779-0250-20-0000068	C	4,883.04
779-0300-20-0000077	C	6,373.91
779-0350-20-0000068	C	9,114.21
779-0400-20-0000074	C	11,253.93
779-0450-20-0000072	C	13,936.89
779-0500-20-0000062	C	18,596.60
779-0600-20-0000070	C	24,599.30

779/20-006

Unidirectional knife gate valve, lug type, PN10, resilient seat, prepared for electric actuator
Stainless Steel
NBR rubber
Clockwise Close



AVK ref. no.	Deliv. code	Gross Price AUD
779-0050-20-0000047	C	1,665.91
779-0080-20-0000049	C	1,865.09
779-0100-20-0000068	C	2,163.87
779-0125-20-0000047	C	2,417.38
779-0150-20-0000073	C	2,737.28
779-0200-20-0000073	C	4,608.41
779-0250-20-0000070	C	5,939.32
779-0300-20-0000079	C	5,042.99
779-0350-20-0000069	C	8,242.02
779-0400-20-0000076	C	10,481.34
779-0450-20-0000074	C	13,034.52
779-0500-20-0000064	C	17,353.21
779-0600-20-0000073	C	23,232.17

779/22-003

Bidirectional knife gate valve,
lug type, PN10, resilient seat,
handwheel actuator
Stainless Steel
NBR rubber
Clockwise Close



AVK ref. no.	Deliv. code	Gross Price AUD
779-0050-22-0000010	C	863.13
779-0080-22-0000012	C	1,143.80
779-0100-22-0000024	A	1,433.53
779-0125-22-0000010	C	1,693.07
779-0150-22-0000018	A	1,976.76
779-0200-22-0000018	A	3,352.94
779-0250-22-0000019	C	5,018.85
779-0300-22-0000027	C	6,573.09
779-0350-22-0000016	C	8,978.40
779-0400-22-0000012	C	12,464.13
779-0450-22-0000012	C	15,162.17
779-0500-22-0000011	C	21,880.13
779-0600-22-0000016	C	29,784.14

779/22-004

Bidirectional knife gate valve,
lug type, PN10, resilient seat,
pneum actuator
Stainless Steel
NBR rubber



AVK ref. no.	Deliv. code	Gross Price AUD
779-0050-22-0000009	C	1,376.18
779-0080-22-0000011	A	1,620.64
779-0100-22-0000023	C	1,928.47
779-0125-22-0000009	C	2,387.20
779-0150-22-0000017	A	2,743.32
779-0200-22-0000017	A	4,237.20
779-0250-22-0000018	A	6,886.96
779-0300-22-0000026	A	8,145.44
779-0350-22-0000015	C	12,219.67
779-0400-22-0000011	C	16,218.46
779-0450-22-0000011	C	19,342.03
779-0500-22-0000010	C	25,939.27
779-0600-22-0000015	C	34,425.74

779/22-005

Bidirectional knife gate valve,
lug type, PN10, resilient seat,
gearbox actuator
Stainless Steel
NBR rubber
Clockwise Close



AVK ref. no.	Deliv. code	Gross Price AUD
779-0200-22-0000024	C	4,336.79
779-0250-22-0000025	C	6,032.88
779-0300-22-0000034	C	7,559.96
779-0350-22-0000020	A	10,013.55
779-0400-22-0000015	A	13,429.87
779-0450-22-0000016	C	16,139.99
779-0500-22-0000012	C	22,725.15
779-0600-22-0000017	A	31,051.67

779/22-006

Bidirectional knife gate valve,
lug type, PN10, resilient seat,
prepared for electric actuator
Stainless Steel
NBR rubber
Clockwise Close



AVK ref. no.	Deliv. code	Gross Price AUD
779-0050-22-0000012	C	1,895.27
779-0080-22-0000016	C	2,124.64
779-0100-22-0000031	C	2,432.47
779-0125-22-0000012	C	2,746.33
779-0150-22-0000028	C	3,042.09
779-0200-22-0000025	C	5,160.69
779-0250-22-0000026	C	7,089.16
779-0300-22-0000035	C	8,586.06
779-0350-22-0000021	C	9,141.37
779-0400-22-0000016	C	12,657.28
779-0450-22-0000017	C	15,237.62
779-0500-22-0000013	C	21,481.76
779-0600-22-0000019	C	29,684.54

29/00-001

Isolation valve
 Ductile Iron
 EPDM rubber
 Epoxy coated to AS/NZS
 4158
 Clockwise Close
 Product class: PN16
 Flange drilling: AS/NZS 4087
 B5



AVK ref. no.	DN mm	Theoretical weight/kg	Deliv. code	Gross Price AUD
29-085-00-82113312	80	21	A	836.76
29-085-00-82123312	100	21	B	836.76
29-085-00-83113312	80	21	A	836.76
29-085-00-83123312	100	21	A	836.76

Note: Not for use in
 wastewater systems

29/12-001

Isolation Valve
 Ductile Iron
 EPDM rubber
 Epoxy coated to AS/NZS
 4158
 Clockwise Close
 Product class: PN35
 Flange drilling: AS/NZS 4087
 B6



AVK ref. no.	DN mm	Theoretical weight/kg	Deliv. code	Gross Price AUD
29-095-21-82111312	80	19	C	1,134.56
29-095-21-83111312	80	19	C	1,134.56
29-105-12-82111312	100	22	C	1,134.56
29-105-12-83111312	100	22	C	1,134.56

Note: Not for use in
 wastewater systems

29/010-001

Hydrant, SA
Ductile Iron
EPDM rubber
Epoxy coated to AS/NZS
4158
Clockwise Close
Product class: PN16
Flange drilling: AS/NZS 4087
B5



Note: Not for use in
wastewater systems

AVK ref. no.	DN mm	Theoretical weight / kg	Deliv. code	Gross Price AUD
29-010-8-4157302	80	14.8	A	441.48

29/088-001

Hydrant, WA
Ductile Iron
EPDM rubber
Epoxy coated to AS/NZS
4158
Clockwise Close
Product class: PN16
Flange drilling: AS/NZS 4087
B5



Note: Not for use in
wastewater systems

AVK ref. no.	DN mm	Theoretical weight/kg	Deliv. code	Gross Price AUD
29-088-8-2277302	100	16	A	580.38

29/288-003

Hydrant, NT
Ductile Iron
EPDM rubber
Epoxy coated to AS/NZS
4158
Clockwise Close
Product class: PN16
Flange drilling: AS/NZS 4087
B5



Note: Not for use in
wastewater systems

AVK ref. no.	DN mm	Theoretical weight/kg	Deliv. code	Gross Price AUD
29-288-8-2285102	80	16	A	693.07

29/588-001

Hydrant, Squat Model NZ
Ductile Iron
EPDM rubber
Epoxy coated to AS/NZS
4158
Clockwise Close
Product class: PN16
Flange drilling: AS/NZS 4087
B5



Note: Not for use in
wastewater systems

AVK ref. no.	DN mm	Theoretical weight/kg	Deliv. code	Gross Price AUD
29-588-8-2185102	80	16	A	624.04

29/589-001

Hydrant, Tall Model NZ
Ductile Iron
EPDM rubber
Epoxy coated to AS/NZS
4158
Clockwise Close
Product class: PN16
Flange drilling: AS/NZS 4087
B5



Note: Not for use in
wastewater systems

AVK ref. no.	DN mm	Theoretical weight/kg	Deliv. code	Gross Price AUD
29-589-3-2185102	80	20	A	688.84

30/00-001

Hydrant, Spring PN16

Ductile Iron

EPDM rubber

Epoxy coated to AS/NZS 4158

Product class: PN16

Flange drilling: AS/NZS 4087 B5

Note: Not for use in wastewater systems



AVK ref. no.

DN

Theoretical

Deliv.

Gross Price

mm

weight/kg

code

AUD

30-080-00-15112	80	13	A	190.17
30-080-00-15145 ⁽¹⁾	80	13	A	198.81
30-080-00-25112	100	14	A	203.37
30-080-00-25145 ⁽¹⁾	100	14	B	212.62
30-080-00-35112	80/100	14	B	203.37
30-080-00-35145 ⁽¹⁾	80/100	14	C	212.62

⁽¹⁾ Lilac yoke



30/10-001

Hydrant, Spring, Swab

Ductile Iron

EPDM rubber

Epoxy coated to AS/NZS 4158

Product class: PN16

Flange drilling: AS/NZS 4087 B5

Note: Not for use in wastewater systems



AVK ref. no.

DN

Theoretical

Deliv.

Gross Price

mm

weight/kg

code

AUD

30-080-10-15112		13	B	265.44
30-080-10-15145 ⁽¹⁾	80	13	C	265.44
30-080-10-25112	80	14	A	287.89
30-080-10-25145 ⁽¹⁾	80	14	C	287.89
30-080-10-35112	80	14	B	168.41
30-080-10-35145 ⁽¹⁾	100	14	C	183.80

⁽¹⁾ Lilac yoke



851/00-001

Air relief valve, ABS float
Ductile Iron
EPDM rubber, WRAS
approved
Blue epoxy RAL 5017 300
my



AVK ref. no.	DN mm	Product PN Class	Theoretical weight/kg	Deliv. code	Gross Price AUD
851-025-00-822000	25	PN16	4.0	A	226.44

851/10-004

Air relief valve, flanged
Ductile Iron
EPDM rubber, WRAS
approved
Epoxy coated to AS/NZS
4158
Product class: PN25
Flange drilling: AS/NZS 4087
B6
Note: Not for use in
wastewater systems



AVK ref. no.	DN mm	Theoretical weight/kg	Deliv. code	Gross Price AUD
851-050-10-923008	50	20	C	802.09
851-080-10-923008	80	32	C	1,321.94
851-100-10-923008	100	52	C	1,841.78
851-150-10-923008	150	73	C	1,950.22

851/20-008

Air relief valve, flanged
Ductile Iron
EPDM rubber, WRAS
approved
Epoxy coated to AS/NZS
4158
Product class: PN16
Flange drilling: AS/NZS 4087
B5
Note: Not for use in
wastewater systems



AVK ref. no.	DN mm	Flange drilling	Theoretical weight/kg	Deliv. code	Gross Price AUD
851-050-20-523000	50	AS 4087 B5	21	A	703.23
851-080-20-523000	80	AS 4087 B5	32	A	1,202.34
851-100-20-523000	100	AS 4087 B5	52	A	1,667.97
851-150-20-523000	150	AS 4087 B5	73	A	1,754.08

851/50-002

Air relief valve, flanged
Ductile Iron
EPDM rubber
Epoxy coated to AS/NZS
4158
Product class: PN16
Flange drilling: AS/NZS 4087
B5



AVK ref. no.	DN mm	Theoretical weight/kg	Deliv. code	Gross Price AUD
851-080-50-523000	80	270	C	7,859.87

872/00-011

Needle valve, AUMA gearbox for ON/OFF
Face to face according to EN 558 Table 2 Basic Series 15
Ductile Iron



AVK ref. no.	DN mm	Flange drilling	L mm	Theoretical weight/kg	Deliv. code	Gross Price AUD
872-0200-00-10100100500	200	PN16	400	102	C	19,646.97
872-0250-00-10100100500	250	PN16	450	153	C	23,925.27
872-0300-00-10100100500	300	PN16	500	222	C	36,248.82
872-0350-00-10100100500	350	PN16	550	274	C	46,398.48
872-0400-00-10100100500	400	PN16	600	367	C	52,387.69
872-0450-00-10100100500	450	PN16	650	452	C	57,274.18
872-0500-00-10100100500	500	PN16	700	554	C	75,397.54
872-0600-00-10100100500	600	PN16	800	826	C	117,955.44
872-0700-00-10100100500	700	PN16	900	1097	C	152,245.02
872-0800-00-10100100500	800	PN16	1000	1597	C	207,343.23
872-0900-00-10100100500	900	PN16	1100	2068	C	264,225.98
872-1000-00-10100100500	1000	PN16	1200	2617	C	352,483.70
872-1200-00-10100100500	1200	PN16	1400	3872	C	497,333.75

872/00-012

Needle valve, AUMA gearbox for ON/OFF
Face to face according to EN 558 Table 2 Basic Series 15
Ductile Iron



AVK ref. no.	DN mm	Flange drilling	L mm	Theoretical weight/kg	Deliv. code	Gross Price AUD
872-0200-00-70100100500	200	PN25	400	105	C	19,646.97
872-0250-00-70100100500	250	PN25	450	161	C	25,520.43
872-0300-00-70100100500	300	PN25	500	289	C	36,539.23
872-0350-00-70100100500	350	PN25	550	336	C	47,196.06
872-0400-00-70100100500	400	PN25	600	430	C	52,779.12
872-0450-00-70100100500	450	PN25	650	511	C	57,855.01
872-0500-00-70100100500	500	PN25	700	683	C	94,246.93
872-0600-00-70100100500	600	PN25	800	931	C	121,796.02
872-0700-00-70100100500	700	PN25	900	1281	C	155,580.55
872-0800-00-70100100500	800	PN25	1000	1839	C	210,243.13

**Representative items only,
consult AVK for the full
product offer**

869/300X-001

Control valve, pressure reducing, PN10/16, full bore
Face to face: EN 558-2, series 1
Ductile Iron
EPDM rubber, WRAS approved
Blue epoxy RAL 5017 300 my



AVK ref. no.	DN mm	Flange drilling	Pilot range bar	Theoretical weight/kg	Deliv. code	Gross Price
869-0050-30-1340000	50	PN10/16	0.6 - 6	18		
869-0050-30-1340001	50	PN10/16	5 - 10	18		
869-0050-30-1340002	50	PN10/16	10 - 16	18		
869-0050-30-1340003	50	PN10/16	0.1 - 1	18		
869-0065-30-1340000	65	PN10/16	0.6 - 6	23		
869-0065-30-1340001	65	PN10/16	5 - 10	23		
869-0065-30-1340002	65	PN10/16	10 - 16	23		
869-0065-30-1340003	65	PN10/16	0.1 - 1	23		
869-0080-30-1340000	80	PN10/16	0.6 - 6	26		
869-0080-30-1340001	80	PN10/16	5 - 10	26		
869-0080-30-1340002	80	PN10/16	10 - 16	26		
869-0080-30-1340003	80	PN10/16	0.1 - 1	26		
869-0100-30-1340000	100	PN10/16	0.6 - 6	36		
869-0100-30-1340001	100	PN10/16	5 - 10	36		
869-0100-30-1340002	100	PN10/16	10 - 16	36		
869-0100-30-1340003	100	PN10/16	0.1 - 1	36		
869-0150-30-1340000	150	PN10/16	0.6 - 6	82		
869-0150-30-1340001	150	PN10/16	5 - 10	82		
869-0150-30-1340002	150	PN10/16	10 - 16	82		
869-0150-30-1340003	150	PN10/16	0.1 - 1	82		
869-0200-30-1340000	200	PN16	0.6 - 6	138		
869-0200-30-1340001	200	PN16	5 - 10	138		
869-0200-30-1340002	200	PN16	10 - 16	138		
869-0200-30-1340003	200	PN16	0.1 - 1	138		
869-0250-30-1340000	250	PN16	0.6 - 6	199		
869-0250-30-1340001	250	PN16	5 - 10	199		
869-0250-30-1340002	250	PN16	10 - 16	199		
869-0250-30-1340003	250	PN16	0.1 - 1	199		
869-0300-30-1340000	300	PN16	0.6 - 6	256		
869-0300-30-1340001	300	PN16	5 - 10	256		
869-0300-30-1340002	300	PN16	10 - 16	256		
869-0300-30-1340003	300	PN16	0.1 - 1	256		

Note: Not for use in wastewater systems

**Representative items only,
consult AVK for the full
product offer.**

869/301X-001

Control valve, pressure sustaining/relief, PN10/16, full bore

Face to face: EN 558-2, series 1

Ductile Iron

EPDM rubber, WRAS approved

Blue epoxy RAL 5017 300 my

Note: Not for use in wastewater systems

Representative items only, consult AVK for the full product offer.



AVK ref. no.	DN mm	Flange drilling	Pilot range bar	Theoretical weight/kg	Deliv. code	Gross Price
869-0050-30-1340010	50	PN10/16	1.5 - 6	18		
869-0050-30-1340011	50	PN10/16	5 - 10	18		
869-0050-30-1340012	50	PN10/16	10 - 16	18		
869-0050-30-1340018	50	PN10/16	0.3 - 1.5	18		
869-0065-30-1340010	65	PN10/16	1.5 - 6	23		
869-0065-30-1340011	65	PN10/16	5 - 10	23		
869-0065-30-1340012	65	PN10/16	10 - 16	23		
869-0065-30-1340018	65	PN10/16	0.3 - 1.5	23		
869-0080-30-1340010	80	PN10/16	1.5 - 6	26		
869-0080-30-1340011	80	PN10/16	5 - 10	26		
869-0080-30-1340012	80	PN10/16	10 - 16	26		
869-0080-30-1340018	80	PN10/16	0.3 - 1.5	26		
869-0100-30-1340010	100	PN10/16	1.5 - 6	36		
869-0100-30-1340011	100	PN10/16	5 - 10	36		
869-0100-30-1340012	100	PN10/16	10 - 16	36		
869-0100-30-1340018	100	PN10/16	0.3 - 1.5	36		
869-0150-30-1340010	150	PN10/16	1.5 - 6	82		
869-0150-30-1340011	150	PN10/16	5 - 10	82		
869-0150-30-1340012	150	PN10/16	10 - 16	82		
869-0150-30-1340018	150	PN10/16	0.3 - 1.5	82		
869-0200-30-0340010	200	PN10	1.5 - 6	138		
869-0200-30-0340011	200	PN10	5 - 10	138		
869-0200-30-0340018	200	PN10	0.3 - 1.5	138		
869-0200-30-1340010	200	PN16	1.5 - 6	138		
869-0200-30-1340011	200	PN16	5 - 10	138		
869-0200-30-1340012	200	PN16	10 - 16	138		
869-0200-30-1340018	200	PN16	0.3 - 1.5	138		
869-0250-30-0340010	250	PN10	1.5 - 6	199		
869-0250-30-0340011	250	PN10	5 - 10	199		
869-0250-30-0340018	250	PN10	0.3 - 1.5	199		
869-0250-30-1340010	250	PN16	1.5 - 6	199		
869-0250-30-1340011	250	PN16	5 - 10	199		
869-0250-30-1340012	250	PN16	10 - 16	199		
869-0250-30-1340018	250	PN16	0.3 - 1.5	199		
869-0300-30-0340010	300	PN10	1.5 - 6	256		
869-0300-30-0340011	300	PN10	5 - 10	256		
869-0300-30-0340018	300	PN10	0.3 - 1.5	256		
869-0300-30-1340010	300	PN16	1.5 - 6	256		
869-0300-30-1340011	300	PN16	5 - 10	256		
869-0300-30-1340012	300	PN16	10 - 16	256		
869-0300-30-1340018	300	PN16	0.3 - 1.5	256		

869/302X-001

Control valve, constant flow,
PN10/16, full bore

Face to face: EN 558-2,
series 1

Ductile Iron

EPDM rubber, WRAS
approved

Blue epoxy RAL 5017 300
my

Note: Not for use in
wastewater systems

**Representative items only,
consult AVK for the full
product offer.**



AVK ref. no.	DN mm	Flange drilling	Flow range m3/h	Theoretical weight/kg	Deliv. code	Gross Price
869-0050-30-1340020	50	PN10/16	3 - 8	20		
869-0050-30-1340021	50	PN10/16	9 - 25	20		
869-0050-30-1340022	50	PN10/16	15 - 28	20		
869-0065-30-1340020	65	PN10/16	5 - 15	25		
869-0065-30-1340021	65	PN10/16	8 - 20	25		
869-0065-30-1340022	65	PN10/16	17 - 42	25		
869-0080-30-1340020	80	PN10/16	7 - 18	28		
869-0080-30-1340021	80	PN10/16	14 - 36	28		
869-0080-30-1340022	80	PN10/16	27 - 65	28		
869-0100-30-1340020	100	PN10/16	7 - 18	38		
869-0100-30-1340021	100	PN10/16	14 - 34	38		
869-0100-30-1340022	100	PN10/16	23 - 57	38		
869-0100-30-1340023	100	PN10/16	47 - 113	38		
869-0150-30-1340020	150	PN10/16	30 - 75	84		
869-0150-30-1340021	150	PN10/16	50 - 120	84		
869-0150-30-1340022	150	PN10/16	80 - 200	84		
869-0150-30-1340023	150	PN10/16	115 - 254	84		
869-0200-30-0340020	200	PN10	50 - 130	140		
869-0200-30-034-0021	200	PN10	115 - 290	140		
869-0200-30-0340022	200	PN10	150 - 339	140		
869-0200-30-0340023	200	PN10	190 - 339	140		
869-0200-30-1340020	200	PN16	50 - 130	140		
869-0200-30-134-0021	200	PN16	115 - 290	140		
869-0200-30-1340022	200	PN16	150 - 365	140		
869-0200-30-1340023	200	PN16	190 - 452	140		
869-0250-30-0340020	250	PN10	85 - 200	201		
869-0250-30-0340021	250	PN10	140 - 350	201		
869-0250-30-0340022	250	PN10	230 - 530	201		
869-0250-30-0340023	250	PN10	280 - 530	201		
869-0250-30-1340020	250	PN16	85 - 200	201		
869-0250-30-1340021	250	PN16	140 - 350	201		
869-0250-30-1340022	250	PN16	230 - 570	201		
869-0250-30-1340023	250	PN16	280 - 690	201		
869-0300-30-0340020	300	PN10	120 - 300	258		
869-0300-30-0340021	300	PN10	175 - 430	258		
869-0300-30-0340022	300	PN10	340 - 762	258		
869-0300-30-0340023	300	PN10	460 - 762	258		
869-0300-30-1340020	300	PN16	120 - 300	258		
869-0300-30-1340021	300	PN16	175 - 430	258		
869-0300-30-1340022	300	PN16	340 - 825	258		
869-0300-30-1340023	300	PN16	460 - 1018	258		

869/303H-001

Control valve, one-way altitude level/constant flow, PN10/16, full bore
Face to face: EN 558-2, series 1
Ductile Iron
EPDM rubber, WRAS approved
Blue epoxy RAL 5017 300 my



Note: Not for use in wastewater systems
Representative items only, consult AVK for the full product offer.

AVK ref. no.	DN mm	Flange drilling	Altitude bar	Flow range m3/h	Theoretical weight/kg	Deliv. code	Gross Price
869-0050-30-134003A	50	PN10/16	0.01 - 0.6	3 - 8	20		
869-0050-30-134003B	50	PN10/16	0.01 - 0.6	9 - 25	20		
869-0050-30-134003C	50	PN10/16	0.01 - 0.6	15 - 28	20		
869-0050-30-134003E	50	PN10/16	0.5 - 2.1	3 - 8	20		
869-0050-30-134003F	50	PN10/16	0.5 - 2.1	9 - 25	20		
869-0050-30-134003G	50	PN10/16	0.5 - 2.1	15 - 28	20		
869-0065-30-134003A	65	PN10/16	0.01 - 0.6	5 - 15	25		
869-0065-30-134003B	65	PN10/16	0.01 - 0.6	8 - 20	25		
869-0065-30-134003C	65	PN10/16	0.01 - 0.6	17 - 42	25		
869-0065-30-134003E	65	PN10/16	0.5 - 2.1	5 - 15	25		
869-0065-30-134003F	65	PN10/16	0.5 - 2.1	8 - 20	25		
869-0065-30-134003G	65	PN10/16	0.5 - 2.1	17 - 42	25		
869-0080-30-134003A	80	PN10/16	0.01 - 0.6	7 - 18	28		
869-0080-30-134003B	80	PN10/16	0.01 - 0.6	14 - 36	28		
869-0080-30-134003C	80	PN10/16	0.01 - 0.6	27 - 65	28		
869-0080-30-134003E	80	PN10/16	0.5 - 2.1	7 - 8	28		
869-0080-30-134003F	80	PN10/16	0.5 - 2.1	14 - 36	28		
869-0080-30-134003G	80	PN10/16	0.5 - 2.1	27 - 65	28		
869-0100-30-134003A	100	PN10/16	0.01 - 0.6	7 - 8	38		
869-0100-30-134003B	100	PN10/16	0.01 - 0.6	14 - 34	38		
869-0100-30-134003C	100	PN10/16	0.01 - 0.6	23 - 57	38		
869-0100-30-134003D	100	PN10/16	0.01 - 0.6	47 - 113	38		
869-0100-30-134003E	100	PN10/16	0.5 - 2.1	7 - 18	38		
869-0100-30-134003F	100	PN10/16	0.5 - 2.1	14 - 34	38		
869-0100-30-134003G	100	PN10/16	0.5 - 2.1	23 - 57	38		
869-0100-30-134003H	100	PN10/16	0.5 - 2.1	47 - 113	38		
869-0150-30-134003A	150	PN10/16	0.01 - 0.6	30 - 75	84		
869-0150-30-134003B	150	PN10/16	0.01 - 0.6	50 - 120	84		
869-0150-30-134003C	150	PN10/16	0.01 - 0.6	80 - 200	84		
869-0150-30-134003D	150	PN10/16	0.01 - 0.6	115 - 254	84		
869-0150-30-134003E	150	PN10/16	0.5 - 2.1	30 - 75	84		
869-0150-30-134003F	150	PN10/16	0.5 - 2.1	50 - 120	84		
869-0150-30-134003G	150	PN10/16	0.5 - 2.1	80 - 200	84		
869-0150-30-134003H	150	PN10/16	0.5 - 2.1	115 - 254	84		
869-0200-30-034003A	200	PN10	0.01 - 0.6	50 - 130	140		
869-0200-30-034003B	200	PN10	0.01 - 0.6	115 - 290	140		
869-0200-30-034003C	200	PN10	0.01 - 0.6	150 - 339	140		
869-0200-30-034003D	200	PN10	0.01 - 0.6	190 - 339	140		
869-0200-30-034003E	200	PN10	0.5 - 2.1	50 - 130	140		
869-0200-30-034003F	200	PN10	0.5 - 2.1	115 - 290	140		
869-0200-30-034003G	200	PN10	0.5 - 2.1	150 - 339	140		
869-0200-30-034003H	200	PN10	0.5 - 2.1	190 - 339	140		
869-0200-30-134003A	200	PN16	0.01 - 0.6	50 - 130	140		
869-0200-30-134003B	200	PN16	0.01 - 0.6	115 - 290	140		
869-0200-30-134003C	200	PN16	0.01 - 0.6	150 - 365	140		
869-0200-30-134003D	200	PN16	0.01 - 0.6	190 - 452	140		
869-0200-30-134003E	200	PN16	0.5 - 2.1	50 - 130	140		
869-0200-30-134003F	200	PN16	0.5 - 2.1	115 - 290	140		
869-0200-30-134003G	200	PN16	0.5 - 2.1	150 - 365	140		
869-0200-30-134003H	200	PN16	0.5 - 2.1	190 - 452	140		
869-0250-30-034003A	250	PN10	0.01 - 0.6	85 - 200	201		
869-0250-30-034003B	250	PN10	0.01 - 0.6	140 - 350	201		
869-0250-30-034003C	250	PN10	0.01 - 0.6	230 - 530	201		
869-0250-30-034003D	250	PN10	0.01 - 0.6	280 - 530	201		
869-0250-30-034003E	250	PN10	0.5 - 2.1	85 - 200	201		
869-0250-30-034003F	250	PN10	0.5 - 2.1	140 - 350	201		
869-0250-30-034003G	250	PN10	0.5 - 2.1	230 - 530	201		
869-0250-30-034003H	250	PN10	0.5 - 2.1	280 - 530	201		
869-0250-30-134003A	250	PN16	0.01 - 0.6	85 - 200	201		
869-0250-30-134003B	250	PN16	0.01 - 0.6	140 - 350	201		
869-0250-30-134003C	250	PN16	0.01 - 0.6	230 - 570	201		
869-0250-30-134003D	250	PN16	0.01 - 0.6	280 - 690	201		
869-0250-30-134003E	250	PN16	0.5 - 2.1	85 - 200	201		
869-0250-30-134003F	250	PN16	0.5 - 2.1	140 - 350	201		
869-0250-30-134003G	250	PN16	0.5 - 2.1	230 - 570	201		
869-0250-30-134003H	250	PN16	0.5 - 2.1	280 - 690	201		

AVK ref. no.	DN mm	Flange drilling	Altitude bar	Flow range m3/h	Theoretical weight/kg	Deliv. code	Gross Price
869-0300-30-034003A	300	PN10	0.01 - 0.6	120 - 300	258		
869-0300-30-034003B	300	PN10	0.01 - 0.6	175 - 430	258		
869-0300-30-034003C	300	PN10	0.01 - 0.6	340 - 762	258		
869-0300-30-034003D	300	PN10	0.01 - 0.6	460 - 762	258		
869-0300-30-034003E	300	PN10	0.5 - 2.1	120 - 300	258		
869-0300-30-034003F	300	PN10	0.5 - 2.1	175 - 430	258		
869-0300-30-034003G	300	PN10	0.5 - 2.1	340 - 762	258		
869-0300-30-034003H	300	PN10	0.5 - 2.1	460 - 762	258		
869-0300-30-134003A	300	PN16	0.01 - 0.6	120 - 300	258		
869-0300-30-134003B	300	PN16	0.01 - 0.6	175 - 430	258		
869-0300-30-134003C	300	PN16	0.01 - 0.6	340 - 825	258		
869-0300-30-134003D	300	PN16	0.01 - 0.6	460 - 1018	258		
869-0300-30-134003E	300	PN16	0.5 - 2.1	120 - 300	258		
869-0300-30-134003F	300	PN16	0.5 - 2.1	175 - 430	258		
869-0300-30-134003G	300	PN16	0.5 - 2.1	340 - 825	258		
869-0300-30-134003H	300	PN16	0.5 - 2.1	460 - 1018	258		

764/51-001

Resilient seated, quarter turn, eccentric plug valve with welded nickel seat
 Face-to-face dimension according to AS/NZS 2638.2
 Ductile Iron
 NBR rubber
 Clockwise Close



AVK ref. no.	DN mm	Flange drilling	Theoretical weight/kg	Deliv. code	Gross Price AUD
764-080-51-5301200000	80	AS2129 D	21	A	1,418.72
764-100-51-5301200000	100	AS2129 D	29	A	1,716.68
764-150-51-5301200000	150	AS2129 D	45	A	2,361.67
764-200-51-5301200000	200	AS2129 D	76	A	3,494.79
764-250-51-5301200000	250	AS2129 D	115	A	4,701.50
764-300-51-5301200000	300	AS2129 D	167	A	5,971.25

764/51-002


Resilient seated, quarter turn, eccentric plug valve with welded nickel seat
 Face-to-face dimension according to AS/NZS 2638.2
 Ductile Iron
 NBR rubber
 Clockwise Close



AVK ref. no.	DN mm	Flange drilling	Theoretical weight/kg	Deliv. code	Gross Price AUD
764-080-51-5301200020	80	AS 4087 B5	31	C	1,802.48
764-100-51-5301200020	100	AS 4087 B5	39	A	2,178.02
764-150-51-5301200020	150	AS 4087 B5	61	A	3,376.71
764-200-51-5301200020	200	AS 4087 B5	101	C	4,532.32
764-250-51-5301200020	250	AS 4087 B5	172	C	6,913.80
764-300-51-5301200020	300	AS 4087 B5	224	C	9,616.89

601/511-001


Coupling, Supa-Gib, Straight
Stainless Steel
NBR rubber
SS/FC/S Non-restrained
mechanical
For connecting pipes with
equal or unequal diameters
(excluding PE) With SS A4
bolts & A4 PTFE coated nuts
Product class: PN16



AVK ref. no.	DN mm	Product PN Class	Seal range mm	B mm	E mm	Theoretical weight/kg	Deliv. code	Gross Price AUD
601-5-0133-11	100	PN16	109-133	110	6°	6.0	A	156.31
601-5-0133-15	100	PN16	109-133	176	6°	7.0	A	164.47
601-5-0182-11	150	PN16	158-182	110	6°	7.4	A	194.37
601-5-0182-15	150	PN16	158-182	176	6°	8.2	A	205.25
601-5-0238-13	200	PN16	214-238	136	6°	11	A	365.68
601-5-0238-15	200	PN16	214-238	176	6°	12	A	378.74
601-5-0264-13	225	PN16	240-264	136	6°	12	B	484.66
601-5-0264-15	225	PN16	240-264	176	6°	13	A	500.63
601-5-0296-15	250	PN16	272-296	176	6°	15	A	520.94
601-5-0334-15	300	PN16	310-334	176	6°	21	A	563.02
601-5-0334-17	300	PN16	310-334	216	6°	22	B	563.02
601-5-0354-15	300	PN16	330-354	176	6°	22	C	592.05
601-5-0354-17	300	PN16	330-354	216	6°	23	A	711.04
601-5-0434-17	375	PN16	410-434	216	5°	38	A	983.70
601-5-0512-17	450	PN16	488-512	216	4°	51	A	1,002.35
601-5-0566-17	500	PN16	542-566	216	4°	57	B	1,492.70
601-5-0672-17	600	PN16	648-672	216	3°	73	B	1,803.02

601/511-002


Coupling, Supa-Gib, Straight
Stainless Steel
NBR rubber
SS/FC/G Non-restrained
mechanical
For connecting pipes with
equal or unequal diameters
(excluding PE)
Galvanised fasteners
Product class: PN16



AVK ref. no.	DN mm	Seal range mm	B mm	E mm	Theoretical weight/kg	Deliv. code	Gross Price AUD
601-5-0133-1101	100	109-133	110	6°	6.0	B	135.79
601-5-0133-1501	100	109-133	176	6°	7.0	A	135.79
601-5-0182-1101	150	158-182	110	6°	7.5	B	174.94
601-5-0182-1501	150	158-182	176	6°	8.2	A	174.94
601-5-0238-1301	200	214-238	136	6°	12	B	329.11
601-5-0238-1501	200	214-238	176	6°	12	B	329.11
601-5-0264-1301	225	240-264	136	6°	12	C	436.20
601-5-0264-1501	225	240-264	176	6°	13	B	436.20
601-5-0296-1501	250	272-296	176	6°	15	B	468.85
601-5-0334-1501	300	310-334	176	6°	21	B	506.72
601-5-0334-1701	300	310-334	216	6°	22	C	506.72
601-5-0354-1501	300	330-354	176	6°	22	C	532.84
601-5-0354-1701	300	330-354	216	6°	23	C	532.84

601/517-003

Coupling, Supa-Gib, Straight
Stainless Steel
NBR rubber
Long, SS/SS/S Non
restrained for connecting
pipes with equal or unequal
diameters (excluding PE)
With SS A4 bolts & A4 PTFE
coated nuts
Product class: PN16-9



AVK ref. no.	DN mm	Product PN Class	Seal range mm	B mm	Theoretical weight/kg	Deliv. code	Gross Price AUD
601-5-0366-171	300	PN16	342-366	216	31	C	1,689.97
601-5-0394-171	350	PN16	370-394	216	35	C	1,824.37
601-5-0404-171	375	PN16	380-404	216	36	C	2,072.22
601-5-0420-171	375	PN16	396-420	216	37	B	1,751.98
601-5-0426-171	375	PN16	402-426	216	37	C	2,083.31
601-5-0434-171	375	PN16	410-434	216	38	B	1,738.68
601-5-0446-171	375	PN16	422-466	216	39	C	2,411.85
601-5-0450-171	375	PN16	426-450	216	42	C	2,401.05
601-5-0460-171	400	PN16	436-460	216	47	C	2,415.46
601-5-0471-171	400	PN16	447-471	216	48	C	2,471.90
601-5-0512-171	450	PN16	488-512	216	51	A	2,277.13
601-5-0522-171	450	PN16	498-522	216	52	C	2,283.28
601-5-0554-171	500	PN16	530-554	216	56	C	2,959.76
601-5-0566-171	500	PN16	542-566	216	57	C	3,200.21
601-5-0576-171	500	PN16	552-576	216	58	B	3,200.22
601-5-0584-171	525	PN16	560-584	216	58	C	3,768.77
601-5-0589-171	525	PN16	565-589	216	59	C	3,772.51
601-5-0598-171	525	PN16	574-598	216	59	C	3,611.13
601-5-0604-171	525	PN16	580-604	216	63	C	3,864.95
601-5-0620-171	525	PN16	596-620	216	68	C	4,011.36
601-5-0626-171	600	PN16	602-626	216	69	C	4,200.53
601-5-0632-171	600	PN16	608-632	216	69	C	4,204.26
601-5-0644-171	600	PN16	620-644	216	70	B	4,212.04
601-5-0654-171	600	PN16	630-654	216	71	C	4,218.17
601-5-0672-171	600	PN16	648-672	216	73	C	3,423.04
601-5-0678-171	600	PN16	654-678	216	73	C	4,037.81
601-5-0682-171	600	PN16	658-682	216	74	C	3,653.35
601-5-0724-171	600	PN16	700-724	216	78	C	4,916.84
601-5-0738-171	675	PN16	714-738	216	80	C	5,059.84
601-5-0760-171	700	PN14	736-760	216	82	C	5,746.20
601-5-0765-171	700	PN14	741-765	216	82	C	5,749.82
601-5-0804-171	750	PN14	780-804	216	86	C	5,828.31
601-5-0814-171	750	PN14	790-814	216	87	C	5,835.26
601-5-0823-171	750	PN14	799-823	216	87	C	5,878.12
601-5-0834-171	750	PN14	810-834	216	88	C	6,454.23
601-5-0844-171	750	PN12	820-844	216	90	C	7,458.36
601-5-0874-171	750	PN12	850-874	216	93	C	7,733.04
601-5-0894-171	750	PN12	870-894	216	95	C	7,751.41
601-5-0924-171	900	PN12	900-924	216	98	C	7,784.53
601-5-0934-171	900	PN12	910-934	216	98	C	7,792.87
601-5-0944-171	900	PN12	920-944	216	99	C	7,799.83
601-5-0959-171	900	PN12	935-959	216	101	C	7,810.13
601-5-0969-171	900	PN12	945-969	216	102	C	7,817.92
601-5-0974-171	900	PN12	950-974	216	102	C	7,821.54
601-5-0984-171	900	PN12	960-984	216	103	C	7,828.50
601-5-0994-171	900	PN12	970-994	216	104	C	8,007.45
601-5-1034-171	1000	PN10	1010-1034	216	110	C	8,178.33
601-5-1054-171	1000	PN10	1030-1054	216	111	C	8,362.85
601-5-1064-171	1000	PN10	1040-1064	216	112	C	8,200.32
601-5-1080-171	1000	PN10	1056-1080	216	114	C	9,097.03
601-5-1094-171	1000	PN10	1070-1094	216	115	C	9,409.84
601-5-1124-171	1100	PN10	1100-1124	216	118	C	9,608.27
601-5-1136-171	1100	PN10	1112-1136	216	119	C	9,740.47
601-5-1154-171	1100	PN10	1130-1154	216	120	C	9,553.44
601-5-1164-171	1100	PN10	1140-1164	216	121	C	10,127.31
601-5-1239-171	1200	PN 9	1215-1239	216	129	C	10,745.99
601-5-1294-171	1200	PN 9	1270-1294	216	134	C	10,758.79
601-5-1304-171	1200	PN 9	1280-1304	216	135	C	10,765.75

601/521-001

Coupling, Supa-Gib, Straight
Ductile Iron
NBR rubber
Short, FC/FC/S Non-
restrained mechanical
For connecting pipes with
equal or unequal diameters
(excluding PE)
With SS A4 bolts & PTFE
coated nuts
Product class: PN16



AVK ref. no.	DN mm	Product PN Class	Seal range mm	B mm	Theoretical weight/kg	Deliv. code	Gross Price AUD
601-5-0059-21	40	PN16	47-59	110	3.0	A	129.35
601-5-0071-21	50	PN16	59-71	110	3.3	A	142.30
601-5-0084-21	65	PN16	72-84	110	3.8	A	130.60
601-5-0103-21	80	PN16	88-103	110	5.2	A	142.21
601-5-0103-25	80	PN16	88-103	176	5.8	A	142.21
601-5-0147-21	125	PN16	123-147	110	7.4	B	185.74
601-5-0194-21	150	PN16	170-194	110	9.0	B	265.55
601-5-0202-21	175	PN16	178-202	110	9.8	C	377.11

**601/521-002**

Coupling, Supa-Gib, Straight
Ductile Iron
NBR rubber
Short, FC/FC/G Non-
restrained mechanical
For connecting pipes with
equal or unequal diameters
(excluding PE)
Product class: PN16
Galvanised fasteners



AVK ref. no.	DN mm	Product PN Class	Seal range mm	B mm	Theoretical weight/kg	Deliv. code	Gross Price AUD
601-5-0103-2101	80	PN16	88-103	110	4.9	C	127.99
601-5-0103-2501	80	PN16	88-103	176	5.9	C	127.99
601-5-0147-2101	125	PN16	123-147	110	7.5	C	167.17
601-5-0194-2101	150	PN16	170-194	110	9.0	C	238.99
601-5-0202-2101	175	PN16	178-202	110	9.8	C	249.14

**601/A-023**

Universal Straight Coupling,
Straight short
AS/NZS 4020 compliant, for
cast iron, ductile iron, steel,
PVC, AC and copper pipes
Ductile Iron
EPDM rubber, WRAS
approved
Blue epoxy RAL 5017 300
my



AVK ref. no.	DN mm	Product PN Class	D mm	Theoretical weight/kg	Deliv. code	Gross Price AUD
601-157-000-4312	125	PN16	132-157	6.4	A	185.74
601-201-000-4312	150	PN16	176-201	9.8	B	265.55

602/3-001

Coupling, Universal Step
Ductile Iron
EPDM rubber, WRAS
approved
Epoxy coated according to
DIN 30677-2 and GSK
approved
For all types of pipe
(excluding PE), A4 bolts, A4
PTFE coated nuts
Product class: PN16, DN40-
400



AVK ref. no.	DN/DN	Product PN Class	DN1 mm	DN2 mm	Theoretical weight/kg	Deliv. code	Gross Price AUD
602-063-074-4312	40-65	PN16	46-63	57-74	3.2	B	123.43
602-074-085-4312	50-65	PN16	57-74	68-85	4.0	B	154.29
602-074-106-4312	50-80	PN16	57-74	84-106	4.5	C	161.64
602-085-106-4312	65-80	PN16	68-85	84-106	4.5	A	171.93
602-106-119-4312	80-100	PN16	84-106	99-119	5.2	B	186.62
602-106-133-4312	80-100	PN16	84-106	109-133	5.5	A	182.21
602-119-133-4312	80-100	PN16	99-119	109-133	5.6	B	196.91
602-119-157-4312	80-125	PN16	99-119	132-157	6.4	C	220.42
602-133-157-4312	100-125	PN16	109-133	132-157	7.1	A	214.54
602-133-183-4312	100-150	PN16	109-133	157-183	8.1	A	246.87
602-157-183-4312	125-150	PN16	132-157	157-183	7.8	A	255.69
602-183-201-4312	150-150	PN16	157-183	176-201	11	A	288.01
602-201-215-4312	150-175	PN16	176-201	193-215	11	A	313.00
602-201-242-4312	150-200	PN16	176-201	218-242	14	B	318.87
602-215-242-4312	175-200	PN16	193-215	218-242	14	B	326.22
602-215-268-4312	175-200	PN16	193-215	242-268	16	C	399.69
602-242-268-4312	200-225	PN16	218-242	242-268	16	A	417.33
602-268-292-4312	225-250	PN16	242-268	266-292	17	A	533.41
602-292-306-4312	250-300	PN16	266-292	280-306	18	C	580.44
602-292-327-4312	250-300	PN16	266-292	301-327	20	B	571.62
602-327-350-4312	300-300	PN16	301-327	324-350	22	A	602.48
602-327-378-4312	300-350	PN16	301-327	352-378	28	B	781.75
602-350-378-4312	350-350	PN16	324-350	352-378	24	B	770.00
602-378-396-4312	350-400	PN16	352-378	372-397	26	C	877.27
602-396-410-4312	400-400	PN16	372-397	384-410	26	C	944.86
602-410-436-4312	400-400	PN16	384-410	410-436	29	B	1,044.79
602-436-462-4312	400-400	PN16	410-436	436-462	29	B	1,080.05



602/517-001

Coupling, Supa-Gib, Stepped
Stainless Steel
NBR rubber
Non restrained for all types
of pipe (excluding PE)
SS/SS/S
With SS A4 bolts, SS A4
PTFE coated nuts
Product class: PN16



AVK ref. no.	DN mm	Product PN Class	Seal range mm	Seal range 2 mm	No. of bolts	Deliv. code	Gross Price AUD
602-5-0366-0394-171	300	PN16	342-366	370-394	8	C	3,309.12
602-5-0394-0420-171	350	PN16	370-394	396-420	8	C	3,449.65
602-5-0404-0434-171	375	PN16	380-404	410-434	8	B	6,491.01
602-5-0420-0450-171	375	PN16	396-420	426-450	8	C	3,663.51
602-5-0434-0460-171	375	PN16	410-434	436-460	10	C	3,755.14
602-5-0490-0512-171	450	PN16	466-490	488-512	10	C	5,073.14
602-5-0554-0576-171	500	PN16	530-554	552-576	12	B	5,657.16
602-5-0576-0598-171	500	PN16	552-576	574-598	12	C	5,760.82
602-5-0576-0604-171	500	PN16	552-576	580-604	12	C	5,819.88
602-5-0598-0620-171	525	PN16	574-598	598-620	14	C	6,296.44
602-5-0644-0672-171	600	PN16	620-644	648-672	14	C	6,782.76
602-5-0684-0714-171	600	PN16	660-684	690-714	14	C	7,873.64
602-5-0738-0765-171	700	PN14	714-738	741-765	16	C	7,195.63
602-5-0814-0834-171	750	PN14	790-814	810-834	16	C	7,951.63
602-5-0944-0969-171	900	PN12	920-944	945-969	18	C	9,928.60



602/525-001

Coupling, Supa-Gib, Stepped
Ductile Iron
NBR rubber
Non restrained for all types
of pipe (excluding PE)
FC/FC/S
With SS A4 bolts & SS A4
PTFE coated nuts
Product class: PN16



AVK ref. no.	DN mm	Product PN Class	Seal range mm	Seal range 2 mm	No. of bolts	Deliv. code	Gross Price AUD
602-5-0103-0133-25	80	PN16	88-103	101-133	3	B	339.31
602-5-0133-0182-27	100	PN16	109-133	158-182	3	C	241.02
602-5-0147-0182-27	125	PN16	123-147	158-182	3	C	234.50
602-5-0238-0264-27	200	PN16	214-238	240-264	5	B	425.85
602-5-0334-0354-27	300	PN16	310-334	330-354	5	B	866.29



602/525-002

Coupling, Supa-Gib, Stepped
Ductile Iron
NBR rubber
Non restrained for all types
of pipe (excluding PE)
FC/FC/G
With Gal bolts and nuts
Product class: PN16



AVK ref. no.	DN mm	Product PN Class	Seal range mm	Seal range 2 mm	No. of bolts	Deliv. code	Gross Price AUD
602-5-0103-0133-2501	80	PN16	88-103	101-133	3	B	326.75
602-5-0133-0182-2701	100	PN16	109-133	158-182	3	C	215.44
602-5-0147-0182-2701	125	PN16	123-147	158-182	3	C	207.92
602-5-0238-0264-2701	200	PN16	214-238	240-264	5	C	384.73
602-5-0334-0354-2701	300	PN16	310-334	330-354	6	C	808.59

**602/599-001**

Coupling, Supa-Gib, Stepped
Stainless Steel
NBR rubber
For all types of pipe
(excluding PE) SS/SS/S
Spigot
SS A4 bolts & SS A4 PTFE
coated nuts
Product class: PN16
**Other sizes available, contact
AVK for assistance**



AVK ref. no.	DN/DN	Product PN Class	Seal range mm	Seal range 2 mm	No. of bolts	Deliv. code	Gross Price AUD
602-5-0394-0434-99-1	375-375	PN16	370-394	410-434	8	C	5,517.28
602-5-0434-0471-99-1	375-450	PN16	410-434	447-471	8	C	5,686.19
602-5-0434-0522-99-1	375-450	PN16	410-434	498-522	10	C	6,051.21
602-5-0468-0522-99-1	400-450	PN16	444-468	498-522	10	C	6,476.18
602-5-0471-0644-991	450-600	PN16	447-471	620-644	14	C	7,007.07
602-5-0471-0672-991	450-600	PN16	447-471	648-672	14	C	7,207.09
602-5-0522-0566-99-1	450-500	PN16	498-522	542-566	12	C	7,710.98
602-5-0522-0620-99-1	450-525	PN16	498-522	596-620	14	C	7,910.13
602-5-0576-0620-991	500-525	PN16	552-576	596-620	14	C	9,004.51
602-5-0584-0644-99-1	525-600	PN16	560-584	620-644	14	C	14,849.21
602-5-0620-0672-99-1	525-600	PN16	596-620	648-672	14	C	9,974.31
602-5-0682-0724-991	600-700	PN16	658-682	700-724	16	C	12,150.52

**603/A-4312**

Adaptor, Flanged
Ductile Iron
EPDM drinking water
approved
Epoxy coated according to
DIN 30677-2 and GSK
approved
For all types of pipe
(excluding PE)
Flange drilling: AS/NZS
4087 B5
A4 bolts & A4 PTFE coated
nuts
Product class: PN16



AVK ref. no.	DN mm	Seal range mm	Flange drilling	Theoretical weight/kg	Deliv. code	Gross Price AUD
603-063-000-4312	40	46-63	PN10/16	3.7	C	121.97
603-074-000-4312	50	57-74	PN10/16	3.8	B	119.03
603-074-001-4312	50	57-74	PN10/16	4.3	B	120.50
603-085-000-4312	80	68-85	PN10/16	4.3	B	126.37
603-106-000-4312	80	84-106	PN10/16	5.1	A	138.13
603-106-001-4312	100	84-106	PN10/16	5.9	B	138.13
603-119-000-4312	100	99-109	PN10/16	5.7	B	163.11
603-133-000-4312	100	109-133	PN10/16	6.4	A	161.64
603-133-001-4312	125	109-133	PN10/16	7.2	C	171.93
603-157-000-4312	150	132-157	PN10/16	8.3	A	221.89
603-183-000-4312	150	157-183	PN10/16	8.8	A	220.42
603-201-000-4312	200	176-201	PN10/16	11	B	310.06
603-215-000-4312	200	193-215	PN10/16	12	B	330.63
603-242-000-4312	250	218-242	PN10/16	13	A	354.14
603-268-003-4312	225	242-268	PN10/16	17	A	490.80
603-292-000-4312	250	266-292	PN10/16	18	B	512.84
603-292-003-4312	250	266-292	PN10/16	18	A	512.84
603-327-000-4312	300	301-327	PN10/16	22	A	602.48
603-350-000-4312	300	324-350	PN10/16	24	A	602.48
603-378-000-4312	350	352-378	PN10/16	25	C	603.95
603-410-000-4312	350	384-410	PN10/16	30	C	603.95
603-410-003-4312	375	384-410	PN10/16	30	B	714.16
603-436-000-4312	400	410-436	PN10/16	37	C	664.20
603-436-003-4312	375	410-436	PN10/16	31	B	784.69
603-462-003-4312	400	436-462	PN10/16	39	C	1,263.74

603/51-001

Adaptor, Supa-Gib, Flanged
Ductile Iron
NBR rubber
For all type of pipe (excluding PE)
SS/SS, FC/FC, FC/SS
Product class: PN16
DN100-600
With SS A4 bolts & A4 PTFE coated nuts



AVK ref. no.	DN mm	Product PN Class	Seal range mm	Flange drilling	E mm	No. of bolts	Deliv. code	Gross Price AUD
603-5-133-110	100	PN16	109-133	AS 4087 B5	3	3	C	215.44
603-5-264-122-1	225	PN16	240-264	AS 4087 B5	3	6	C	2,013.70
603-5-354-130-1	300	PN16	330-354	AS 4087 B5	3	8	C	2,539.67
603-5-394-135-2	350	PN16	370-394	AS 4087 B5	2.5	8	C	5,448.11
603-5-420-125-2	250	PN16	396-420	AS 4087 B5	2.5	8	C	5,564.98
603-5-434-137-2	375	PN16	410-434	AS 4087 B5	2.5	8	C	5,437.43
603-5-460-137-2	375	PN16	436-460	AS 4087 B5	2	10	C	5,512.58
603-5-512-145-2	450	PN16	488-512	AS 4087 B5	2	12	C	5,373.95
603-5-576-150-2	500	PN16	552-576	AS 4087 B5	2	12	C	5,348.05
603-5-584-137-2	375	PN16	560-584	AS 4087 B5	2	12	C	9,129.11
603-5-598-150-2	500	PN16	574-598	AS 4087 B5	2	12	C	8,578.59
603-5-626-150-2	500	PN16	602-626	AS 4087 B5	1.5	14	C	8,970.77
603-5-644-150-2	500	PN16	620-644	AS 4087 B5	1.5	14	C	11,116.34
603-5-682-160-2	600	PN16	658-682	AS 4087 B5	1.5	14	C	11,918.66

605/50-001


SUPA-GIB blank end for water and sewer application
Ductile Iron
NBR rubber
Non restrained for all types of pipe (excluding PE)
FC/FC SS, for sealing off pipe ends
With SS A4 bolts & PTFE coated nuts
Product class: PN16



AVK ref. no.	DN mm	Product PN Class	Seal range mm	Deliv. code	Gross Price AUD
605-5-103	80	PN16	88-103	B	166.73
605-5-133	100	PN16	109-133	A	180.74
605-5-182	150	PN16	158-182	A	258.22
605-5-238	200	PN16	214-238	B	434.16
605-5-264	225	PN16	240-264	B	463.01
605-5-296	250	PN16	272-296	B	473.13
605-5-334	300	PN16	310-334	C	817.02
605-5-354	300	PN16	330-354	C	954.88

605/52-001

SUPA-GIB blank end for water and sewer application
Stainless Steel
NBR rubber
SS/SS SS Non-restrained mechanical
For sealing off pipe ends
Product class: PN16



AVK ref. no.	DN mm	Product PN Class	Seal range mm	No. of bolts	Deliv. code	Gross Price AUD
605-5-394-1	350	PN16	370-394	8	C	2,437.97
605-5-394-2	350	PN16	370-394	8	C	2,524.35
605-5-404-1	375	PN16	380-404	8	C	3,348.52
605-5-404-2	375	PN16	380-404	8	C	2,845.41
605-5-420-2	375	PN16	396-420	8	C	3,473.63
605-5-434-2	375	PN16	410-434	8	B	3,473.63
605-5-460-2	400	PN16	436-460	10	C	3,520.27
605-5-490-2	450	PN16	466-490	10	C	3,940.83
605-5-512-2	450	PN16	488-512	10	C	3,546.37
605-5-522-2	450	PN16	498-522	10	C	3,546.37
605-5-534-2	500	PN16	510-534	12	C	3,840.64
605-5-654-2	600	PN16	630-654	12	C	4,983.49
605-5-672-2	600	PN16	648-672	14	C	5,897.17



605/0-001

Universal Ductile Iron end cap for all types of pipes
Ductile Iron
EPDM rubber
Epoxy coated to AS/NZS 4158




AVK ref. no.	DN mm	Theoretical weight/kg	Deliv. code	Gross Price AUD
605-106-0-430012 ⁽¹⁾	80	7.1	B	168.99
605-106-0-430212 ⁽²⁾	80	6.8	C	211.60
605-133-0-430012 ⁽¹⁾	100	8.2	A	180.74
605-133-0-430212 ⁽²⁾	100	8.3	B	227.77
605-183-0-430012 ⁽¹⁾	150	11	A	251.28
605-183-0-430212 ⁽²⁾	150	12	B	295.36

⁽¹⁾ Bosses untapped

⁽²⁾ Bosses tapped 2" BSP

258/5-001


Coupling, High Pressure
PN35
Stainless Steel
NBR rubber
Product class: PN35.
PN21 - PN25 above 1000mm
OD.
With SS A4 bolts & A4 PTFE
coated nuts.
Other sizes available on
request



AVK ref. no.	Product PN Class	DN mm	D mm	L mm	Theoretical weight / kg	Deliv. code	Gross Price AUD
258-5-0122-0122	PN35	100	122	254	0	C	629.58
258-5-0168-0168	PN35	150	168	254	0	C	743.22
258-5-0177-0177	PN35	150	177	254	0	C	875.58
258-5-0232-0232	PN35	200	232	254	0	C	1,018.28
258-5-0259-0259	PN35	225	259	254	0	B	1,154.84
258-5-0286-0286	PN35	250	286	254	0	C	1,160.66
258-5-0345-0345	PN35	300	345	254	0	C	1,416.39
258-5-0426-0426	PN35	375	426	254	0	C	2,098.87
258-5-0507-0507	PN35	450	507	254	0	C	2,998.74

8004/01-001

Super Hydro fabricated
universal straight coupling
Steel
EPDM drinking water
approved
Plascoat PPA 571 ES, WRAS




AVK ref. no.	Pipe cover range mm	Product PN Class	Theoretical weight/kg	Deliv. code	Gross Price AUD
8004-01-075-001100000	304-326	PN10	24	C	1,205.94
8004-01-075-001300000	304-326	PN16	24	C	1,205.94
8004-01-080-001100000	313-335	PN10	28	C	1,386.14
8004-01-080-001300000	313-335	PN16	28	C	1,386.14
8004-01-085-001100000	332-335	PN10	29	C	1,663.37
8004-01-085-001300000	332-355	PN16	29	C	1,663.37
8004-01-090-001100000	358-386	PN10	32	C	2,058.42
8004-01-090-001300000	358-386	PN16	32	C	2,058.42
8004-01-095-001100000	385-410	PN10	35	C	2,134.66
8004-01-095-001300000	385-410	PN16	35	C	2,134.66
8004-01-100-001100000	406-435	PN10	39	C	2,495.06
8004-01-100-001300000	406-435	PN16	39	C	2,495.06
8004-01-105-001100000	430-462	PN10	42	C	2,806.93
8004-01-105-001300000	430-462	PN16	42	C	2,806.93
8004-01-110-001100000	465-500	PN10	45	C	2,841.59
8004-01-110-001300000	465-500	PN16	45	C	2,841.59
8004-01-115-001100000	500-540	PN10	79	C	3,881.19
8004-01-115-001300000	500-540	PN16	79	C	3,881.19
8004-01-120-001100000	530-570	PN10	85	C	4,206.94
8004-01-120-001300000	530-570	PN16	85	C	4,206.94
8004-01-125-001100000	570-610	PN10	90	C	4,712.88
8004-01-125-001300000	570-610	PN16	90	C	4,712.88
8004-01-130-001100000	600-640	PN10	94	C	5,267.33
8004-01-130-001300000	600-640	PN16	94	C	5,267.33
8004-01-135-001100000	680-720	PN10	104	C	5,870.31
8004-01-135-001300000	680-720	PN16	104	C	5,870.31
8004-01-140-001100000	700-740	PN10	108	C	6,584.17
8004-01-140-001300000	700-740	PN16	108	C	6,584.17
8004-01-145-001100000	730-770	PN10	112	C	7,485.16
8004-01-145-001300000	730-770	PN16	112	C	7,485.16
8004-01-150-001100000	780-820	PN10	115	C	8,247.54
8004-01-150-001300000	780-820	PN16	115	C	8,247.54
8004-01-155-001100000	810-850	PN10	120	C	8,801.99
8004-01-155-001300000	810-850	PN16	120	C	8,801.99
8004-01-160-001100000	890-930	PN10	135	C	9,314.86
8004-01-160-001300000	890-930	PN16	135	C	9,314.86
8004-01-165-001100000	910-950	PN10	137	C	9,495.06
8004-01-165-001300000	910-950	PN16	137	C	9,495.06
8004-01-170-001100000	940-980	PN10	143	C	9,668.34
8004-01-170-001300000	940-980	PN16	143	C	9,668.34
8004-01-175-001100000	1000-1040	PN10	152	C	9,910.91
8004-01-175-001300000	1000-1040	PN16	152	C	9,910.91
8004-01-180-001100000	1030-1070	PN10	155	C	10,257.45
8004-01-180-001300000	1030-1070	PN16	155	C	10,257.45
8004-01-185-001100000	1060-1100	PN10	160	C	10,465.36
8004-01-185-001109500	1060-1100	PN10	160	C	10,465.36
8004-01-190-001100000	1090-1130	PN10	163	C	10,742.60
8004-01-190-001300000	1090-1130	PN16	163	C	10,742.60
8004-01-195-001100000	1120-1160	PN10	189	C	10,881.20
8004-01-195-001300000	1120-1160	PN16	189	C	10,881.20
8004-01-200-001100000	1150-1190	PN10	193	C	11,019.82
8004-01-200-001300000	1150-1190	PN16	193	C	11,019.82

AVK ref. no.	Pipe cover range mm	Product PN Class	Theoretical weight/kg	Deliv. code	Gross Price AUD
8004-01-205-001100000	1180-1220	PN10	214	C	11,227.75
8004-01-205-001300000	1180-1220	PN16	214	C	11,227.75
8004-01-210-001100000	1210-1250	PN10	216	C	11,435.67
8004-01-210-001300000	1210-1250	PN16	216	C	11,435.67
8004-01-215-001100000	1240-1280	PN10	219	C	11,643.58
8004-01-215-001300000	1240-1280	PN16	219	C	11,643.58
8004-01-220-001100000	1270-1310	PN10	222	C	11,851.50
8004-01-220-001300000	1270-1310	PN16	222	C	11,851.50
8004-01-225-001100000	1300-1340	PN10	239	C	12,128.73
8004-01-225-001300000	1300-1340	PN16	239	C	12,128.73
8004-01-230-001100000	1330-1370	PN10	242	C	12,336.65
8004-01-230-001300000	1330-1370	PN16	242	C	12,336.65
8004-01-235-001100000	1360-1400	PN10	245	C	12,544.57
8004-01-235-001300000	1360-1400	PN16	245	C	12,544.57
8004-01-240-001100000	1390-1430	PN10	248	C	12,613.89
8004-01-240-001300000	1390-1430	PN16	248	C	12,613.89
8004-01-245-001100000	1420-1460	PN10	267	C	12,752.50
8004-01-245-001300000	1420-1460	PN16	267	C	12,752.50
8004-01-250-001100000	1450-1490	PN10	270	C	13,168.34
8004-01-250-001300000	1450-1490	PN16	270	C	13,168.34
8004-01-255-001100000	1480-1520	PN10	275	C	13,376.26
8004-01-255-001300000	1480-1520	PN16	275	C	13,376.26
8004-01-260-001100000	1510-1550	PN10	278	C	13,584.19
8004-01-260-001300000	1510-1550	PN16	278	C	13,584.19
8004-01-265-001100000	1540-1580	PN10	283	C	13,792.11
8004-01-265-001300000	1540-1580	PN16	283	C	13,792.11
8004-01-270-001100000	1570-1610	PN10	287	C	14,207.94
8004-01-270-001300000	1570-1610	PN16	287	C	14,207.94
8004-01-275-001100000	1600-1640	PN10	315	C	14,415.86
8004-01-275-001300000	1600-1640	PN16	315	C	14,415.86
8004-01-280-001100000	1630-1670	PN10	320	C	14,554.48
8004-01-280-001300000	1630-1670	PN16	320	C	14,554.48
8004-01-285-001100000	1660-1700	PN10	324	C	14,762.40
8004-01-285-001300000	1660-1700	PN16	324	C	14,762.40
8004-01-290-001100000	1690-1730	PN10	327	C	14,970.33
8004-01-290-001300000	1690-1730	PN16	327	C	14,970.33
8004-01-295-001100000	1720-1760	PN10	333	C	15,178.24
8004-01-295-001300000	1720-1760	PN16	333	C	15,178.24
8004-01-300-001100000	1750-1790	PN10	337	C	15,455.48
8004-01-300-001300000	1750-1790	PN16	337	C	15,455.48
8004-01-305-001100000	1780-1820	PN10	344	C	15,871.31
8004-01-305-001300000	1780-1820	PN16	344	C	15,871.31
8004-01-310-001100000	1810-1850	PN10	348	C	16,287.15
8004-01-310-001300000	1810-1850	PN16	348	C	16,287.15
8004-01-315-001100000	1840-1880	PN10	352	C	16,495.08
8004-01-315-001300000	1840-1880	PN16	352	C	16,495.08
8004-01-320-001100000	1870-1910	PN10	357	C	16,772.30
8004-01-320-001300000	1870-1910	PN16	357	C	16,772.30
8004-01-325-001100000	1900-1940	PN10	363	C	17,118.84
8004-01-325-001300000	1900-1940	PN16	363	C	17,118.84
8004-01-330-001100000	1930-1970	PN10	367	C	17,326.77
8004-01-330-001300000	1930-1970	PN16	367	C	17,326.77
8004-01-335-001100000	1960-2000	PN10	371	C	17,534.68
8004-01-335-001300000	1960-2000	PN16	371	C	17,534.68
8004-01-340-001100000	1990-2030	PN10	388	C	17,881.22
8004-01-340-001300000	1990-2030	PN16	388	C	17,881.22
8004-01-345-001100000	2020-2060	PN10	392	C	18,158.45
8004-01-345-001300000	2020-2060	PN16	392	C	18,158.45
8004-01-350-001100000	2050-2090	PN10	396	C	19,059.44
8004-01-350-001300000	2050-2090	PN16	396	C	19,059.44

631/00-002

Coupling, Supa Maxi™, Straight
Ductile Iron
EPDM drinking water approved
Epoxy coated according to DIN 30677-2 and GSK approved
Tensile resistant, SS A4 nuts and bolts, PN16, DN50-DN800



AVK ref. no.	DN mm	T mm	Theoretical weight/kg	Deliv. code	Gross Price AUD
631-071-00-63	50	48 - 71	6.0	C	584.68
631-091-00-63	65	69 - 91	7.0	C	626.45
631-106-00-63	80	82 - 106	7.5	C	667.69
631-133-00-63	100	104 - 133	11	A	598.94
631-161-00-63	125	132 - 159	13	C	1,039.91
631-188-00-63	150	159 - 188	16	A	1,022.91
631-227-00-63	200	193 - 227	25	C	1,897.51
631-257-00-63	225	224 - 257	30	C	2,116.39
631-301-00-63	250	266 - 301	35	C	2,929.15
631-356-00-63	300	314 - 356	45	A	3,760.46
631-396-00-63	350	352 - 396	114	C	6,539.27
631-442-00-63	400	392 - 442	107	C	7,143.74
631-510-00-63	450	448 - 508	177	C	11,320.09
631-552-00-63	500	498 - 552	201	C	11,814.65
631-652-00-63	600	604 - 652	241	C	13,847.87
631-745-00-63 ⁽¹⁾	700		396	C	30,333.69
631-842-00-630004 ⁽²⁾	800		454	C	31,705.35
631-842-00-630006 ⁽³⁾	800		454	C	34,464.66

(1)

(2)

(3)

632/00-002


Coupling, Supa Maxi™, Step
Ductile Iron
EPDM drinking water approved
Epoxy coated according to DIN 30677-2 and GSK approved
Tensile resistant, SS A4 nuts and bolts, PN16, DN50-300



AVK ref. no.	DN/DN	Theoretical weight/kg	Deliv. code	Gross Price AUD
632-071-091-0063	50 - 65	6.5	C	605.08
632-071-106-0063	50 - 80	7.0	C	630.97
632-091-106-0063	65 - 80	7.5	C	672.85
632-106-133-0063	80 - 100	10	C	710.79
632-133-161-0063	100 - 125	13	C	1,018.88
632-133-188-0063	100 - 150	14	C	949.81
632-161-188-0063	125 - 150	15	C	1,629.22
632-188-227-0063	150 - 200	21	C	1,677.48
632-188-257-0063	150 - 225	28	C	1,677.48
632-227-257-0063	200 - 225	32	C	2,851.66
632-227-301-0063	200 - 250	32	C	2,917.07
632-257-301-0063	225 - 250	36	C	3,049.83
632-301-356-0063	250 - 300	42	C	3,507.46

633/00-002

Supa Maxi™ flange adaptor - universal & tensile - A4 bolts and nuts
Ductile Iron
EPDM drinking water approved
Epoxy coated according to DIN 30677-2 and GSK approved



AVK ref. no.	Flange DN	Flange drilling	Seal range mm	Theoretical weight/kg	Deliv. code	Gross Price AUD
633-071-00-0063	40-50	10/16	48-71	5.0	C	499.56
633-091-00-0063	50-65	10/16	69-91	6.0	C	508.38
633-106-00-0063	80	10/16	82-106	6.5	A	546.31
633-133-00-0063	100	10/16	104-133	9.0	A	677.36
633-161-00-0063	100/125	10/16	132-159	11	C	791.89
633-188-00-0063	150	10/16	159-188	12	C	1,005.21
633-227-00-0063	200	10/16	193-227	19	C	1,434.38
633-257-00-0063	250	10/16	224-257	25	C	1,459.11
633-301-00-0063	250	10/16	266-301	28	C	2,257.60
633-356-00-0063	300	10/16	314-356	36	C	3,076.86
633-396-00-0063	350	10/16	352-396	87	C	4,581.61
633-442-00-0063	400	10/16	392-442	80	C	5,983.45
633-510-00-0063	450	10/16	448-508	145	C	8,144.21
633-552-00-0063	500	10/16	498-552	166	C	8,805.12
633-652-00-0063	600	10/16	604-652	213	C	10,651.81
633-745-00-0063 ⁽¹⁾	700	10/16	700-745	379	C	19,464.27
633-842-00-00630004 ⁽²⁾	800	10/16	800-842	437	C	21,499.13
633-842-00-00630006 ⁽³⁾	800	10/16	800-842	437	C	22,806.86

(1)

(2)

(3)

621/41-003

Coupling, Supa Plus™
Straight
Ductile Iron
EPDM rubber
Tensile resistant for PE-pipe
90-315
Product class: PN16



Includes SDR11 PE100
Support Bush



AVK ref. no.	DN mm	Deliv. code	Gross Price AUD
621-10-090-41125	80	C	451.91
621-10-110-41125	100	B	563.82
621-10-125-41125	125	B	583.70
621-10-140-41125	125	C	658.74
621-10-160-41125	150	C	768.07
621-10-180-41125	150	B	973.28
621-10-200-41125	200	B	1,191.39
621-10-225-41125	200	C	1,425.14
621-10-250-41125	250	A	1,709.88
621-10-280-41125	250	C	2,160.37
621-10-315-41125	300	C	2,790.20

623/10-005

Adaptor, Supa Plus™,
Flanged
Ductile Iron
EPDM rubber
Tensile resistant For PE-pipe
90-315
Product class: PN16
Flange drilling: AS 2129 D/E



Includes SDR11 PE100
Support Bush



AVK ref. no.	DN mm	Deliv. code	Gross Price AUD
623-10-090-0541125	80	C	303.44
623-10-110-0541125	100	B	316.45
623-10-125-0241125	100	B	361.00
623-10-125-0541125	125	C	361.00
623-10-160-0541125	150	B	435.55
623-10-180-0541125	150	C	457.98
623-10-200-0541125	200	B	602.55
623-10-225-0541125	200	C	739.82
623-10-250-0541125	250	C	1,098.18
623-10-250-0641125	250	C	1,098.18
623-10-280-0541125	250	C	1,127.08
623-10-315-0541125	300	C	1,414.63

05/E-008Support bush, PE pipes
Stainless Steel

AVK ref. no.	DN mm	Pipe diam. mm	SDR	Theoretical weight/kg	Deliv. code	Gross Price AUD
05-063-54-001	50	63	11	0.1	C	55.05
05-063-56-000	50	63	13,6	0.4	C	55.05
05-075-54-001	50	75	11	0.1	C	58.38
05-075-56-000	65	75	13,6	0.5	C	58.38
05-090-53-000	80	90	17	0.7	C	58.38
05-090-54-001	80	90	11	0.1	A	58.38
05-090-56-000	80	90	13,6	0.7	C	58.38
05-110-73-000	100	110	17	0.8	C	60.84
05-110-74-001	100	100	11	0.3	C	60.84
05-110-76-000	100	110	13,6	0.8	C	60.84
05-125-73-000	125	125	17	1.0	C	63.41
05-125-74-001	125	125	11	0.3	A	63.41
05-125-76-000	125	125	13,6	1.0	C	63.41
05-140-73-000	125	140	17	1.1	C	69.92
05-140-74-001	125	140	11	0.3	A	69.92
05-140-76-000	125	140	13,6	1.1	C	69.92
05-160-73-000	150	160	17	1.3	C	82.29
05-160-74-001	150	160	11	0.3	C	82.29
05-160-76-000	150	160	13,6	1.3	C	82.29
05-180-73-000	175	180	17	1.4	C	93.56
05-180-74-001	175	180	11	0.3	A	93.56
05-180-76-000	175	180	13,6	1.4	C	93.56
05-200-73-000	200	200	17	1.4	C	96.58
05-200-74-001	200	200	11	0.3	A	96.59
05-200-76-000	200	200	13,6	1.4	C	96.58
05-225-73-000	225	225	17	1.9	C	105.80
05-225-74-001	225	225	11	0.3	C	105.80
05-225-76-000	225	225	13,6	2.0	C	105.80
05-250-74-001	250	250	11	0.3	A	117.56
05-250-76-000	250	250	13,6	2.4	C	117.56
05-280-73-000	275	280	17	2.7	C	152.82
05-280-74-001	275	280	11	0.3	A	152.82
05-280-76-000	275	280	13,6	3.0	C	152.82
05-315-73-000	300	315	17	3.5	C	171.93
05-315-74-001	300	315	11	0.3	A	171.93
05-315-76-000	300	315	13,6	3.4	C	171.93
05-355-73-000	350	355	17	4.0	C	199.57
05-355-74-000	350	355	11	3.8	C	199.57
05-400-73-000	400	400	17	4.5	C	223.45
05-400-74-000	400	400	11	4.3	C	300.81
05-400-76-000	400	400	13,6	4.5	C	223.45
05-450-73-000	450	450	17	3.0	C	306.21
05-500-73-000	500	500	17	5.3	C	338.31
05-500-74-000	500	500	11	5.1	C	338.31
05-630-73-000	600	630	17	5.8	C	372.15
05-630-74-000	600	630	11	5.5	C	1,009.90

748/90-001

Repair Clamp
Stainless Steel
NBR rubber
Single, Double & Multi part
Repair Clamp 316SS
For use on Cast Iron, Steel,
PVC-U, PVC-M, AC and
Copper pipes
Product class: PN1-16



AVK ref. no.	DN mm	Product PN Class	Seal range mm	L mm	No. of bolts	Element no.	Deliv. code	Gross Price AUD
748-901-004701	40	PN16	47-52	150	2	1	A	112.07
748-901-004703	40	PN16	47-52	300	3	1	C	200.43
748-901-004704	40	PN16	47-52	400	5	1	C	464.18
748-901-005501	50	PN16	55-60	150	2	1	C	113.43
748-901-005901	50	PN16	59-64	150	2	1	A	113.43
748-901-005903	50	PN16	59-64	300	3	1	C	205.82
748-901-005904	50	PN16	59-64	400	5	1	C	466.33
748-901-006301	50	PN16	63-68	150	2	1	C	113.43
748-901-006302	50	PN16	63-68	200	2	1	C	119.61
748-901-006303	50	PN16	63-68	300	3	1	C	207.17
748-901-006901	50	PN16	69-74	150	2	1	B	114.50
748-901-006903	50	PN16	69-74	300	3	1	C	209.86
748-901-007501	65	PN16	75-80	150	2	1	B	115.84
748-901-007504	65	PN16	75-80	400	5	1	C	394.00
748-901-007506	65	PN16	75-80	600	7	1	C	721.73
748-901-007601	65	PN16	76-83	150	2	1	B	115.84
748-901-007606	65	PN16	76-83	600	7	1	C	721.73
748-901-008002	80	PN16	80-87	200	2	1	C	123.66
748-901-008501	80	PN16	85-90	150	2	1	B	117.19
748-901-008502	80	PN16	85-92	200	2	1	A	123.66
748-901-008503	80	PN16	85-92	300	3	1	C	215.25
748-901-008504	80	PN16	85-92	400	5	1	C	440.47
748-901-008506	80	PN16	85-92	600	7	1	C	692.09
748-901-008801	80	PN16	88-95	150	2	1	C	117.19
748-901-008802	80	PN16	88-95	200	2	1	B	125.00
748-901-008803	80	PN16	88-95	300	3	1	C	197.51
748-901-009501	80	PN16	95-102	150	2	1	C	118.27
748-901-009502	80	PN16	95-105	200	2	1	B	126.35
748-901-009503	80	PN16	95-105	300	3	1	C	220.64
748-901-009504	80	PN16	95-105	400	5	1	C	447.74
748-901-009506	80	PN16	95-105	600	7	1	C	747.05
748-901-010002	100	PN16	100-110	200	2	1	B	136.59
748-901-010003	100	PN16	100-110	300	3	1	C	216.87
748-901-010504	100	PN16	105-115	400	5	1	C	516.17
748-901-011001-06	100	PN12	110-120	150	2	1	C	132.55
748-901-011002	100	PN16	110-120	200	2	1	A	139.28
748-901-011003	100	PN16	110-120	300	3	1	B	221.97
748-901-011004	100	PN16	110-120	400	5	1	C	529.64
748-901-011006	100	PN16	110-120	600	7	1	C	761.33
748-901-011308	100	PN16	113-123	800	10	1	C	1,323.84
748-901-011402	100	PN16	114-124	200	2	1	B	139.28
748-901-011403	100	PN16	114-124	300	3	1	C	223.33
748-901-012001-06	100	PN12	120-130	150	2	1	C	132.55
748-901-012002	100	PN16	120-130	200	2	1	A	134.24
748-901-012003	100	PN16	120-130	300	3	1	A	213.19
748-901-012004	100	PN16	120-130	400	5	1	B	530.72
748-901-013002	100	PN16	130-140	200	2	1	C	146.28
748-901-013003	100	PN16	130-140	300	3	1	C	229.53
748-901-013503	100	PN16	135-145	300	3	1	C	229.53
748-901-014002	100	PN16	140-150	200	2	1	B	147.36
748-901-014004	125	PN16	140-150	400	5	1	C	543.13
748-901-014006	125	PN16	140-150	600	7	1	C	724.02
748-901-014502	125	PN16	145-155	200	2	1	C	147.36
748-901-014503	125	PN16	145-155	300	3	1	C	231.97
748-901-014504	125	PN16	145-155	400	5	1	B	544.46
748-901-015002	150	PN16	150-160	200	2	1	B	148.71
748-901-015003	150	PN16	150-160	300	3	1	B	233.30
748-901-015005	100	PN16	150-160	500	5	1	C	755.13
748-901-015006	150	PN16	150-160	600	7	1	C	723.02
748-901-015503	150	PN16	155-165	300	3	1	C	202.82
748-901-015504	150	PN16	155-165	400	5	1	C	546.61
748-901-015802	150	PN16	158-168	200	2	1	C	151.54
748-901-016002	150	PN16	160-170	200	2	1	B	148.71
748-901-016003	150	PN16	160-170	300	3	1	B	233.30
748-901-016004	150	PN16	160-170	400	5	1	C	548.23
748-901-016005	150	PN16	160-170	500	5	1	C	757.83

AVK ref. no.	DN mm	Product PN Class	Seal range mm	L mm	No. of bolts	Element no.	Deliv. code	Gross Price AUD
748-901-016006	150	PN16	160-170	600	7	1	C	848.75
748-901-016802	150	PN16	168-178	200	2	1	B	148.71
748-901-017502	150	PN16	175-185	200	2	1	B	148.51
748-901-017503	150	PN16	175-185	300	3	1	B	222.69
748-901-017504	150	PN16	175-185	400	5	1	B	546.61
748-901-017505	150	PN16	175-185	500	5	1	C	755.13
748-901-018002	150	PN16	180-190	200	2	1	C	151.41
748-901-018503	150	PN16	185-195	300	3	1	C	248.39
748-901-019002	150	PN16	190-200	200	2	1	C	160.02
748-901-019003	150	PN16	190-200	300	3	1	C	253.24
748-901-019004	150	PN16	190-200	400	5	1	C	578.40
748-901-019006	150	PN16	190-200	600	7	1	C	863.93
748-901-019502	150	PN16	195-205	200	2	1	C	161.10
748-901-019702	175	PN16	197-207	200	2	1	C	164.47
748-901-020002	200	PN16	200-210	200	2	1	C	161.10
748-901-020003	200	PN16	200-210	300	3	1	C	254.58
748-901-020004	200	PN16	200-210	400	5	1	C	581.10
748-901-020006	200	PN16	200-210	600	7	1	C	848.88
748-901-020010	200	PN16	200-210	1000	120	1	C	1,605.63
748-901-020503	200	PN16	205-215	300	3	1	C	260.78
748-901-020504	200	PN16	205-215	400	5	1	C	567.90
748-901-021002	200	PN16	210-220	200	2	1	C	173.22
748-901-021502	200	PN16	215-225	200	2	1	B	174.84
748-901-021503	200	PN16	215-225	300	3	1	B	269.67
748-901-021504	200	PN16	215-225	400	5	1	C	566.55
748-901-021506	200	PN16	215-225	600	7	1	C	849.96
748-901-021508	200	PN16	215-225	800	10	1	C	1,406.58
748-901-022502	200	PN16	225-235	200	2	1	B	176.19
748-901-022503	200	PN16	225-235	300	3	1	C	273.46
748-901-022506	200	PN16	225-235	600	7	1	C	858.85
748-901-023002	200	PN16	230-240	200	2	1	B	176.19
748-901-023002-06	200	PN12	230-240	200	2	1	C	275.87
748-901-023003	200	PN16	230-240	300	3	1	B	273.46
748-901-023004	200	PN16	230-240	400	5	1	C	574.09
748-901-023006	200	PN16	230-240	600	7	1	C	859.93
748-901-023010	200	PN16	230-240	1000	12	1	C	1,628.26
748-901-024002-06	200	PN12	240-250	200	2	1	C	179.15
748-901-024003	225	PN16	240-250	300	4	1	C	384.19
748-901-024502-06	225	PN12	245-255	200	2	1	C	179.15
748-901-024503-06	225	PN12	245-255	300	3	1	C	278.29
748-901-024504	200	PN16	245-255	400	5	1	C	636.86
748-901-024506	225	PN16	245-255	600	7	1	C	907.88
748-901-025002	225	PN16	250-260	200	2	1	C	275.29
748-901-025002-06	225	PN12	250-260	200	2	1	C	180.50
748-901-025003	225	PN16	250-260	300	3	1	B	446.94
748-901-025003-06	225	PN12	250-260	300	3	1	C	279.64
748-901-025004	225	PN16	250-260	400	5	1	C	638.21
748-901-025005	225	PN16	250-260	500	5	1	C	782.34
748-901-025006	225	PN16	250-260	600	7	1	C	910.59
748-901-025010	225	PN16	250-260	1000	12	1	C	1,766.19
748-901-025503	225	PN16	255-265	300	4	1	C	463.11
748-901-025503-06	225	PN12	255-265	300	3	1	C	292.30
748-901-025504	225	PN16	255-265	400	5	1	C	667.59
748-901-025508	225	PN16	255-265	800	10	1	C	1,618.02
748-901-026003	225	PN16	260-270	300	4	1	C	464.45
748-901-026004	225	PN16	260-270	400	5	1	C	670.27
748-901-026006	250	PN16	260-270	600	7	1	C	944.79
748-901-026008	225	PN16	260-270	800	10	1	C	1,622.06
748-901-026503	250	PN16	265-275	300	4	1	C	465.79
748-901-026506	250	PN16	265-275	600	7	1	C	947.49
748-901-027003	250	PN16	270-280	300	4	1	C	464.45
748-901-027003-06	250	PN12	270-280	300	3	1	C	293.38
748-901-027004	250	PN16	270-280	400	5	1	C	669.19
748-901-027006	250	PN16	270-280	600	7	1	C	944.79
748-901-027010	250	PN16	270-280	1000	12	1	C	1,844.32
748-901-027502-05	250	PN10	275-285	200	2	1	C	256.20
748-901-027503	250	PN16	275-285	300	4	1	C	465.79

AVK ref. no.	DN mm	Product PN Class	Seal range mm	L mm	No. of bolts	Element no.	Deliv. code	Gross Price AUD
748-901-027504	250	PN16	275-285	400	5	1	C	670.27
748-901-027506	250	PN16	275-285	600	7	1	C	947.49
748-901-027508	250	PN16	275-285	800	10	1	C	1,646.85
748-901-027510	250	PN16	275-285	1000	12	1	C	1,849.17
748-901-028003	250	PN16	280-290	300	4	1	C	466.87
748-901-028004	250	PN16	280-290	400	5	1	C	672.43
748-901-028503	250	PN16	285-295	300	4	1	B	470.64
748-901-028503-06	250	PN12	285-295	300	3	1	C	297.16
748-901-028504	250	PN16	285-295	400	5	1	C	678.62
748-901-028506	250	PN16	285-295	600	7	1	C	957.45
748-901-029003	250	PN16	290-300	300	4	1	C	471.72
748-901-029503	250	PN16	295-305	300	4	1	C	473.07
748-901-029504	250	PN16	295-305	400	5	1	C	682.41
748-901-030001-02	300	PN 3	300-310	150	2	1	C	304.46
748-901-030003	300	PN16	300-310	300	4	1	C	475.49
748-901-030004	300	PN16	300-310	400	5	1	C	685.09
748-901-030006	300	PN16	300-310	600	7	1	C	966.89
748-901-030010	300	PN16	300-310	1000	12	1	C	1,890.39
748-901-030508	300	PN16	305-315	800	10	1	C	1,679.72
748-901-031003	300	PN16	310-320	300	4	1	C	481.69
748-901-031004	300	PN16	310-320	400	5	1	C	696.13
748-901-031005	300	PN16	310-320	500	5	1	C	980.62
748-901-031006	300	PN16	310-320	600	7	1	C	980.62
748-901-031008	300	PN16	310-320	800	10	1	C	1,460.21
748-901-031503	300	PN16	315-325	300	4	1	C	482.77
748-901-031504	300	PN16	315-325	400	5	1	C	697.22
748-901-032002	300	PN16	320-330	200	2	1	C	253.51
748-901-032003	300	PN16	320-330	300	4	1	C	492.75
748-901-032004	300	PN16	320-330	400	5	1	C	715.80
748-901-032006	300	PN16	320-330	600	7	1	C	1,002.71
748-901-032303	300	PN16	323-333	300	4	1	C	510.97
748-901-033002-03	300	PN 6	330-340	200	2	1	C	277.21
748-901-033003	300	PN16	330-340	300	4	1	C	496.51
748-901-033004	300	PN16	330-340	400	5	1	C	719.30
748-901-033006	300	PN16	330-340	600	7	1	C	1,007.83
748-901-033008	300	PN16	330-340	800	10	1	C	1,575.36
748-901-033010	300	PN16	330-340	1000	12	1	C	1,983.34
748-901-034002-03	300	PN 6	340-350	200	2	1	C	273.46
748-901-034003	300	PN16	340-350	300	4	1	C	492.75
748-901-034004	300	PN16	340-350	400	5	1	C	712.04
748-901-034006	300	PN16	340-350	600	7	1	C	1,001.63
748-901-035003-06	300	PN12	350-360	300	4	1	C	495.16
748-901-035004-06	300	PN12	350-360	400	5	1	C	715.80
748-901-059004-01	525	PN 1	590-600	400	5	1	C	1,261.61
748-902-016014	150	PN16	160-170	1400	34	2	C	5,385.60
748-902-032012	300	PN16	320-340	1200	30	2	C	3,935.68
748-902-032014	300	PN16	320-340	1400	34	2	C	4,643.13
748-902-033004	300	PN16	330-350	400	10	2	B	1,279.39
748-902-033005	300	PN16	330-350	500	12	2	C	1,887.82
748-902-033008	300	PN16	330-350	800	20	2	C	2,714.76
748-902-033012	300	PN16	330-350	1200	30	2	C	3,949.15
748-902-033014	300	PN16	330-350	1400	34	2	C	4,643.13
748-902-034004	300	PN16	340-360	400	10	2	B	1,277.82
748-902-034006	300	PN16	340-360	600	14	2	C	2,015.94
748-902-034008	300	PN16	340-360	800	20	2	C	2,723.38
748-902-034010	300	PN16	340-360	1000	24	2	C	3,337.07
748-902-035002-02	300	PN 3	350-370	200	4	2	C	599.69
748-902-035004	300	PN16	350-370	400	10	2	C	1,279.39
748-902-035010	300	PN16	350-370	1000	24	2	C	3,337.07
748-902-035504	300	PN16	355-375	400	10	2	C	1,283.16
748-902-036002-02	300	PN 3	360-380	200	4	2	C	602.39
748-902-036004	350	PN16	360-380	400	10	2	C	1,321.95
748-902-036006	300	PN16	360-380	600	14	2	C	2,097.56
748-902-037004	350	PN16	370-390	400	10	2	C	1,410.58
748-902-037008	350	PN16	370-390	800	20	2	C	3,250.77
748-902-037012	350	PN16	370-390	1200	30	2	C	4,518.94
748-902-038002-02	375	PN 3	380-400	200	4	2	C	604.54

AVK ref. no.	DN mm	Product PN Class	Seal range mm	L mm	No. of bolts	Element no.	Deliv. code	Gross Price AUD
748-902-038004	350	PN16	380-400	400	10	2	C	1,437.79
748-902-038006	300	PN16	380-400	600	14	2	C	2,160.33
748-902-038504	375	PN16	385-405	400	10	2	C	1,441.57
748-902-039004	375	PN16	390-410	400	10	2	C	1,442.64
748-902-039010	375	PN16	390-410	1000	24	2	C	3,554.75
748-902-040004	375	PN16	400-420	400	10	2	C	1,448.84
748-902-040006	375	PN16	400-420	600	14	2	C	2,165.99
748-902-040008	375	PN16	400-420	800	20	2	C	3,175.43
748-902-040012	375	PN16	400-420	1200	30	2	C	4,621.58
748-902-040014	375	PN16	400-420	1400	34	2	C	5,403.38
748-902-041002-02	375	PN 3	410-430	200	4	2	C	548.23
748-902-041004	375	PN16	410-430	400	10	2	B	1,373.68
748-902-041006	375	PN16	410-430	600	14	2	C	2,358.61
748-902-041008	375	PN16	410-430	800	20	2	C	3,166.27
748-902-041010	375	PN16	410-430	1000	24	2	C	3,986.87
748-902-041012	375	PN16	410-430	1200	30	2	C	4,612.96
748-902-042004	400	PN16	420-440	400	10	2	C	1,446.41
748-902-042008	375	PN16	420-440	800	20	2	C	3,166.27
748-902-042010	375	PN16	420-440	1000	24	2	C	3,990.64
748-902-042014	400	PN16	420-440	1400	34	2	C	5,414.69
748-902-042016	400	PN16	420-440	1600	40	2	C	6,236.37
748-902-043004	400	PN16	430-450	400	10	2	C	1,452.61
748-902-044004	400	PN16	440-460	400	10	2	C	1,457.46
748-902-044504	400	PN16	445-465	400	10	2	C	1,472.28
748-902-045004	450	PN16	450-470	400	10	2	C	1,689.15
748-902-045006	450	PN16	450-470	600	14	2	C	2,406.02
748-902-045008	450	PN16	450-470	800	20	2	C	3,514.07
748-902-045010	400	PN16	450-470	1000	24	2	C	4,410.91
748-902-045504	450	PN16	445-475	400	10	2	C	1,695.34
748-902-047004	450	PN16	470-490	400	10	2	C	1,706.39
748-902-047006	450	PN16	470-490	600	14	2	C	2,654.41
748-902-048008	450	PN16	480-500	800	20	2	C	3,609.44
748-902-048012	450	PN16	480-500	1200	30	2	C	5,251.71
748-902-049004	450	PN16	490-510	400	10	2	B	1,734.94
748-902-049006	450	PN16	490-510	600	14	2	C	2,670.86
748-902-049008	450	PN16	490-510	800	20	2	C	3,608.09
748-902-049010	450	PN16	490-510	1000	24	2	C	4,504.93
748-902-049012	450	PN16	490-510	1200	30	2	C	5,264.10
748-902-049014	450	PN16	490-510	1400	34	2	C	6,122.41
748-902-050004-05	450	PN10	500-520	400	10	2	C	1,743.56
748-902-050010-05	450	PN10	500-520	1000	24	2	C	4,174.37
748-902-051004-05	450	PN10	510-530	400	10	2	C	1,751.92
748-902-051008-05	450	PN10	510-530	800	20	2	C	3,778.89
748-902-053002-02	450	PN 3	530-550	200	4	2	C	518.60
748-902-053004-05	500	PN10	530-550	400	10	2	C	1,754.61
748-902-053006-05	450	PN10	530-550	600	14	2	C	2,823.86
748-902-056004-05	500	PN10	560-580	400	10	2	C	1,852.95
748-902-057003-01	525	PN 1	570-590	300	8	2	C	1,091.61
748-902-057004-05	525	PN10	570-590	400	10	2	C	1,861.52
748-902-057006-05	500	PN10	570-590	600	14	2	C	2,813.90
748-902-061004-03	600	PN 6	610-630	400	10	2	C	1,922.18
748-902-063004-03	600	PN 6	630-650	400	10	2	C	1,941.57
748-902-063005-03	600	PN 6	630-650	500	12	2	C	2,348.37
748-902-065004-03	600	PN 6	650-670	400	10	2	C	1,998.42
748-902-065006-03	600	PN 6	650-670	600	14	2	C	2,998.44
748-903-042006	400	PN16	420-450	600	21	3	C	2,117.33
748-903-045012	400	PN16	450-480	1200	45	3	C	6,887.51
748-903-048012	450	PN16	480-510	1200	45	3	C	6,970.22
748-903-049004	450	PN16	490-520	400	15	3	C	2,212.86
748-903-049006	450	PN16	490-520	600	21	3	C	3,312.02
748-903-049008	450	PN16	490-510	800	30	3	C	4,419.80
748-903-052006	450	PN16	520-550	600	21	3	C	3,330.34
748-903-052008	450	PN16	520-550	800	30	3	C	4,470.44
748-903-053004	500	PN16	530-560	400	15	3	C	2,233.87
748-903-054004	500	PN16	540-570	400	15	3	C	2,159.79
748-903-054006	500	PN16	540-570	600	21	3	C	3,355.12
748-903-054506	500	PN16	545-575	600	21	3	C	3,355.12

AVK ref. no.	DN mm	Product PN Class	Seal range mm	L mm	No. of bolts	Element no.	Deliv. code	Gross Price AUD
748-903-055004	500	PN16	550-580	400	15	3	C	2,159.79
748-903-056004	500	PN16	560-590	400	15	3	C	2,290.45
748-903-056006	500	PN16	560-590	600	21	3	C	3,427.59
748-903-057002-02	525	PN 3	570-590	200	6	3	C	592.41
748-903-057004	500	PN16	570-600	400	15	3	C	2,397.67
748-903-057008	500	PN16	570-600	800	30	3	C	4,589.79
748-903-058004	500	PN16	580-610	400	15	3	C	2,328.70
748-903-058006	500	PN16	580-610	600	21	3	C	3,485.80
748-903-058008	500	PN16	580-610	800	30	3	C	4,415.86
748-903-059012	525	PN16	590-620	1200	45	3	C	7,246.37
748-903-060004	600	PN16	600-630	400	15	3	C	2,456.94
748-903-060006	600	PN16	600-630	600	21	3	C	3,477.16
748-903-060008	600	PN16	600-630	800	30	3	C	4,650.13
748-903-060012	600	PN16	600-630	1200	45	3	C	7,272.75
748-903-061002-01	600	PN 1	610-640	200	6	3	C	654.11
748-903-061006	600	PN16	610-640	600	21	3	C	3,489.55
748-903-062004	600	PN16	620-650	400	15	3	C	2,473.10
748-903-062006	600	PN16	620-650	600	21	3	C	3,503.02
748-903-063004	600	PN16	630-660	400	15	3	C	2,458.02
748-903-063006	600	PN16	630-660	600	21	3	C	5,434.81
748-903-063008	600	PN16	630-660	800	30	3	C	4,704.28
748-903-063510	525	PN16	635-665	1000	36	3	C	6,010.62
748-903-065002-01	600	PN 1	650-680	200	6	3	C	732.78
748-903-065004	600	PN16	650-680	400	15	3	C	2,475.27
748-903-065006	600	PN16	650-680	600	21	3	C	3,552.32
748-903-065008	600	PN16	650-680	800	30	3	C	4,739.04
748-903-066006	600	PN16	660-690	600	21	3	C	3,600.82
748-903-066010	600	PN16	660-690	1000	36	3	C	6,067.18
748-903-068004	600	PN16	680-710	400	15	3	C	2,521.06
748-903-068504	600	PN16	685-715	400	15	3	C	2,524.83
748-903-069002-01	600	PN 1	690-720	200	6	3	C	744.89
748-903-069006	600	PN16	690-720	600	21	3	C	3,659.94
748-903-070006-02	600	PN 3	700-730	600	21	3	C	3,885.30
748-903-070010-02	675	PN 3	700-730	1000	36	3	C	6,396.93
748-903-071004-02	700	PN 3	710-740	400	15	3	C	2,545.84
748-903-071006-02	600	PN 3	710-740	600	21	3	C	3,897.71
748-903-071012-05	600	PN10	710-740	1200	45	3	C	7,568.83
748-903-073008-02	675	PN 3	730-760	800	30	3	C	5,255.48
748-903-073512-02	675	PN 3	735-765	1200	45	3	C	7,933.88
748-903-076004-02	700	PN 3	760-790	400	15	3	C	2,778.87
748-903-076006-02	750	PN 3	760-790	600	21	3	C	3,980.69
748-903-076010-02	700	PN 3	760-790	1000	36	3	C	6,566.38
748-903-077002-01	750	PN 1	770-800	200	6	3	C	801.47
748-903-078006-02	750	PN 3	780-810	600	21	3	C	4,121.30
748-903-080510-02	750	PN 3	805-835	1000	36	3	C	6,887.51
748-904-077010-02	750	PN 3	770-810	1000	48	4	C	8,142.11
748-904-079006-02	750	PN 3	790-830	600	28	4	C	4,965.60
748-904-080006-02	750	PN 3	800-840	600	28	4	C	4,931.66
748-904-080008-02	750	PN 3	800-840	800	40	4	C	6,646.67
748-904-082006-02	750	PN 3	820-860	600	28	4	C	4,958.06
748-904-086006-02	800	PN 3	860-900	600	28	4	C	5,038.34
748-904-086016-02	750	PN 3	860-900	1600	80	4	C	13,282.29
748-904-089006-02	800	PN 3	890-930	600	28	4	C	5,083.33
748-904-090012-02	750	PN 3	900-940	1200	60	4	C	10,090.42
748-904-091006-02	900	PN 3	910-950	600	28	4	C	5,132.36
748-904-093006-02	900	PN 3	930-970	600	28	4	C	5,159.84
748-904-093010-02	900	PN 3	930-960	1000	48	4	C	8,592.55
748-904-095010-02	900	PN 3	950-990	1000	48	4	C	8,624.07
748-904-096006-02	900	PN 3	960-1000	600	28	4	C	5,196.21
748-904-096010-02	900	PN 3	960-1000	1000	48	4	C	8,655.05
748-904-097008-02	900	PN 3	970-1010	800	40	4	C	5,682.21
748-904-099006-02	900	PN 3	990-1030	600	28	4	C	5,210.22
748-905-100006-02	1000	PN 3	1000-1040	600	35	5	C	6,261.42
748-905-103010-02	1000	PN 3	1030-1070	1000	60	5	C	10,968.67
748-905-110006-02	1100	PN 3	1100-1140	600	35	5	C	6,377.53
748-905-118006-01	1100	PN 1	1180-1220	600	35	5	C	6,398.01

748/90-002

Repair Clamp, HDPE
 Stainless Steel
 NBR rubber
 Single, Double & Multiple
 For Pipelines used in water
 reticulation, sewerage,
 wastewater and irrigation
 Product class: PN3-16



AVK ref. no.	DN mm	Product PN Class	Seal range mm	L mm	No. of bolts	Element no.	Deliv. code	Gross Price AUD
748-901-006302-1	50	PN16	63	200	2	1	A	185.12
748-901-007502-1	80	PN16	75	200	2	1	C	174.50
748-901-009002-1	80	PN16	90	200	2	1	C	188.66
748-901-011002-1	100	PN16	110	200	2	1	C	222.26
748-901-011003-1	100	PN16	110	300	3	1	C	313.31
748-901-011004-1	100	PN16	110	400	5	1	C	602.92
748-901-012502-1	100	PN16	125	200	2	1	C	229.80
748-901-012503-1	100	PN16	125	300	3	1	C	320.05
748-901-014003-1	125	PN16	140	300	3	1	C	323.01
748-901-016003-1	150	PN16	160	300	3	1	C	325.71
748-901-018003-1	150	PN16	180	300	3	1	C	375.81
748-901-020003-1	200	PN16	200	300	3	1	C	377.97
748-901-020004-1	200	PN16	200	400	5	1	C	754.32
748-901-022504-1	225	PN16	225	400	5	1	C	754.32
748-901-028006-1	280	PN16	280	600	7	1	C	1,165.70
748-901-031506-1	315	PN16	315	600	7	1	C	1,177.30
748-902-035506-1	355	PN16	355	600	14	2	C	2,220.42
748-902-040006-1	400	PN16	400	600	14	2	C	2,354.84
748-902-045008-1	450	PN16	450	800	20	2	C	3,478.51
748-902-050008-1	500	PN16	500	800	20	2	C	3,592.48
748-902-050012-1	500	PN16	500	1200	30	2	C	4,928.90
748-902-056010-16	560	PN12	560	1000	24	2	C	4,519.20
748-903-056012-1	560	PN16	560	1200	45	3	C	9,048.38
748-903-063010-15	630	PN10	630	1000	36	3	C	6,089.01
748-903-071012-15	710	PN10	710	1200	45	3	C	9,797.31
748-904-100012-12	1000	PN 3	1000	1200	60	4	C	8,366.55

748/91-001

Flanged Clamp
 Stainless Steel
 NBR rubber
 AISI316SS, 2P-5P
 Flange drilling: AS 4087 B7
 For use on Cast Iron, Steel,
 PVC-U, PVC-M, AC
 and copper pipes
 Product class: PN3-16



AVK ref. no.	DN mm	Product PN Class	Seal range mm	DN2 mm	L mm	Deliv. code	Gross Price AUD
748-912-011004-00-110	100	PN16	110-115	100	400	C	1,259.45
748-912-012004-00-108	100	PN16	120-125	80	400	C	1,231.16
748-912-012004-00-110	100	PN16	120-125	100	400	C	1,262.95
748-912-013504-00-110	125	PN16	135-140	100	400	C	1,260.80
748-912-014004-00-108	125	PN16	140-150	80	400	C	1,235.74
748-912-014004-00-110	125	PN16	140-150	100	400	C	1,262.95
748-912-015004-00-108	150	PN16	150-160	80	400	C	1,238.98
748-912-015004-00-110	150	PN16	150-160	100	400	C	1,250.29
748-912-016004-00-105	150	PN16	160-170	50	400	C	1,234.88
748-912-016004-00-106	150	PN16	160-170	65	400	C	1,315.49
748-912-016004-00-108	150	PN16	160-170	80	400	C	1,242.49
748-912-016004-00-110	150	PN16	160-170	100	400	C	1,262.95
748-912-016004-00-115	150	PN16	160-170	150	400	C	1,362.36
748-912-017504-00-106	150	PN16	175-185	65	400	C	1,170.66
748-912-017504-00-108	150	PN16	175-185	80	400	C	1,247.06
748-912-017504-00-110	150	PN16	175-185	100	400	B	1,267.53
748-912-017504-00-115	150	PN16	175-185	150	400	C	1,366.96
748-912-020004-00-108	200	PN16	200-210	80	400	C	1,415.97
748-912-020004-00-110	200	PN16	200-210	100	400	C	1,437.52
748-912-020004-00-115	200	PN16	200-210	150	400	C	1,547.17
748-912-021004-00-110	200	PN16	210-220	100	400	C	1,441.30
748-912-021504-00-108	200	PN16	215-225	80	400	C	1,425.13
748-912-021504-00-110	200	PN16	215-225	100	400	C	1,447.76
748-912-021504-00-115	200	PN16	215-225	150	400	C	1,556.33
748-912-021504-07-210	200	PN14	215-225	100	400	C	1,436.19
748-912-022504-00-105	200	PN16	225-235	50	400	C	1,517.54
748-912-022506-00-110	200	PN16	225-235	100	600	C	2,306.36
748-912-023004-00-108	200	PN16	230-240	80	400	C	1,436.45
748-912-023004-00-110	200	PN16	230-240	100	400	C	1,456.92
748-912-023004-00-115	200	PN16	230-240	150	400	C	1,567.65
748-912-023006-00-120	200	PN16	230-240	200	600	C	2,726.61
748-912-025004-00-108	225	PN16	250-260	80	400	C	1,447.76
748-912-025004-00-110	225	PN16	250-260	100	400	C	1,468.24
748-912-025004-00-115	225	PN16	250-260	150	400	C	1,578.97
748-912-025006-00-110	225	PN16	250-260	100	600	C	2,265.93
748-912-025006-00-115	225	PN16	250-260	150	600	C	2,413.83
748-912-025006-00-120	225	PN16	250-260	200	600	C	2,746.54
748-912-025006-00-122	225	PN16	250-260	225	600	C	3,411.97
748-912-026004-00-108	225	PN16	260-270	80	400	C	1,453.42
748-912-026004-00-110	225	PN16	260-270	100	400	C	1,515.13
748-912-026004-00-115	225	PN16	260-270	150	400	C	1,584.62
748-912-026006-00-120	225	PN16	260-270	200	600	C	2,756.80
748-912-026006-00-122	225	PN16	260-270	225	600	C	3,422.20
748-912-026506-00-122	225	PN16	265-275	225	600	C	3,425.44
748-912-027004-00-108	250	PN16	270-280	80	400	C	1,378.77
748-912-027004-00-110	250	PN16	270-280	100	400	C	1,488.98
748-912-027004-00-115	250	PN16	270-280	150	400	C	1,598.36
748-912-027006-00-120	250	PN16	270-280	200	600	C	2,776.99
748-912-027504-00-105	250	PN16	275-285	50	400	C	1,455.41
748-912-027504-00-106	250	PN16	275-285	65	400	C	1,550.40
748-912-027504-00-108	250	PN16	275-285	80	400	C	1,469.58
748-912-027504-00-110	250	PN16	275-285	100	400	C	1,490.06
748-912-027504-00-115	250	PN16	275-285	150	400	C	1,600.78
748-912-027506-00-120	250	PN16	275-285	200	600	C	2,781.30
748-912-027506-00-122	250	PN16	275-285	225	600	C	3,447.80
748-912-028006-00-110	250	PN16	280-290	100	600	C	2,372.62
748-912-028006-00-115	250	PN16	280-290	150	600	C	2,459.90
748-912-028504-00-108	250	PN16	285-295	80	400	C	1,472.82
748-912-028504-00-110	250	PN16	285-295	100	400	C	1,540.17
748-912-028504-00-115	250	PN16	285-295	150	400	C	1,604.03
748-912-028506-00-120	250	PN16	285-295	200	600	C	2,788.03
748-912-028506-00-122	250	PN16	285-295	225	600	C	3,454.53
748-912-028506-00-125	250	PN16	285-295	250	600	C	3,023.22
748-912-029006-00-125	250	PN16	290-300	250	600	C	3,026.72
748-912-029504-00-110	250	PN16	295-305	100	400	C	1,540.17
748-912-031004-00-108	300	PN16	310-320	80	400	C	1,511.61

AVK ref. no.	DN mm	Product PN Class	Seal range mm	DN2 mm	L mm	Deliv. code	Gross Price AUD
748-912-031004-00-110	300	PN16	310-320	100	400	C	1,580.04
748-912-031006-00-115	300	PN16	310-320	150	600	C	2,491.15
748-912-031006-00-122	300	PN16	310-320	225	600	C	3,491.44
748-912-031006-00-125	300	PN16	310-320	250	600	C	3,061.47
748-912-032004-00-108	300	PN16	320-330	80	400	C	1,514.03
748-912-032004-00-110	300	PN16	320-330	100	400	C	1,581.38
748-912-032006-00-120	300	PN16	320-330	200	600	C	2,830.60
748-912-032006-00-125	300	PN16	320-330	250	600	C	3,065.79
748-912-033004-00-108	300	PN16	330-340	80	400	C	1,517.54
748-912-033004-00-110	300	PN16	330-340	100	400	C	1,584.62
748-912-033004-00-115	300	PN16	330-340	150	400	C	1,648.74
748-912-033006-00-120	300	PN16	330-340	200	600	C	2,837.33
748-912-033006-00-122	300	PN16	330-340	225	600	C	3,502.75
748-912-033006-00-125	300	PN16	330-340	250	600	C	3,072.52
748-912-033008-00-130	300	PN16	330-340	300	800	C	4,131.27
748-912-034004-00-108	300	PN16	340-350	80	400	C	1,520.77
748-912-034004-00-110	300	PN16	340-350	100	400	C	1,540.17
748-912-034004-00-115	300	PN16	340-350	150	400	C	1,653.32
748-912-034006-00-110	300	PN16	340-350	100	600	C	1,488.79
748-912-034006-00-115	300	PN16	340-350	150	600	C	2,212.05
748-912-034006-00-120	300	PN16	340-350	200	600	C	2,846.22
748-912-034006-00-122	300	PN16	340-350	225	600	C	3,539.66
748-912-034006-00-125	300	PN16	340-350	250	600	C	3,081.68
748-912-034008-00-122	300	PN16	340-350	225	800	C	3,777.54
748-912-034008-00-130	300	PN16	340-350	300	800	C	4,146.89
748-912-035004-00-105	300	PN16	350-360	50	400	C	1,647.39
748-912-035004-00-108	300	PN16	350-360	80	400	C	1,566.57
748-912-035004-00-110	300	PN16	350-360	100	400	C	1,585.96
748-912-035004-00-115	300	PN16	350-360	150	400	C	1,697.77
748-912-035006-00-120	300	PN16	350-360	200	600	C	2,946.17
748-912-035006-00-125	300	PN16	350-360	250	600	C	3,135.29
748-912-035504-00-105	300	PN16	355-365	50	400	C	1,648.74
748-912-035504-00-110	300	PN16	355-365	100	400	C	1,588.12
748-912-035506-00-115	300	PN16	355-365	150	600	C	2,679.69
748-912-035508-00-120	300	PN16	355-365	200	800	C	3,817.41
748-912-035508-00-122	300	PN16	355-365	225	800	C	4,395.56
748-912-036004-00-110	300	PN16	360-370	100	400	C	1,589.21
748-912-036006-00-120	300	PN16	360-370	200	600	C	2,550.96
748-912-036504-00-110	300	PN16	365-375	100	400	C	1,604.03
748-912-036504-00-115	300	PN16	365-375	150	400	C	1,715.82
748-912-036508-00-130	300	PN16	365-375	300	800	C	4,263.27
748-912-037004-00-110	350	PN16	370-380	100	400	C	1,765.39
748-912-037006-00-120	350	PN16	370-380	200	600	C	2,817.67
748-912-037506-00-120	350	PN16	375-385	200	600	C	2,876.57
748-912-038004-00-110	350	PN16	380-390	150	400	C	1,764.05
748-912-038006-00-120	350	PN16	380-390	200	600	C	2,931.35
748-912-038006-00-122	350	PN16	380-390	225	600	C	3,478.51
748-912-038006-00-125	350	PN16	380-390	250	600	C	3,062.55
748-912-039004-00-108	350	PN16	390-400	80	400	C	1,767.81
748-912-039004-00-110	350	PN16	390-400	100	400	C	1,775.91
748-912-039004-00-115	350	PN16	390-400	150	400	C	1,899.01
748-912-039006-00-120	350	PN16	390-400	200	600	C	2,849.46
748-912-039008-00-130	375	PN16	390-400	300	800	C	4,668.20
748-912-039506-00-122	375	PN16	395-405	225	600	C	3,936.23
748-912-040004-00-105	375	PN16	400-410	50	400	C	1,730.91
748-912-040004-00-108	375	PN16	400-410	80	400	C	1,793.69
748-912-040004-00-110	375	PN16	400-410	100	400	C	1,814.96
748-912-040004-00-115	375	PN16	400-410	150	400	C	1,938.07
748-912-040006-00-115	375	PN16	400-410	150	600	C	3,060.03
748-912-040006-00-120	375	PN16	400-410	200	600	C	3,259.75
748-912-040006-00-122	375	PN16	400-410	225	600	C	3,938.65
748-912-040006-00-125	375	PN16	400-410	250	600	C	3,496.29
748-912-040008-00-122	375	PN16	400-410	225	800	C	3,684.94
748-912-041004-00-105	375	PN16	410-420	50	400	C	1,740.60
748-912-041004-00-108	375	PN16	410-420	80	400	C	1,803.10
748-912-041004-00-110	375	PN16	410-420	100	400	C	1,824.38
748-912-041006-00-122	375	PN16	410-420	225	600	C	3,925.44

AVK ref. no.	DN mm	Product PN Class	Seal range mm	DN2 mm	L mm	Deliv. code	Gross Price AUD
748-912-041006-00-125	375	PN16	410-420	250	600	C	3,509.50
748-912-041008-00-115	400	PN16	410-420	150	800	C	3,237.39
748-912-042004-00-108	375	PN16	420-430	80	400	C	1,825.73
748-912-042004-00-110	375	PN16	420-430	100	400	C	1,847.03
748-912-042004-00-115	375	PN16	420-430	150	400	C	1,969.86
748-912-042006-00-115	375	PN16	420-430	150	600	C	2,951.36
748-912-042006-00-120	375	PN16	420-430	200	600	C	3,143.91
748-912-042006-00-122	375	PN16	420-430	225	600	C	3,769.46
748-912-042006-00-125	375	PN16	420-430	250	600	C	3,326.03
748-912-043004-00-108	375	PN16	430-440	80	400	C	1,744.97
748-912-043004-00-110	375	PN16	430-440	100	400	C	1,864.53
748-912-043006-00-120	375	PN16	430-440	200	600	C	3,155.77
748-912-043006-00-125	375	PN16	430-440	250	600	C	3,407.66
748-912-044004-00-108	400	PN16	440-450	80	400	C	2,031.28
748-912-044004-00-110	400	PN16	440-450	100	400	C	2,052.57
748-912-044004-00-115	400	PN16	440-450	150	400	C	2,175.68
748-912-044006-00-120	375	PN16	440-450	200	600	C	3,172.47
748-912-044006-00-125	375	PN16	440-450	250	600	C	3,399.30
748-912-045004-00-105	450	PN16	450-460	50	400	C	1,967.44
748-912-045004-00-110	450	PN16	450-460	100	400	C	2,051.50
748-912-045004-00-115	450	PN16	450-460	150	400	C	2,174.34
748-912-045006-00-120	400	PN16	450-460	200	600	C	3,172.47
748-912-045008-00-125	375	PN16	450-460	250	800	C	4,455.09
748-912-045008-00-130	375	PN16	450-460	300	800	C	4,755.74
748-912-045010-00-130	375	PN16	450-460	300	1000	C	5,470.73
748-912-046004-00-108	450	PN16	460-470	80	400	C	1,909.35
748-912-046006-00-120	375	PN16	460-470	200	600	C	3,187.82
748-912-047004-00-115	450	PN16	470-480	150	400	C	2,191.04
748-912-048004-00-110	450	PN16	480-490	100	400	C	2,078.70
748-912-048004-00-115	450	PN16	480-490	150	400	C	2,202.89
748-912-048006-00-120	450	PN16	480-490	200	600	C	3,206.68
748-912-049004-00-105	450	PN16	490-500	50	400	C	1,999.50
748-912-049004-00-108	450	PN16	490-500	80	400	C	2,062.00
748-912-049004-00-110	450	PN16	490-500	100	400	C	2,083.28
748-912-049004-00-115	450	PN16	490-500	150	400	C	2,206.40
748-912-049006-00-110	450	PN16	490-500	100	600	C	2,961.80
748-912-049006-00-120	450	PN16	490-500	200	600	C	3,213.69
748-912-049006-00-122	450	PN16	490-500	225	600	C	3,857.02
748-912-050004-00-108	450	PN16	500-510	80	400	C	2,168.68
748-912-050004-00-110	450	PN16	500-510	100	400	C	2,195.62
748-912-050004-00-115	450	PN16	500-510	150	400	C	2,221.75
748-912-050006-00-120	450	PN16	500-510	200	600	C	3,231.47
748-912-050006-00-122	450	PN16	500-510	225	600	C	3,875.87
748-912-050008-00-130	450	PN16	500-510	300	800	C	4,856.23
748-912-050008-06-135	450	PN12	500-510	350	800	C	6,422.01
748-912-050010-00-122	450	PN16	500-510	225	1000	C	8,320.01
748-912-050504-00-110	450	PN16	505-515	100	400	C	2,101.06
748-912-050506-00-125	450	PN16	505-515	250	600	C	3,462.09
748-912-051004-06-110	450	PN12	510-520	100	400	C	2,103.48
748-913-049004-00-110	450	PN16	490-500	100	400	C	1,955.61
748-913-051008-06-130	450	PN12	510-520	300	800	C	4,932.71
748-913-053004-06-108	500	PN12	530-540	80	400	C	2,455.86
748-913-053004-06-110	500	PN12	530-540	100	400	C	2,477.14
748-913-053004-06-115	500	PN12	530-540	150	400	C	2,599.99
748-913-053006-06-115	500	PN12	530-540	150	600	C	3,680.56
748-913-053006-06-120	450	PN12	530-540	200	600	C	3,848.67
748-913-053008-06-130	450	PN12	530-540	300	800	C	5,696.76
748-913-054004-06-108	500	PN12	540-550	80	400	C	2,457.49
748-913-054004-06-110	500	PN12	540-550	100	400	C	2,464.48
748-913-054004-06-115	500	PN12	540-550	150	400	C	2,587.60
748-913-054006-06-120	500	PN12	540-550	200	600	C	3,834.66
748-913-054008-06-130	450	PN12	540-550	300	800	C	5,708.61
748-913-055004-06-110	500	PN12	550-560	100	400	C	2,467.71
748-913-055004-06-115	500	PN12	550-560	150	400	C	2,591.91
748-913-056004-06-105	500	PN12	560-570	50	400	C	2,540.72
748-913-056004-06-108	500	PN12	560-570	80	400	C	2,451.82
748-913-056004-06-110	500	PN12	560-570	100	400	C	2,473.37

AVK ref. no.	DN mm	Product PN Class	Seal range mm	DN2 mm	L mm	Deliv. code	Gross Price AUD
748-913-056004-06-115	500	PN12	560-570	150	400	C	2,595.68
748-913-056006-06-120	500	PN12	560-570	200	600	C	3,852.98
748-913-056006-06-122	500	PN12	560-570	225	600	C	4,492.80
748-913-056008-05-137	500	PN10	560-570	375	800	C	5,362.62
748-913-056008-06-122	500	PN12	560-570	225	800	C	5,386.14
748-913-056008-06-130	500	PN12	560-570	300	800	C	5,712.65
748-913-056010-06-125	500	PN12	560-570	250	1000	C	6,457.55
748-913-057004-06-108	500	PN12	570-580	80	400	C	2,507.87
748-913-057004-06-110	500	PN12	570-580	100	400	C	2,528.33
748-913-057004-06-115	500	PN12	570-580	150	400	C	2,651.45
748-913-057008-06-130	525	PN12	570-580	300	800	C	5,793.47
748-913-058004-06-110	525	PN12	580-590	100	400	C	2,532.91
748-913-058004-06-115	525	PN12	580-590	150	400	C	2,656.04
748-913-058006-06-120	525	PN12	580-590	200	600	C	3,915.75
748-913-058006-06-122	525	PN12	580-590	225	600	C	4,556.92
748-913-058006-06-125	525	PN12	580-590	250	600	C	4,142.58
748-913-058008-06-130	525	PN12	580-590	300	800	C	5,806.15
748-913-058504-06-108	525	PN12	585-595	80	400	C	2,514.59
748-913-059004-06-110	525	PN12	590-600	100	400	C	2,549.88
748-913-059004-06-115	525	PN12	590-600	150	400	C	2,658.45
748-913-059006-06-120	525	PN12	590-600	200	600	C	3,922.48
748-913-059008-06-130	525	PN12	590-600	300	800	C	5,462.51
748-913-061004-00-108	600	PN16	610-620	80	400	C	2,440.94
748-913-061004-06-110	600	PN12	610-620	100	400	C	2,600.26
748-913-061004-06-115	600	PN12	610-620	150	400	C	2,678.93
748-913-061006-06-120	600	PN12	610-620	200	600	C	5,080.87
748-913-061008-05-130	600	PN10	610-620	300	800	C	5,856.24
748-913-063004-05-108	600	PN10	630-640	80	400	C	2,566.05
748-913-063004-05-110	600	PN10	630-640	100	400	C	2,658.45
748-913-063006-05-120	600	PN10	630-640	200	600	C	3,968.01
748-913-063006-05-125	600	PN10	630-640	250	600	C	4,149.60
748-913-063008-05-130	525	PN10	630-640	300	800	C	5,898.54
748-913-065004-05-105	600	PN10	650-660	50	400	C	2,649.29
748-913-065004-05-108	600	PN10	650-660	80	400	C	2,561.47
748-913-065004-05-115	600	PN10	650-660	150	400	C	2,705.06
748-913-065006-05-120	600	PN10	650-660	200	600	C	3,980.69
748-913-065006-05-125	600	PN10	650-660	250	600	C	4,166.56
748-913-066006-05-115	600	PN10	660-670	150	600	C	3,878.03
748-913-066006-05-122	600	PN10	660-670	225	600	C	4,607.03
748-913-066006-05-125	600	PN10	660-670	250	600	C	4,166.56
748-913-066006-06-120	600	PN12	660-670	200	600	C	3,984.17
748-913-066008-05-130	600	PN10	660-670	300	800	C	5,928.17
748-913-066504-05-108	600	PN10	665-675	80	400	C	2,568.20
748-913-066504-05-110	600	PN10	665-675	100	400	C	2,576.28
748-913-066504-05-115	600	PN10	665-675	150	400	C	2,712.06
748-913-066506-05-120	600	PN10	665-675	200	600	C	3,988.75
748-913-066506-05-125	600	PN10	665-675	250	600	C	4,307.29
748-913-066508-05-130	600	PN10	665-675	300	800	C	5,942.99
748-913-067006-06-120	600	PN12	670-680	200	600	C	4,189.09
748-913-069004-05-108	600	PN10	690-700	80	400	C	2,694.82
748-913-069004-05-110	600	PN10	690-700	100	400	C	2,605.92
748-913-069004-05-115	600	PN10	690-700	150	400	C	2,729.03
748-913-069006-05-120	600	PN10	690-700	200	600	C	4,014.89
748-913-069008-03-130	650	PN 6	690-700	300	800	C	5,988.79
748-913-070008-03-130	650	PN 6	700-710	300	800	C	6,036.47
748-913-071004-05-108	600	PN10	710-720	80	400	C	2,600.26
748-913-071004-05-110	600	PN10	710-720	100	400	C	2,620.73
748-913-071004-05-115	600	PN10	710-720	150	400	C	2,848.92
748-913-071006-05-120	675	PN10	710-720	200	600	C	4,443.77
748-913-073006-03-110	675	PN 6	730-740	100	600	C	3,988.75
748-913-074006-03-110	675	PN 6	740-750	100	600	C	4,026.20
748-913-074008-03-130	675	PN 6	740-750	300	800	C	6,747.42
748-913-075006-03-115	675	PN 6	750-760	150	600	C	4,174.64
748-913-077006-03-115	675	PN 6	770-780	150	600	C	4,145.01
748-913-078006-03-115	675	PN 6	780-790	150	600	C	4,151.74
748-914-080006-03-115	750	PN 6	800-820	150	600	C	4,856.76
748-914-082006-03-108	750	PN 6	820-840	80	600	C	4,730.15

AVK ref. no.	DN mm	Product PN Class	Seal range mm	DN2 mm	L mm	Deliv. code	Gross Price AUD
748-914-082006-03-110	750	PN 6	820-840	100	600	C	4,737.15
748-914-082006-03-115	750	PN 6	820-840	150	600	C	4,872.93
748-914-082008-03-120	750	PN 6	820-830	200	800	C	6,777.06
748-914-082008-03-122	750	PN 6	820-830	225	800	C	7,514.14
748-914-082008-03-125	750	PN 6	820-830	250	800	C	7,026.79
748-914-082008-03-130	750	PN 6	820-830	300	800	C	7,355.46
748-914-084008-03-130	750	PN 6	840-850	300	800	C	7,374.86
748-914-086006-03-108	750	PN 6	860-870	80	600	C	4,856.76
748-914-086006-03-110	750	PN 6	860-880	100	600	C	4,781.87
748-914-092008-03-130	900	PN 6	920-930	300	800	C	7,926.05
748-914-093006-03-110	900	PN 6	930-940	100	600	C	4,831.71
748-914-094006-03-110	900	PN 6	940-950	100	600	C	4,841.95
748-914-094006-03-115	900	PN 6	940-950	150	600	C	4,977.73
748-914-095008-03-130	900	PN 6	950-960	300	800	C	7,992.06
748-915-104006-02-108	1000	PN 3	1040-1060	80	600	C	5,928.17
748-915-104006-03-115	1000	PN 6	1040-1060	150	600	C	6,357.87
748-915-106008-02-120	1000	PN 3	1060-1070	200	800	C	7,600.88
748-915-109008-02-120	900	PN 3	1090-1100	200	800	C	7,986.40
748-915-114006-02-115	1000	PN 3	1140-1160	150	600	C	6,409.59

748/91-002

Flanged Clamp, HDPE
Stainless Steel
NBR rubber
Flange Drilling: AS4087 B7
For use in water reticulation,
sewerage, wastewater and
irrigation
Product class: PN6-16



AVK ref. no.	DN mm	Product PN Class	Seal range mm	DN2 mm	L mm	Deliv. code	Gross Price AUD
748-912-025004-10-108	250	PN16	250	80	400	C	1,748.01
748-912-031506-10-108	315	PN16	315	80	600	C	2,600.75
748-912-031506-10-110	315	PN16	315	100	600	C	2,610.17
748-912-035506-10-108	355	PN16	355	80	600	C	2,672.08
748-912-035506-10-110	355	PN16	355	100	600	C	2,679.67
748-912-040006-10-110	400	PN16	400	100	600	C	2,724.87
748-912-045008-10-108	450	PN16	450	80	800	C	4,322.97
748-912-045008-10-110	450	PN16	450	100	800	C	4,352.40
748-912-045008-10-115	450	PN16	450	150	800	C	4,464.40
748-912-050008-10-108	500	PN16	500	80	800	C	4,450.72
748-912-050008-10-115	500	PN16	500	150	800	C	4,592.15
748-914-080012-13-110	800	PN 6	800	100	1200	C	8,297.06
748-914-080012-13-115	800	PN 6	800	150	1200	C	8,408.33



748/91-003

Flanged Clamp
Stainless Steel
NBR rubber
Flanged Offtake Clamp
AISI316SS 2P-3P
Flange drilling to AS2129 E
For use on Cast Iron, Steel,
PVC-U, PVC-M, AC and
copper pipes
Product class: PN10-14



AVK ref. no.	DN mm	Product PN Class	Seal range mm	DN2 mm	L mm	Deliv. code	Gross Price AUD
748-912-016004-07-210	150	PN14	160-170	100	400	C	1,330.30
748-912-017504-07-210	150	PN14	175-185	100	400	C	1,334.88
748-912-022504-07-210	200	PN14	225-235	100	400	C	1,529.94
748-912-025004-07-210	225	PN14	250-260	100	400	C	1,541.24
748-912-025006-07-220	225	PN14	250-260	200	600	C	3,160.08
748-912-027006-07-220	250	PN14	270-280	200	600	C	3,189.17
748-912-028504-07-210	250	PN14	285-295	100	400	C	1,613.17
748-912-034004-07-210	300	PN14	340-350	100	400	C	1,613.17
748-912-035004-07-215	300	PN14	350-360	150	400	C	1,880.15
748-912-039004-00-215	350	PN16	390-400	150	400	C	2,098.64
748-912-044004-07-210	400	PN14	440-450	100	400	C	2,133.12
748-912-045004-07-210	450	PN14	450-460	100	400	C	2,131.77
748-912-047004-07-210	450	PN14	470-480	100	400	C	2,163.83
748-912-049004-07-210	450	PN14	490-500	100	400	C	2,163.83
748-913-053004-06-210	500	PN12	530-540	100	400	C	2,557.43
748-913-071004-05-210	600	PN10	710-720	100	400	C	2,701.55



748/91-004

Flanged Clamp
Stainless Steel
NBR rubber
Flanged Offtake Clamp
316SS 2P-5P
Flange drilling to ANSI B16.1
For use on Cast Iron, Steel,
PVC-U, PVC-M, AC and
copper pipes
Product class: PN12-16



AVK ref. no.	DN mm	Product PN Class	Seal range mm	DN2 mm	L mm	Deliv. code	Gross Price AUD
748-912-011004-00-810	100	PN16	110-115	100	400	C	1,516.19
748-912-016004-00-815	150	PN16	160-170	150	400	C	1,697.77
748-912-027504-00-810	250	PN16	275-285	100	400	C	1,770.77
748-912-031004-00-808	300	PN16	310-320	80	400	C	1,695.34
748-912-034004-00-810	300	PN16	340-350	100	400	C	1,820.88
748-912-044004-00-810	400	PN16	440-450	100	400	C	2,361.30
748-913-065004-06-805	600	PN12	650-660	50	400	C	2,741.70



748/92-001

Tapped clamp
Stainless Steel
NBR rubber
BSP Offtake Clamp,
Female, AISI316SS 1P-4P
For use on Cast Iron, Steel,
PVC-U, PVC-M, AC, copper
pipes
Product class: PN3-16



AVK ref. no.	DN mm	Product PN Class	Seal range mm	DN2 mm	L mm	Deliv. code	Gross Price AUD
748-921-004701-00-101	40	PN16	47-52	20	150	C	166.49
748-921-004701-00-102	40	PN16	47-52	25	150	C	177.00
748-921-005901-00-101	50	PN16	59-64	20	150	C	166.49
748-921-005901-00-102	50	PN16	59-64	25	150	C	177.00
748-921-005901-00-103	50	PN16	59-64	32	150	C	199.37
748-921-005901-06-104	50	PN12	59-64	40	150	C	213.37
748-921-005903-00-101	50	PN16	59-64	20	300	C	242.73
748-921-006301-00-101	50	PN16	63-68	20	150	C	167.84
748-921-006301-00-102	50	PN16	63-68	25	150	C	178.07
748-921-006301-00-103	50	PN16	63-68	32	150	C	200.43
748-921-006301-06-104	50	PN12	63-68	40	150	C	214.44
748-921-006901-00-101	50	PN16	69-74	20	150	C	168.91
748-921-006901-00-102	50	PN16	69-74	25	150	C	179.42
748-921-006901-06-104	50	PN12	69-74	40	150	C	215.52
748-921-006903-00-102	50	PN16	69-74	25	300	C	253.77
748-921-007501-00-101	80	PN16	75-80	20	150	C	168.91
748-921-007501-00-102	80	PN16	75-80	25	150	C	179.42
748-921-007501-00-103	80	PN16	75-80	32	150	C	201.78
748-921-007501-00-104	80	PN16	75-80	40	150	C	215.52
748-921-007501-00-105	80	PN16	75-80	50	150	C	233.30
748-921-007503-06-105	50	PN12	75-80	50	300	C	317.91
748-921-007601-00-101	80	PN16	76-83	20	150	C	168.91
748-921-007601-00-102	80	PN16	76-83	25	150	C	179.42
748-921-007601-00-103	80	PN16	76-83	32	150	C	201.78
748-921-007601-00-104	80	PN16	76-83	40	150	C	215.52
748-921-007601-06-105	80	PN12	76-83	50	150	C	233.30
748-921-008502-00-101	80	PN16	85-92	20	200	C	179.42
748-921-008502-00-102	80	PN16	85-92	25	200	B	189.93
748-921-008502-00-104	80	PN16	85-92	40	200	C	226.30
748-921-008502-06-105	80	PN12	85-92	50	200	C	242.73
748-921-008503-00-101	80	PN16	85-92	20	300	C	470.39
748-921-008802-00-102	80	PN16	88-95	25	200	C	189.93
748-921-008802-00-103	80	PN16	88-95	32	200	C	212.02
748-921-008803-00-102	80	PN16	88-95	25	300	C	264.57
748-921-008803-06-105	80	PN12	88-95	50	300	C	322.20
748-921-008804-00-105	80	PN16	88-95	50	400	C	550.39
748-921-009502-00-101	80	PN16	95-105	20	200	C	181.59
748-921-009502-00-102	80	PN16	95-105	25	200	C	192.35
748-921-009502-00-103	80	PN16	95-105	32	200	C	214.44
748-921-009502-00-104	80	PN16	95-105	40	200	C	228.72
748-921-009502-06-105	80	PN12	95-105	50	200	C	246.50
748-921-009503-00-101	80	PN16	95-105	20	300	C	257.01
748-921-009503-00-102	80	PN16	95-105	25	300	C	267.78
748-921-009503-00-104	80	PN16	95-105	40	300	C	308.19
748-921-009503-06-106	80	PN12	95-105	65	300	C	418.38
748-921-009504-00-102	80	PN16	95-105	25	400	C	496.78
748-921-009504-00-104	80	PN16	95-105	40	400	C	545.81
748-921-010002-00-102	100	PN16	100-110	25	200	C	182.92
748-921-010002-00-105	100	PN16	100-110	50	200	C	237.34
748-921-010003-00-105	100	PN16	100-105	50	300	C	335.40
748-921-010003-00-106	100	PN16	100-105	65	300	C	415.15



AVK ref. no.	DN mm	Product PN Class	Seal range mm	DN2 mm	L mm	Deliv. code	Gross Price AUD
748-921-011002-00-101	100	PN16	110-120	20	200	C	177.52
748-921-011002-00-102	100	PN16	110-120	25	200	B	187.52
748-921-011002-00-103	100	PN16	110-120	32	200	C	208.52
748-921-011002-00-104	100	PN16	110-120	40	200	C	221.99
748-921-011002-00-105	100	PN16	110-120	50	200	C	238.42
748-921-011003-00-101	100	PN16	110-120	20	300	C	274.52
748-921-011003-00-102	100	PN16	110-120	25	300	C	280.99
748-921-011003-00-104	100	PN16	110-120	40	300	C	321.13
748-921-011003-00-105	100	PN16	110-120	50	300	C	340.80
748-921-011003-06-106	100	PN12	110-115	65	300	C	434.54
748-921-011003-06-108	100	PN12	110-115	80	300	C	481.42
748-921-011004-00-102	100	PN16	110-120	25	400	C	550.66
748-921-011004-00-105	100	PN16	110-120	50	400	C	613.97
748-921-011006-00-105	100	PN16	110-120	50	600	C	809.83
748-921-011402-00-101	100	PN16	114-124	20	200	B	177.54
748-921-011402-00-102	100	PN16	114-124	25	200	C	187.52
748-921-011402-00-103	100	PN16	114-124	32	200	C	197.47
748-921-011402-00-104	100	PN16	114-124	40	200	C	233.03
748-921-011402-00-105	100	PN16	114-124	50	200	C	238.42
748-921-011403-00-105	100	PN16	114-124	50	300	C	340.80
748-921-011403-00-106	100	PN16	114-119	65	300	C	435.89
748-921-012002-00-101	100	PN16	120-130	20	200	B	177.52
748-921-012002-00-102	100	PN16	120-130	25	200	B	187.52
748-921-012002-00-104	100	PN16	120-130	40	200	C	223.08
748-921-012002-00-105	100	PN16	120-130	50	200	B	238.42
748-921-012003-00-101	100	PN16	120-130	20	300	C	271.02
748-921-012003-00-102	100	PN16	120-130	25	300	B	283.14
748-921-012003-00-103	100	PN16	120-130	32	300	C	315.74
748-921-012003-00-105	100	PN16	120-130	50	300	C	341.87
748-921-012003-06-106	100	PN12	120-125	65	300	C	435.89
748-921-012003-06-108	100	PN12	120-125	80	300	C	483.58
748-921-012004-00-102	100	PN16	120-130	25	400	C	553.08
748-921-012004-00-104	100	PN16	120-130	40	400	C	592.14
748-921-012004-00-105	100	PN16	120-130	50	400	C	616.39
748-921-012006-00-105	100	PN16	120-130	50	600	C	874.48
748-921-012503-06-106	100	PN12	125-130	65	300	C	441.28
748-921-013002-00-101	100	PN16	130-140	20	200	C	184.00
748-921-013002-00-102	100	PN16	130-140	25	200	C	194.24
748-921-013002-00-103	100	PN16	130-140	32	200	C	210.59
748-921-013002-00-104	100	PN16	130-140	40	200	C	214.97
748-921-013002-00-105	100	PN16	130-140	50	200	C	245.42
748-921-013003-00-101	100	PN16	130-140	20	300	C	280.99
748-921-013003-00-102	100	PN16	130-140	25	300	C	288.53
748-921-013003-00-105	100	PN16	130-140	50	300	C	348.07
748-921-014002-00-101	100	PN16	140-150	20	200	C	185.35
748-921-014002-00-102	100	PN16	140-150	25	200	C	195.32
748-921-014002-00-104	100	PN16	140-150	40	200	C	229.80
748-921-014003-00-101	125	PN16	140-150	20	300	C	278.83
748-921-014003-00-102	125	PN16	140-150	25	300	C	286.37
748-921-014003-00-104	125	PN16	140-150	40	300	C	331.09
748-921-014003-06-108	125	PN12	140-150	50	300	C	503.24
748-921-014004-00-105	125	PN16	140-150	50	400	C	627.97
748-921-014502-00-101	125	PN16	145-155	20	200	C	185.35
748-921-014502-00-102	125	PN16	145-155	25	200	C	195.32
748-921-014502-00-104	125	PN16	145-155	40	200	C	230.88
748-921-014502-00-105	125	PN16	145-155	50	200	C	246.50
748-921-014503-00-103	125	PN16	145-155	32	300	C	324.36
748-921-015002-00-102	150	PN16	150-160	25	200	C	196.41
748-921-015002-00-103	150	PN16	150-160	32	200	C	217.68
748-921-015002-00-104	150	PN16	150-160	40	200	C	230.88
748-921-015002-00-105	150	PN16	150-160	50	200	C	247.58
748-921-015003-00-101	150	PN16	150-160	20	300	C	280.99
748-921-015003-00-102	150	PN16	150-160	25	300	C	291.76
748-921-015003-00-104	150	PN16	150-160	40	300	C	332.17
748-921-015003-00-105	150	PN16	150-160	50	300	C	351.57
748-921-015003-06-106	150	PN12	150-160	65	300	C	447.74
748-921-015003-06-108	150	PN12	150-160	80	300	C	505.40

AVK ref. no.	DN mm	Product PN Class	Seal range mm	DN2 mm	L mm	Deliv. code	Gross Price AUD
748-921-015003-06-110	150	PN12	150-160	100	300	C	577.33
748-921-015006-00-101	150	PN16	150-160	20	600	C	777.76
748-921-016002-00-101	150	PN16	160-170	20	200	C	186.43
748-921-016002-00-102	150	PN16	160-170	25	200	C	196.41
748-921-016002-00-103	150	PN16	160-170	32	200	C	218.75
748-921-016002-00-104	150	PN16	160-170	40	200	C	231.97
748-921-016002-00-105	150	PN16	160-170	50	200	C	247.58
748-921-016003-00-101	150	PN16	160-170	20	300	C	282.06
748-921-016003-00-102	150	PN16	160-170	25	300	C	292.84
748-921-016003-00-104	150	PN16	160-170	40	300	C	346.18
748-921-016003-00-105	150	PN16	160-170	50	300	C	351.57
748-921-016003-06-108	150	PN12	160-170	80	300	C	507.57
748-921-016003-06-110	150	PN12	160-170	100	300	C	578.40
748-921-016004-00-102	150	PN16	160-170	25	400	C	567.90
748-921-016802-00-102	150	PN16	168-178	25	200	C	196.41
748-921-016802-00-103	150	PN16	168-178	32	200	C	206.36
748-921-016802-00-104	150	PN16	168-178	40	200	C	230.88
748-921-016803-00-102	150	PN16	168-178	25	300	C	291.76
748-921-016804-00-105	150	PN16	168-178	50	400	C	595.83
748-921-016804-06-108	150	PN12	168-178	80	400	C	600.28
748-921-017502-00-101	150	PN16	175-185	20	200	B	186.41
748-921-017502-00-102	150	PN16	175-185	25	200	B	196.41
748-921-017502-00-103	150	PN16	175-185	32	200	C	217.68
748-921-017502-00-104	150	PN16	175-185	40	200	C	230.88
748-921-017502-00-105	150	PN16	175-185	50	200	C	247.58
748-921-017503-00-101	150	PN16	175-185	20	300	B	280.99
748-921-017503-00-102	150	PN16	175-185	25	300	C	292.84
748-921-017503-00-104	150	PN16	175-185	40	300	C	333.25
748-921-017503-00-105	150	PN16	175-185	50	300	C	351.57
748-921-017503-06-106	150	PN12	175-185	65	300	C	448.82
748-921-017503-06-110	150	PN12	175-185	100	300	C	578.40
748-921-017504-00-102	150	PN16	175-185	25	400	C	567.90
748-921-017504-00-104	150	PN16	175-185	40	400	C	615.04
748-921-017506-00-105	150	PN16	175-185	50	600	C	874.48
748-921-018502-00-104	150	PN16	185-195	40	200	C	240.86
748-921-018502-00-105	150	PN16	185-195	50	200	C	256.47
748-921-018503-00-102	150	PN16	185-195	25	300	C	298.23
748-921-019002-00-101	150	PN16	190-200	20	200	B	198.55
748-921-019002-00-102	150	PN16	190-200	25	200	B	208.52
748-921-019002-00-103	150	PN16	190-200	32	200	C	229.80
748-921-019002-00-104	150	PN16	190-200	40	200	C	243.00
748-921-019002-00-105	150	PN16	190-200	50	200	B	259.70
748-921-019003-00-101	150	PN16	190-200	20	300	C	306.05
748-921-019003-00-104	150	PN16	190-200	40	300	C	362.61
748-921-019003-00-105	150	PN16	190-200	50	300	C	368.00
748-921-019004-00-102	150	PN16	190-200	25	400	C	562.19
748-921-019004-00-105	150	PN16	190-200	50	400	C	660.30
748-921-019006-00-102	150	PN16	190-200	25	600	C	874.48
748-921-019006-00-104	150	PN16	190-200	40	600	C	920.27
748-921-020002-00-101	200	PN16	200-210	20	200	C	199.90
748-921-020002-00-102	200	PN16	200-210	25	200	C	209.59
748-921-020002-00-105	200	PN16	200-210	50	200	C	260.78
748-921-020003-00-102	200	PN16	200-210	25	300	C	328.94
748-921-020003-00-104	200	PN16	200-210	40	300	C	379.86
748-921-020003-00-105	200	PN16	200-210	50	300	C	379.86
748-921-020003-06-106	200	PN12	200-210	65	300	C	496.78
748-921-020003-06-108	200	PN12	200-210	80	300	C	557.66
748-921-020003-06-110	200	PN12	200-210	100	300	C	632.82
748-921-020004-00-102	200	PN16	200-210	25	400	C	604.81
748-921-020503-00-102	200	PN16	205-215	25	300	C	322.20
748-921-021002-00-101	200	PN16	210-220	20	200	C	198.55
748-921-021002-00-102	200	PN16	210-220	25	200	C	275.33
748-921-021002-00-105	200	PN16	210-220	50	200	C	347.80
748-921-021502-00-101	200	PN16	215-225	20	200	C	267.25
748-921-021502-00-102	200	PN16	215-225	25	200	C	280.99
748-921-021502-00-103	200	PN16	215-225	32	200	C	309.81
748-921-021502-00-104	200	PN16	215-225	40	200	C	327.32

AVK ref. no.	DN mm	Product PN Class	Seal range mm	DN2 mm	L mm	Deliv. code	Gross Price AUD
748-921-021502-00-105	200	PN16	215-225	50	200	C	348.87
748-921-021503-00-102	200	PN16	215-225	25	300	C	338.65
748-921-021503-00-105	200	PN16	215-225	50	300	C	399.52
748-921-021503-06-108	200	PN12	215-225	80	300	C	568.44
748-921-021503-06-110	200	PN12	215-225	100	300	C	641.44
748-921-021504-00-102	200	PN16	215-225	25	400	C	604.81
748-921-022502-00-105	200	PN16	225-235	50	200	C	352.38
748-921-022503-00-101	200	PN16	225-235	20	300	C	341.87
748-921-023002-00-101	200	PN16	230-240	20	200	B	270.49
748-921-023002-00-102	200	PN16	230-240	25	200	C	284.49
748-921-023002-00-103	200	PN16	230-240	32	200	C	313.31
748-921-023002-00-104	200	PN16	230-240	40	200	C	330.56
748-921-023002-00-105	200	PN16	230-240	50	200	C	352.38
748-921-023003-00-101	200	PN16	230-240	20	300	C	331.09
748-921-023003-00-102	200	PN16	230-240	25	300	C	342.95
748-921-023003-00-104	200	PN16	230-240	40	300	C	385.51
748-921-023003-00-105	200	PN16	230-240	50	300	C	404.91
748-921-023003-06-106	200	PN12	230-240	65	300	C	504.32
748-921-023003-06-108	200	PN12	230-240	80	300	C	574.09
748-921-023003-06-110	200	PN12	230-240	100	300	C	648.99
748-921-023004-00-105	200	PN16	230-240	50	400	C	699.37
748-921-023004-06-108	200	PN12	230-240	80	400	C	857.25
748-921-023006-00-105	200	PN16	230-240	50	600	C	956.37
748-921-024002-05-101	200	PN10	240-250	20	200	C	274.25
748-921-024004-00-102	200	PN16	240-250	25	400	C	651.95
748-921-024004-00-105	200	PN16	240-250	50	400	C	647.37
748-921-024006-00-104	225	PN16	240-250	40	600	C	1,088.92
748-921-025002-05-101	225	PN10	250-260	20	200	C	275.33
748-921-025002-05-102	225	PN10	250-260	25	200	C	287.99
748-921-025003-00-101	225	PN16	250-260	20	300	C	475.76
748-921-025003-00-102	225	PN16	250-260	25	300	C	488.42
748-921-025003-00-105	225	PN16	250-260	50	300	C	553.08
748-921-025003-03-110	225	PN 6	250-260	100	300	C	655.74
748-921-025003-05-101	225	PN10	250-260	20	300	C	336.48
748-921-025003-05-102	225	PN10	250-260	25	300	C	348.34
748-921-025003-05-103	225	PN10	250-260	32	300	C	357.28
748-921-025003-05-105	225	PN10	250-260	50	300	B	410.84
748-921-025003-06-108	225	PN12	250-260	80	300	C	710.95
748-921-025006-00-105	200	PN16	250-260	50	600	C	956.37
748-921-025502-05-101	225	PN10	255-265	20	200	C	285.57
748-921-025502-05-105	225	PN10	255-265	50	200	C	367.46
748-921-025503-00-105	225	PN16	255-265	50	300	C	567.90
748-921-025503-05-102	225	PN10	255-265	25	300	C	362.61
748-921-026003-00-105	250	PN16	260-270	50	300	C	568.98
748-921-026003-05-105	225	PN10	260-270	50	300	C	425.92
748-921-026003-06-108	225	PN12	260-270	80	300	C	728.19
748-921-026503-00-102	225	PN16	265-275	25	300	C	506.74
748-921-026503-00-105	225	PN16	265-275	50	300	C	570.05
748-921-027003-06-108	250	PN12	270-280	80	300	C	728.19
748-921-027503-00-101	250	PN16	275-285	20	300	C	494.35
748-921-027503-00-102	250	PN16	275-285	25	300	C	508.90
748-921-027503-00-105	250	PN16	275-285	50	300	C	570.05
748-921-027503-06-108	250	PN12	275-285	80	300	C	661.38
748-921-027503-06-110	250	PN12	275-285	100	300	C	724.69
748-921-027504-00-105	250	PN16	275-285	50	400	C	732.50
748-921-028503-00-101	250	PN16	285-295	20	300	C	498.93
748-921-028503-00-102	250	PN16	285-295	25	300	B	511.32
748-921-028503-00-104	250	PN16	285-295	40	300	C	555.24
748-921-028503-00-105	250	PN16	285-295	50	300	C	576.25
748-921-028504-00-105	250	PN16	285-295	50	400	C	739.78
748-921-028504-05-110	250	PN10	285-295	100	400	C	1,014.03
748-921-029003-06-101	250	PN12	290-300	20	300	C	500.01
748-921-029003-06-102	250	PN12	290-300	25	300	C	512.67
748-921-029503-00-105	250	PN16	295-305	50	300	C	538.68
748-921-030003-05-110	300	PN10	300-310	100	300	C	819.25
748-921-030003-06-101	300	PN12	300-310	20	300	C	506.74
748-921-031003-05-106	300	PN10	310-320	65	300	C	681.05

AVK ref. no.	DN mm	Product PN Class	Seal range mm	DN2 mm	L mm	Deliv. code	Gross Price AUD
748-921-031003-05-108	300	PN10	310-320	80	300	C	744.36
748-921-031003-06-101	300	PN12	310-320	20	300	C	509.17
748-921-031003-06-102	300	PN12	310-320	25	300	C	521.83
748-921-031003-06-104	300	PN12	310-320	40	300	C	565.47
748-921-031003-06-105	300	PN12	310-320	50	300	C	586.50
748-921-031004-05-110	300	PN10	310-320	100	400	C	1,075.99
748-921-031004-06-102	300	PN12	310-320	25	400	C	681.03
748-921-031503-06-101	300	PN12	315-325	20	300	C	509.17
748-921-031503-06-105	300	PN12	315-325	50	300	C	630.40
748-921-031506-06-105	300	PN12	315-325	50	600	C	948.64
748-921-032003-05-101	300	PN10	320-330	20	300	C	520.75
748-921-032003-05-102	300	PN10	320-330	25	300	C	533.41
748-921-032003-05-105	300	PN10	320-330	50	300	C	596.72
748-921-032503-05-101	300	PN10	325-335	20	300	C	521.83
748-921-033003-05-101	300	PN10	330-340	20	300	C	523.18
748-921-033003-05-102	300	PN10	330-340	25	300	C	530.99
748-921-033003-05-104	300	PN10	330-340	40	300	C	579.48
748-921-033003-05-105	300	PN10	330-340	50	300	C	600.23
748-921-033003-05-108	300	PN10	330-340	80	300	C	758.10
748-921-033003-05-110	300	PN10	330-340	100	300	C	835.14
748-921-033004-05-101	300	PN10	330-340	20	400	C	736.27
748-921-033004-05-104	300	PN10	330-340	40	400	C	792.85
748-921-033004-05-105	300	PN10	330-340	50	400	C	818.17
748-921-034002-02-102	300	PN 3	340-350	25	200	C	356.15
748-921-034003-05-101	300	PN10	340-350	20	300	C	520.75
748-921-034003-05-102	300	PN10	340-350	25	300	C	533.41
748-921-034003-05-103	300	PN10	340-350	32	300	C	559.82
748-921-034003-05-105	300	PN10	340-350	50	300	C	596.72
748-921-034003-05-108	300	PN10	340-350	80	300	C	755.67
748-921-034004-05-101	300	PN10	340-350	20	400	C	728.19
748-921-034004-05-102	300	PN10	340-350	25	400	C	745.43
748-921-034004-05-104	300	PN10	340-350	40	400	C	784.50
748-921-034004-05-105	300	PN10	340-350	50	400	C	809.83
748-921-034004-05-110	300	PN10	340-350	100	400	C	1,049.59
748-921-034006-05-108	300	PN10	340-350	80	600	C	1,170.82
748-921-035003-05-101	300	PN10	350-360	20	300	C	523.18
748-922-031504-00-101	300	PN16	315-335	20	400	C	1,057.67
748-922-032004-00-105	300	PN16	320-340	50	400	C	1,162.48
748-922-033004-00-101	300	PN16	330-350	20	400	C	1,085.15
748-922-033004-00-102	300	PN16	330-350	25	400	C	1,098.08
748-922-033004-00-104	300	PN16	330-350	40	400	C	1,141.74
748-922-033004-00-105	300	PN16	330-350	50	400	C	1,162.48
748-922-033004-00-108	300	PN16	330-350	80	400	C	1,484.13
748-922-035004-00-102	300	PN16	350-370	25	400	C	1,099.16
748-922-035004-00-105	300	PN16	350-370	50	400	C	1,162.48
748-922-035004-06-108	300	PN12	350-370	80	400	C	1,212.22
748-922-035004-06-110	300	PN12	350-370	100	400	C	1,397.65
748-922-036004-00-102	300	PN16	360-380	25	400	C	1,143.07
748-922-037004-00-101	350	PN16	370-390	20	400	C	1,067.73
748-922-037004-00-102	350	PN16	370-390	25	400	C	1,087.44
748-922-037004-00-104	350	PN16	370-390	40	400	C	1,120.33
748-922-037004-00-105	350	PN16	370-390	50	400	C	1,225.26
748-922-037004-06-110	350	PN12	370-390	100	400	C	1,460.98
748-922-038004-00-101	350	PN16	380-400	20	400	C	1,118.30
748-922-039004-00-102	375	PN16	390-410	25	400	C	1,183.55
748-922-039004-00-104	375	PN16	390-410	40	400	C	1,227.30
748-922-039004-00-105	375	PN16	390-410	50	400	C	1,342.43
748-922-039004-06-110	375	PN12	390-410	100	400	C	1,598.10
748-922-040004-00-101	375	PN16	400-420	20	400	C	1,307.40
748-922-040004-00-105	375	PN16	400-420	50	400	C	1,411.41
748-922-040004-06-108	375	PN12	400-420	80	400	C	1,621.26
748-922-040004-06-110	375	PN12	400-420	100	400	C	1,663.82
748-922-041003-00-101	400	PN16	410-430	20	300	C	1,130.17
748-922-041004-00-101	375	PN16	410-430	20	400	C	1,322.76
748-922-041004-00-102	375	PN16	410-430	25	400	C	1,336.77
748-922-041004-00-105	375	PN16	410-430	50	400	C	1,404.39
748-922-041004-06-110	375	PN12	410-430	100	400	C	1,657.89

AVK ref. no.	DN mm	Product PN Class	Seal range mm	DN2 mm	L mm	Deliv. code	Gross Price AUD
748-922-041006-00-102	375	PN16	410-430	25	600	C	2,019.97
748-922-041006-00-105	375	PN16	410-430	50	600	C	2,099.44
748-922-044004-00-101	400	PN16	440-460	20	400	C	1,338.92
748-922-044004-00-102	400	PN16	440-460	25	400	C	1,352.66
748-922-044004-00-105	400	PN16	440-460	50	400	C	1,421.90
748-922-045004-00-101	450	PN16	450-470	20	400	C	1,476.05
748-922-045004-00-102	450	PN16	450-470	25	400	C	1,485.21
748-922-045004-00-104	450	PN16	450-470	40	400	C	1,595.66
748-922-045004-00-105	450	PN16	450-470	50	400	C	1,612.10
748-922-045004-06-108	450	PN12	450-470	80	400	C	2,092.44
748-922-045004-06-110	450	PN12	450-470	100	400	C	2,135.00
748-922-047004-06-102	450	PN12	470-490	25	400	C	1,584.35
748-922-047004-06-105	450	PN12	470-490	50	400	C	1,963.40
748-922-049004-06-101	450	PN12	490-510	20	400	C	1,570.34
748-922-049004-06-108	450	PN12	490-510	80	400	C	2,089.39
748-922-049004-06-110	450	PN12	490-510	200	400	C	2,176.76
748-922-050006-06-105	450	PN12	500-520	50	600	C	2,298.80
748-923-049004-06-105	450	PN12	490-510	50	400	C	2,057.96
748-923-052004-05-105	450	PN10	520-540	50	400	C	1,988.99
748-923-053004-05-101	450	PN10	530-550	20	400	C	1,948.31
748-923-053004-05-104	450	PN10	530-550	40	400	C	2,014.31
748-923-053004-05-105	450	PN10	530-550	50	400	C	2,031.28
748-923-053004-05-108	450	PN10	530-550	80	400	C	2,201.82
748-923-054004-05-104	500	PN10	540-560	40	400	C	1,993.57
748-923-055004-05-102	500	PN10	550-570	25	400	C	1,994.65
748-923-055008-00-102	500	PN16	550-570	25	800	C	4,584.67
748-923-055010-00-102	500	PN16	550-570	25	1000	C	5,741.21
748-923-057004-05-102	500	PN10	570-590	25	400	C	2,160.60
748-923-058004-05-102	525	PN10	580-600	25	400	C	2,188.08
748-923-058004-05-104	525	PN10	580-600	40	400	C	2,189.42
748-923-058004-05-105	525	PN10	580-600	50	400	C	2,211.24
748-923-061004-03-101	600	PN 6	610-630	20	400	C	2,206.67
748-923-061004-03-105	600	PN 6	610-630	50	400	C	2,204.51
748-923-061004-03-108	600	PN 6	610-630	80	400	C	2,280.21
748-923-062004-03-105	600	PN 6	620-640	50	400	C	2,282.65
748-923-062004-05-110	600	PN10	620-640	100	400	C	2,582.21
748-923-062004-06-102	600	PN12	620-640	25	400	C	2,365.34
748-923-063004-03-101	600	PN 6	630-650	20	400	C	2,242.23
748-923-063004-03-105	600	PN 6	630-650	50	400	C	2,325.20
748-923-065004-03-101	600	PN 6	650-670	20	400	C	2,257.04
748-923-065006-03-105	600	PN 6	650-670	50	600	C	3,279.42
748-923-066004-03-110	600	PN 6	660-680	100	400	C	2,588.14
748-923-066504-03-101	600	PN 6	665-685	20	400	C	2,268.90
748-923-074504-02-103	675	PN 3	745-765	32	400	C	2,508.66
748-923-077004-02-108	750	PN 3	770-790	80	400	C	2,783.99
748-924-095006-03-101	900	PN 6	950-980	20	600	C	5,232.58

748/92-002

HDPE, Tapped Clamp
 Stainless Steel
 NBR rubber
 Offtake Clamp BSP 316SS
 For use on HDPE pipes in
 water reticulation, sewerage,
 wastewater and irrigation
 Product class: PN10-16



AVK ref. no.	DN mm	Product PN Class	Seal range mm	DN2 mm	L mm	Deliv. code	Gross Price AUD
748-921-006302-10-101	63	PN16	63	20	200	C	157.36
748-921-011002-10-101	110	PN16	110	20	200	C	255.39
748-921-011002-10-102	110	PN16	110	25	200	C	247.32
748-921-011002-10-103	110	PN16	110	32	200	C	270.40
748-921-012502-10-104	125	PN16	125	40	200	C	291.94
748-921-012503-10-102	125	PN16	125	25	300	C	335.34
748-921-014003-10-104	140	PN16	140	40	300	C	393.29
748-921-016003-10-101	160	PN16	160	20	300	C	333.81
748-921-016003-10-102	160	PN16	160	25	300	C	340.50
748-921-016003-10-105	160	PN16	160	50	300	C	395.72
748-921-018003-10-101	180	PN16	180	20	300	C	328.51
748-921-018003-10-102	180	PN16	180	25	300	C	349.62
748-921-018003-10-103	180	PN16	180	32	300	C	369.21
748-921-018003-10-105	180	PN16	180	50	300	C	420.62
748-921-020003-10-101	200	PN16	200	20	300	C	383.60
748-921-020003-10-102	200	PN16	200	25	300	C	391.18
748-921-020003-10-105	200	PN16	200	50	300	C	446.41
748-921-022504-10-101	225	PN16	225	20	400	C	858.31
748-921-022504-10-102	225	PN16	225	25	400	C	858.31
748-921-022504-10-105	225	PN16	225	50	400	C	770.82
748-921-025004-10-101	225	PN16	250	20	400	C	744.01
748-921-025004-10-102	225	PN16	250	25	400	C	750.79
748-921-025004-10-105	250	PN16	250	50	400	C	809.66
748-921-028006-10-102	280	PN16	280	25	600	C	1,136.06
748-921-028006-10-105	280	PN16	280	50	600	C	1,291.78
748-921-031506-10-102	315	PN16	315	25	600	C	1,150.77
748-921-031506-10-104	315	PN16	315	40	600	C	1,299.32
748-921-031506-15-110	315	PN10	315	100	600	C	1,385.26
748-922-031506-10-102	315	PN16	315	25	600	C	2,133.12
748-922-031506-10-105	315	PN16	315	50	600	C	2,174.88
748-922-035506-10-101	355	PN16	355	20	600	C	2,380.16
748-922-035506-10-102	355	PN16	355	25	600	C	2,385.01
748-922-035506-10-103	355	PN16	355	32	600	C	2,409.79
748-922-035506-10-105	355	PN16	355	50	600	C	2,429.73
748-922-040006-10-102	400	PN16	400	25	600	C	2,552.85
748-922-040006-10-105	400	PN16	400	50	600	C	2,598.10
748-922-045008-10-102	450	PN16	450	25	800	C	3,536.43
748-922-045008-10-105	450	PN16	450	50	800	C	3,581.15
748-922-045008-10-110	450	PN16	450	100	800	C	4,025.99
748-922-050008-10-102	500	PN16	500	25	800	C	3,691.87
748-922-050008-10-105	500	PN16	500	50	800	C	3,736.86
748-923-056010-15-105	560	PN10	560	50	1000	C	6,142.62
748-923-063010-13-104	600	PN 6	630	40	1000	C	6,142.61

748/93-001

Sewer OB Junction Clamp
 Stainless Steel
 NBR rubber
 Sewer OB Junction Clamp
 AISI316SS,
 45° & 90° angle junctions
 For use on Cast Iron, PVC,
 AC, VC and FRC
 Product class: PN1



AVK ref. no.	DN mm	Product PN Class	Seal range mm	DN2 mm	A mm	L mm	Deliv. code	Gross Price AUD
748-932-012003-01-111	100	PN 1	120-125	110	45°	300	C	679.16
748-932-013503-01-111	100	PN 1	135-140	110	45°	300	C	680.78
748-932-015003-01-111	150	PN 1	150-160	110	45°	300	C	676.74
748-932-015003-01-211	150	PN 1	150-160	110	90°	300	C	754.59
748-932-016003-01-111	150	PN 1	160-170	110	45°	300	C	672.69
748-932-016004-01-116	150	PN 1	160-170	160	45°	400	C	1,106.70
748-932-016004-01-216	150	PN 1	160-170	160	90°	400	C	1,114.51
748-932-017503-01-111	150	PN 1	175-185	110	45°	300	C	675.12
748-932-017504-01-116	150	PN 1	175-185	160	45°	400	C	1,109.39
748-932-019003-01-111	150	PN 1	190-200	110	45°	300	C	675.12
748-932-019003-01-211	150	PN 1	190-200	160	90°	300	C	758.63
748-932-019004-01-116	150	PN 1	190-200	160	45°	400	C	1,107.78
748-932-022503-01-111	200	PN 1	225-235	110	45°	300	C	758.63
748-932-022504-01-116	200	PN 1	225-235	160	45°	400	C	1,210.15
748-932-022504-01-216	200	PN 1	225-235	160	90°	400	C	1,189.41
748-932-024004-01-116	225	PN 1	240-250	160	45°	400	C	1,215.54
748-932-024004-01-216	225	PN 1	240-250	160	90°	400	C	1,195.08
748-932-024503-01-111	225	PN 1	245-255	110	45°	300	C	763.75
748-932-024504-01-116	225	PN 1	245-255	160	45°	400	C	1,216.89
748-932-024504-01-216	225	PN 1	245-255	160	90°	400	C	1,196.41
748-932-025503-01-111	225	PN 1	255-265	110	45°	300	C	766.45
748-932-025503-01-211	225	PN 1	255-265	110	90°	300	C	745.78
748-932-025504-01-116	225	PN 1	255-265	160	45°	400	C	1,223.89
748-932-027004-01-116	250	PN 1	270-280	160	45°	400	C	1,234.67
748-932-027503-01-111	225	PN 1	275-285	110	45°	300	C	779.38
748-932-027504-01-116	250	PN 1	275-285	160	45°	400	C	1,236.01
748-932-027504-01-216	250	PN 1	275-285	160	90°	400	C	1,215.54
748-932-027506-01-125	250	PN 1	275-285	250	45°	600	C	2,573.86
748-932-027506-01-225	250	PN 1	275-285	250	90°	600	C	2,573.86
748-932-028503-01-111	250	PN 1	285-295	110	45°	300	C	780.99
748-932-028504-01-116	250	PN 1	285-295	160	45°	400	C	1,237.63
748-932-031003-01-111	300	PN 1	310-320	110	45°	300	C	815.21
748-932-031004-01-216	300	PN 1	310-320	160	90°	400	C	1,231.97
748-932-032004-01-116	300	PN 1	320-330	160	45°	400	C	1,252.72
748-932-033003-01-111	300	PN 1	330-340	110	45°	300	C	817.63
748-932-034006-01-125	300	PN 1	340-350	250	45°	600	C	2,667.61
748-932-034006-01-225	300	PN 1	340-350	250	90°	600	C	2,609.42
748-932-034504-01-116	300	PN 1	345-355	160	45°	400	C	1,293.66
748-932-034504-01-216	300	PN 1	345-355	160	90°	400	C	1,273.19
748-932-035003-01-111	300	PN 1	350-360	110	45°	300	C	862.62
748-932-035004-01-116	300	PN 1	350-360	160	45°	400	C	1,293.66
748-932-036003-01-211	300	PN 1	360-370	110	90°	300	C	885.25
748-932-036004-01-116	300	PN 1	360-370	160	45°	400	C	1,433.21
748-932-036006-01-125	300	PN 1	360-370	250	45°	600	C	2,362.54
748-932-037003-01-111	300	PN 1	370-380	110	45°	300	C	873.13
748-932-037004-01-116	300	PN 1	370-380	160	45°	400	C	1,428.63
748-932-037004-01-216	300	PN 1	370-380	160	90°	400	C	1,406.00
748-932-037006-01-125	300	PN 1	370-380	250	45°	600	C	2,667.61
748-932-040003-01-211	375	PN 1	400-410	110	90°	300	C	885.25
748-932-040004-01-116	375	PN 1	400-410	160	45°	400	C	1,415.16
748-932-040004-01-216	375	PN 1	400-410	160	90°	400	C	1,392.53
748-932-042003-01-111	375	PN 1	420-430	110	45°	300	C	793.12
748-932-042004-01-116	375	PN 1	420-430	160	45°	400	C	1,421.09
748-932-042006-01-125	375	PN 1	420-430	250	45°	600	C	2,736.85
748-932-044003-01-111	375	PN 1	440-460	110	45°	300	C	796.89
748-932-044004-01-116	375	PN 1	440-450	160	45°	400	C	1,428.63
748-932-045003-01-111	450	PN 1	450-470	110	45°	300	C	802.82
748-932-048004-01-116	450	PN 1	480-490	160	45°	400	C	1,440.76
748-932-048006-01-125	400	PN 1	480-490	250	45°	600	C	2,849.51
748-932-050003-01-111	450	PN 1	500-520	110	45°	300	C	816.02
748-932-050004-01-116	450	PN 1	500-510	160	45°	400	C	1,452.89
748-932-063004-01-116	525	PN 1	630-640	160	45°	400	C	1,520.42

206/51-001

Repair Clamp, Kwik
Stainless Steel
NBR rubber
For use on Copper pipes with pinholes, punctures or splits
316 Stainless Steel bolts
Product class: PN16



AVK ref. no.	DN mm	Product PN Class	Seal range mm	L mm	No. of bolts	Theoretical weight / kg	Deliv. code	Gross Price AUD
206-51-15071	15	PN16	13	75	1	0.35	B	39.37
206-51-20071	20	PN16	19	75	1	0.35	A	37.97
206-51-20151	20	PN16	19	150	2	0.69	B	91.21
206-51-25071	25	PN16	25	75	1	0.37	A	39.37
206-51-25151	25	PN16	25	150	2	0.75	B	93.43
206-51-32071	32	PN16	32	75	1	0.39	B	40.49
206-51-32151	32	PN16	32	150	2	0.79	B	97.04
206-51-40071	40	PN16	38	75	1	0.45	B	41.59
206-51-40151	40	PN16	38	150	2	0.89	C	103.70
206-51-50071	50	PN16	51	75	1	0.59	B	45.19
206-51-50151	50	PN16	51	150	2	1.18	C	115.06

206/51-002

Repair Clamp, Kwik
Stainless Steel
NBR rubber
For use on Copper pipes with pinholes, punctures or splits,
Galvanised bolts
Product class: PN16



AVK ref. no.	DN mm	Product PN Class	Seal range mm	L mm	No. of bolts	Deliv. code	Gross Price AUD
206-51-18072	18	PN16	16	75	1	C	36.87
206-51-20152	20	PN16	19	150	2	C	85.67
206-51-25152	25	PN16	25	150	2	C	89.01
206-51-32072	32	PN16	32	75	1	C	39.37
206-51-32152	32	PN16	32	150	2	C	92.32
206-51-40072	40	PN16	38	75	1	B	40.49
206-51-40152	40	PN16	38	150	2	C	98.15
206-51-50072	50	PN16	51	75	1	C	44.08
206-51-50152	50	PN16	51	150	2	B	110.34

206/52-001

Repair Clamp, Kwik
Stainless Steel
NBR rubber
Epoxy coated according to
WIS 4-52-01 class B
For use on Galvanized Steel
and PVC pipes
316 Stainless steel bolts
Product class: PN16



AVK ref. no.	DN mm	Product PN Class	Seal range mm	L mm	No. of bolts	Deliv. code	Gross Price AUD
206-52-15071	15	PN16	21	75	1	B	39.37
206-52-20071	20	PN16	27	75	1	B	39.37
206-52-20151	20	PN16	27	150	2	C	92.32
206-52-25071	25	PN16	33	75	1	B	39.37
206-52-25151	25	PN16	33	150	2	C	94.82
206-52-32071	32	PN16	42	75	1	C	40.49
206-52-32151	32	PN16	42	150	2	C	99.27
206-52-40071	40	PN16	48	75	1	C	42.99
206-52-40151	40	PN16	48	150	2	C	104.80
206-52-50071	50	PN16	60	75	1	C	44.08
206-52-50151	50	PN16	60	150	2	C	109.23

206/52-002

Repair Clamp, Kwik
Stainless Steel
NBR rubber
For use on Galvanized Steel
and PVC pipes
Galvanised steel bolts
Product class: PN16



AVK ref. no.	DN mm	Product PN Class	Seal range mm	L mm	No. of bolts	Deliv. code	Gross Price AUD
206-52-15072	15	PN16	21	75	1	B	37.99
206-52-20072	20	PN16	27	75	1	B	36.87
206-52-20152	20	PN16	27	150	2	B	86.79
206-52-25072	25	PN16	33	75	1	B	37.99
206-52-25152	25	PN16	33	150	2	B	90.10
206-52-32072	32	PN16	42	75	1	B	39.37
206-52-32152	32	PN16	42	150	2	C	93.43
206-52-40072	40	PN16	48	75	1	B	40.49
206-52-40152	40	PN16	48	150	2	C	99.27
206-52-50072	50	PN16	60	75	1	A	42.99

10/81-001

Saddle, Rigid Pipe
 Stainless Steel
 NBR rubber
 Nitrile rubber seal, EPDM
 rubber back mat, TYPE R
 pipe
 BSP thread 1 and 4 bolt
 configuration
 For use on Cast Iron, AC, VC
 and FRC
 Product class: PN16




AVK ref. no.	DN mm	Product PN Class	Seal range mm	DN2 mm	L mm	No. of bolts	Deliv. code	Gross Price AUD
10-8-047-1011	40	PN16	47-52	DN20	125	1	C	116.16
10-8-047-1021	40	PN16	47-52	DN25	125	1	C	119.77
10-8-059-1011	50	PN16	59-69	DN20	125	1	C	112.84
10-8-059-1021	50	PN16	59-69	DN25	125	1	C	123.30
10-8-063-1011	50	PN16	63-73	DN20	125	1	C	116.16
10-8-063-1021	50	PN16	63-73	DN25	125	1	C	123.30
10-8-069-1011	50	PN16	69-79	DN20	125	1	C	116.16
10-8-069-1021	50	PN16	69-79	DN25	125	1	C	123.30
10-8-075-1011	75	PN16	75-85	DN20	125	1	C	95.61
10-8-075-1021	75	PN16	75-85	DN25	125	1	C	88.70
10-8-088-1011	80	PN16	88-98	DN20	125	1	C	115.01
10-8-088-1031	80	PN16	88-98	DN32	125	1	C	141.28
10-8-088-1041	80	PN16	88-98	DN40	125	1	C	174.39
10-8-088-1051	80	PN16	88-98	DN50	125	1	C	188.37
10-8-101-1011	100	PN16	101-111	DN20	125	1	C	110.75
10-8-101-1021	100	PN16	101-111	DN25	125	1	C	117.31
10-8-101-1031	100	PN16	101-111	DN32	125	1	C	137.00
10-8-101-1041	100	PN16	101-111	DN40	125	1	C	167.54
10-8-101-1051	100	PN16	101-111	DN50	125	1	C	176.90
10-8-110-1051	100	PN16	110-120	DN50	125	1	C	183.23
10-8-114-1011	100	PN16	114-124	DN20	125	1	B	88.45
10-8-114-1021	100	PN16	114-124	DN25	125	1	C	97.61
10-8-114-1031	100	PN16	114-124	DN32	125	1	B	138.42
10-8-114-1041	100	PN16	114-124	DN40	125	1	C	168.67
10-8-114-1051	100	PN16	114-124	DN50	125	1	C	177.99
10-8-120-1011	100	PN16	120-130	DN20	125	1	B	93.43
10-8-120-1021	100	PN16	120-130	DN25	125	1	B	99.80
10-8-120-1041	100	PN16	120-130	DN40	125	1	C	163.86
10-8-120-1051	100	PN16	120-130	DN50	125	1	C	177.99
10-8-130-1011	100	PN16	130-140	DN20	125	1	C	116.16
10-8-130-1021	100	PN16	130-140	DN25	125	1	C	122.72
10-8-130-1041	100	PN16	130-140	DN40	125	1	C	170.11
10-8-140-1011	125	PN16	140-150	DN20	125	1	C	117.31
10-8-140-1021	125	PN16	140-150	DN25	125	1	C	123.87
10-8-140-1031	125	PN16	140-150	DN32	125	1	C	143.84
10-8-140-1041	125	PN16	140-150	DN40	125	1	C	168.67
10-8-140-1051	125	PN16	140-150	DN50	125	1	C	183.23
10-8-145-1051	125	PN16	145-155	DN50	125	1	C	183.23
10-8-150-1051	150	PN16	150-160	DN50	125	1	C	184.67
10-8-152-1011	150	PN16	152-162	DN20	125	1	C	117.32
10-8-152-1021	150	PN16	152-162	DN25	125	1	C	120.34
10-8-152-1031	150	PN16	152-162	DN32	125	1	C	145.00
10-8-152-1041	150	PN16	152-162	DN40	125	1	C	170.11
10-8-152-1051	150	PN16	152-162	DN50	125	1	B	179.39
10-8-160-1011	150	PN16	160-170	DN20	125	1	C	118.73
10-8-160-1021	150	PN16	160-170	DN25	125	1	C	125.29
10-8-160-1051	150	PN16	160-170	DN50	125	1	C	184.67
10-8-168-1011	150	PN16	168-178	DN20	125	1	C	96.21
10-8-168-1021	150	PN16	168-178	DN25	125	1	C	101.73
10-8-168-1031	150	PN16	168-178	DN32	125	1	C	146.42
10-8-168-1041	150	PN16	168-178	DN40	125	1	C	170.11
10-8-168-1051	150	PN16	168-178	DN50	125	1	C	179.38
10-8-175-1021	150	PN16	175-185	DN25	125	1	C	118.73
10-8-175-1031	150	PN16	175-185	DN32	125	1	C	159.55
10-8-175-1041	150	PN16	175-185	DN40	125	1	C	171.54
10-8-175-1051	150	PN16	175-185	DN50	125	1	C	185.79
10-8-182-1051	175	PN16	182-192	DN50	125	1	C	185.79
10-8-190-1011	175	PN16	190-200	DN20	125	1	C	135.85
10-8-190-1021	175	PN16	190-200	DN25	125	1	C	142.43
10-8-190-1041	175	PN16	190-200	DN40	125	1	C	158.69
10-8-200-1011	200	PN16	200-220	DN20	125	4	C	263.71
10-8-200-1021	200	PN16	200-220	DN25	125	4	C	270.29
10-8-200-1041	200	PN16	200-220	DN40	125	4	C	311.10
10-8-200-1051	200	PN16	200-220	DN50	125	4	C	330.22
10-8-215-1011	200	PN16	215-235	DN20	125	4	C	268.66
10-8-215-1021	200	PN16	215-235	DN25	125	4	C	278.64

AVK ref. no.	DN mm	Product PN Class	Seal range mm	DN2 mm	L mm	No. of bolts	Deliv. code	Gross Price AUD
10-8-215-1031	200	PN16	215-235	DN32	125	4	C	301.95
10-8-215-1041	200	PN16	215-235	DN40	125	4	C	313.67
10-8-215-1051	200	PN16	215-235	DN50	125	4	B	332.79
10-8-225-1011	200	PN16	225-245	DN20	125	4	C	279.13
10-8-240-1041	225	PN16	240-260	DN40	125	4	C	317.37
10-8-250-1011	225	PN16	250-270	DN20	125	4	C	281.70
10-8-250-1021	225	PN16	250-270	DN25	125	4	C	291.97
10-8-250-1031	225	PN16	250-270	DN32	125	4	C	307.10
10-8-250-1041	225	PN16	250-270	DN40	125	4	C	319.94
10-8-250-1051	225	PN16	250-270	DN50	125	4	C	337.65
10-8-270-1011	250	PN16	270-290	DN20	125	4	C	276.14
10-8-270-1021	250	PN16	270-290	DN25	125	4	C	286.13
10-8-270-1031	250	PN16	270-290	DN32	125	4	C	309.67
10-8-270-1041	250	PN16	270-290	DN40	125	4	C	322.52
10-8-270-1051	250	PN16	270-290	DN50	125	4	C	330.50
10-8-290-1011	250	PN16	290-310	DN20	125	4	C	287.99
10-8-290-1021	250	PN16	290-310	DN25	125	4	C	290.56
10-8-290-1041	250	PN16	290-310	DN40	125	4	C	326.23
10-8-290-1051	250	PN16	290-310	DN50	125	4	C	344.22
10-8-300-1011	300	PN16	300-320	DN20	125	4	C	289.40
10-8-300-1021	300	PN16	300-320	DN25	125	4	C	299.67
10-8-300-1041	300	PN16	300-320	DN40	125	4	C	327.64
10-8-300-1051	300	PN16	300-320	DN50	125	4	C	345.34
10-8-315-1011	300	PN16	315-335	DN20	125	4	C	291.97
10-8-315-1021	300	PN16	315-335	DN25	125	4	C	301.95
10-8-315-1031	300	PN16	315-335	DN32	125	4	C	317.37
10-8-315-1041	300	PN16	315-335	DN40	125	4	C	330.22
10-8-315-1051	300	PN16	315-335	DN50	125	4	C	347.92
10-8-330-1011	300	PN16	330-350	DN20	125	4	B	286.13
10-8-330-1021	300	PN16	330-350	DN25	125	4	C	295.83
10-8-330-1031	300	PN16	330-350	DN32	125	4	C	319.94
10-8-330-1041	300	PN16	330-350	DN40	125	4	C	332.79
10-8-330-1051	300	PN16	330-350	DN50	125	4	C	350.49
10-8-355-1011	300	PN16	355-375	DN20	125	4	C	462.66
10-8-355-1021	300	PN16	355-375	DN25	125	4	C	478.64
10-8-355-1031	300	PN16	355-375	DN32	125	4	C	502.04
10-8-355-1041	300	PN16	355-375	DN40	125	4	C	531.73
10-8-355-1051	300	PN16	355-375	DN50	125	4	C	549.98
10-8-360-1011	300	PN16	360-380	DN20	125	4	C	464.08
10-8-360-1051	300	PN16	360-380	DN50	125	4	C	551.41
10-8-370-1011	300	PN16	370-390	DN20	125	4	C	466.36
10-8-370-1021	300	PN16	370-390	DN25	125	4	C	482.36
10-8-370-1041	300	PN16	370-390	DN40	125	4	C	525.44
10-8-370-1051	300	PN16	370-390	DN50	125	4	C	552.56
10-8-390-1011	375	PN16	390-410	DN20	125	4	C	471.22
10-8-390-1021	375	PN16	390-410	DN25	125	4	C	473.55
10-8-390-1041	375	PN16	390-410	DN40	125	4	C	530.30
10-8-390-1051	375	PN16	390-410	DN50	125	4	C	558.83
10-8-410-1011	375	PN16	410-430	DN20	125	4	C	493.47
10-8-410-1021	375	PN16	410-430	DN25	125	4	C	540.37
10-8-410-1031	375	PN16	410-430	DN32	125	4	C	580.82
10-8-410-1041	375	PN16	410-430	DN40	125	4	C	599.36
10-8-410-1051	375	PN16	410-430	DN50	125	4	C	627.62
10-8-430-1011	375	PN16	430-450	DN20	125	4	C	498.32
10-8-430-1041	375	PN16	430-450	DN40	125	4	C	604.21
10-8-440-1011	400	PN16	440-460	DN20	125	4	C	503.17
10-8-440-1021	400	PN16	440-460	DN25	125	4	C	563.68
10-8-440-1051	400	PN16	440-460	DN50	125	4	C	635.03
10-8-460-1011	450	PN16	460-480	DN20	125	4	C	651.03
10-8-470-1011	450	PN16	470-490	DN20	125	4	C	644.75
10-8-470-1051	450	PN16	470-490	DN50	125	4	C	752.05
10-8-490-1011	450	PN16	490-510	DN20	125	4	C	681.85
10-8-490-1021	450	PN16	490-510	DN25	125	4	C	734.17
10-8-490-1031	450	PN16	490-510	DN32	125	4	C	794.87
10-8-490-1041	450	PN16	490-510	DN40	125	4	C	798.57
10-8-490-1051	450	PN16	490-510	DN50	125	4	C	803.49

10/71-001

Saddle, Vari-Tap
Ductile Iron
NBR rubber
Epoxy coated to AS/NZS 4158
For use on rigid and flexible pipes
OPVC, MPVC, UPVC, Cast Iron, AC, FRC and HDPE
Product class: PN16



AVK ref. no.	DN mm	Product PN Class	Seal range mm	DN2 mm	Theoretical weight/kg	Deliv. code	Gross Price AUD
2010-7-100-101	100	PN16	113-122	DN20	3.4	A	93.75
2010-7-100-102	100	PN16	113-122	DN25	3.4	A	93.75
2010-7-150-101	150	PN16	168-177	DN20	3.9	A	102.20
2010-7-150-102	150	PN16	168-177	DN25	3.9	B	102.20



10/60-001

Saddle, Vari-Tap
Ductile Iron
NBR rubber
Epoxy coated to AS/NZS 4158




AVK ref. no.	Deliv. code	Gross Price AUD
10-6-100-0-0110012	C	389.48
10-6-100-0-0200012	A	389.48
10-6-100-0-0210012	C	389.48
10-6-150-0-0110012	C	502.90
10-6-150-0-0200012	A	502.90
10-6-150-0-0210012	C	502.90
10-6-150-0-0300012	A	502.90
10-6-150-0-0310012	C	502.90



10/61-001

Saddle, Vari-Tap
Ductile Iron
NBR rubber
Epoxy coated to AS/NZS 4158



AVK ref. no.	Deliv. code	Gross Price AUD
10-6-125-1-0110012	A	389.48
10-6-125-1-0200012	A	389.48
10-6-125-1-0210012	C	389.48
10-6-180-1-0110012	A	502.90
10-6-180-1-0200012	A	502.90
10-6-180-1-0210012	C	502.90
10-6-180-1-0300012	A	502.90
10-6-180-1-0310012	C	502.90



740/51-001

Tapping Saddle, Multi-Tap
Ductile Iron
EPDM rubber
For use on S1 and S2 MPVC, UPVC, Cast Iron and AC pipes
Product class: PN16



AVK ref. no.	DN mm	Product PN Class	Seal range mm	DN2 mm	Deliv. code	Gross Price AUD
740-5-100-101	100	PN16	114-128	DN20	A	76.21
740-5-100-102	100	PN16	114-128	DN25	A	76.21
740-5-100-103	100	PN16	114-128	DN32	B	84.84
740-5-100-104	100	PN16	114-128	DN40	B	79.00
740-5-100-105	100	PN16	114-128	DN50	B	87.35
740-5-150-101	150	PN16	160-183	DN20	A	105.89
740-5-150-102	150	PN16	160-183	DN25	A	105.89
740-5-150-104	150	PN16	160-183	DN40	B	94.75
740-5-150-105	150	PN16	160-183	DN50	A	92.45

2197/501-001

Single seal, Galv 4.6 bolts and nuts, oxide paint coating
NBR rubber
Epoxy coated to AS/NZS 4158
Socket Leak Clamp
Single seal
Galvanised Fasteners



AVK ref. no.	DN mm	Seal range mm	Bolt length	Deliv. code	Gross Price AUD
2197-5-0100-011	80	96-100	240	A	304.64
2197-5-0127-011	100	122-127	240	B	313.69
2197-5-0180-011	150	175-180	240	B	336.60
2197-5-0236-011	200	230-236	240	B	438.91
2197-5-0262-011	225	256-262	240	C	442.13
2197-5-0289-011	250	282-289	240	B	535.09
2197-5-0326-011	300	320-326	350	C	728.71
2197-5-0355-011	300	345-355	300	B	709.35
2197-5-0370-011	350	360-370	350	C	1,233.33
2197-5-0390-011	350	380-390	450	B	932.04
2197-5-0430-011	375	425-430	350	B	1,152.13
2197-5-0460-011	400	450-460	350	C	1,355.46
2197-5-0510-011	450	500-510	350	B	1,449.35
2197-5-0595-011	525	585-595	350	C	2,141.61
2197-5-0630-011	600	616-630	450	B	2,161.95
2197-5-0670-011	600	660-670	350	C	1,575.25

2197/501-002

Single seal, A4 bolt, A4 PTFE coated nut
NBR rubber
Epoxy coated to AS/NZS 4158
Socket Leak Clamp
Single seal
A4 Fasteners



AVK ref. no.	DN mm	Seal range mm	Bolt length	Deliv. code	Gross Price AUD
2197-5-0100-012	80	96-100	240	C	354.05
2197-5-0127-012	100	122-127	240	C	363.12
2197-5-0163-012	150	158-163	300	B	366.95
2197-5-0180-012	150	175-180	240	C	385.57
2197-5-0212-012	200	206-212	350	B	492.16
2197-5-0236-012	200	230-236	240	B	502.50
2197-5-0262-012	225	256-262	300	B	581.89
2197-5-0289-012	250	282-289	300	C	592.20
2197-5-0326-012	300	320-326	350	C	773.80
2197-5-0355-012	300	345-355	300	B	760.99
2197-5-0390-012	350	380-390	350	C	999.70
2197-5-0430-012	375	425-430	350	B	1,002.71
2197-5-0450-012	375	440-450	350	C	1,322.14
2197-5-0460-012	400	450-460	350	C	1,500.68
2197-5-0510-012	450	500-510	350	B	1,862.66
2197-5-0630-012	600	616-630	350	C	2,564.53
2197-5-0670-012	600	660-670	350	C	1,746.93
2197-5-0990-012	900	960-990	450	C	4,892.19

2197/501-003

Single seal, Galv 4.6 stud and nuts, oxide paint coating
NBR rubber
Epoxy coated to AS/NZS 4158
Socket Leak Clamp
Single seal
Galvanised Fasteners



AVK ref. no.	DN mm	Seal range mm	Bolt length	Deliv. code	Gross Price AUD
2197-5-0370-013	350	360-370	450	C	1,288.48
2197-5-0562-013	500	552-562	500	C	1,607.57
2197-5-0655-013	600	645-655	500	C	2,137.98
2197-5-0723-013	675	713-723	500	C	2,137.98

2197/502-001

Double seal, Galv bolts and nuts, oxide paint coating
NBR rubber
Epoxy coated to AS/NZS 4158
Socket Leak Clamp
Double seal
Galvanised Fasteners



AVK ref. no.	DN mm	Seal range mm	Bolt length	Deliv. code	Gross Price AUD
2197-5-0100-021	80	96-100	350	B	344.68
2197-5-0127-021	100	122-127	350	B	357.25
2197-5-0180-021	150	175-180	350	B	383.41
2197-5-0236-021	200	230-236	350	B	498.92
2197-5-0262-021	225	256-262	350	C	493.13
2197-5-0289-021	250	282-289	350	B	667.71
2197-5-0355-021	300	345-355	350	B	847.80
2197-5-0430-021	375	425-430	450	C	1,233.14
2197-5-0595-021	525	585-595	450	C	2,151.68
2197-5-0655-021	600	645-655	450	B	2,192.60
2197-5-0723-021	675	713-723	450	C	5,619.76

2197/502-002

Double seal, A4 bolt, A4 PTFE coated nut
NBR rubber
Epoxy coated to AS/NZS 4158
Socket Leak Clamp
Double seal
A4 Fasteners



AVK ref. no.	DN mm	Seal range mm	Bolt length	Deliv. code	Gross Price AUD
2197-5-0100-022	80	96-100	350	C	412.56
2197-5-0127-022	100	122-127	350	B	416.32
2197-5-0180-022	150	175-180	350	C	442.46
2197-5-0262-022	225	256-262	350	C	619.11
2197-5-0289-022	250	282-289	350	B	756.48
2197-5-0355-022	300	345-355	350	B	1,100.89
2197-5-0430-022	375	425-430	450	B	1,358.39
2197-5-0510-022	450	500-510	450	B	2,020.27

2197/502-003

Double seal, Galv 4.6 stud and nuts, oxide paint coating
NBR rubber
Epoxy coated to AS/NZS 4158
Socket Leak Clamp
Single seal
Galvanised Stud Fasteners



AVK ref. no.	DN mm	Seal range mm	Bolt length	Deliv. code	Gross Price AUD
2197-5-0670-023	600	660-670	500	C	1,794.42

8001/0-001

Hydro Stop universal socket encapsulation collar
Steel
EPDM drinking water approved
Plascoat PPA 571 ES, WRAS



AVK ref. no.	DN mm	Product PN Class	Seal range mm	Theoretical weight/kg	Deliv. code	Gross Price AUD
8001-0-010-11031003500	250	PN10	265-295	188	C	9,962.58
8001-0-010-11031104000	250	PN16	265-295	188	C	9,962.58
8001-0-030-11031003500	300	PN10	310-340	195	C	10,557.36
8001-0-030-11031104000	300	PN16	310-340	195	C	10,557.36
8001-0-050-11031003500	300	PN10	330-360	200	C	11,003.44
8001-0-050-11031104000	300	PN16	330-360	200	C	11,003.44
8001-0-070-11031003500	350	PN10	345-375	209	C	11,895.61
8001-0-070-11031104000	350	PN16	345-375	209	C	11,895.61
8001-0-090-11031003500	350	PN10	363-393	215	C	12,118.65
8001-0-090-11031104000	350	PN16	363-393	215	C	12,118.65
8001-0-100-11031003500	350	PN10	385-410	222	C	12,936.47
8001-0-100-11031104000	350	PN16	385-410	222	C	12,936.47
8001-0-120-11031003500	400	PN10	415-445	244	C	15,464.29
8001-0-120-11031104000	400	PN16	415-445	244	C	15,464.29
8001-0-130-11031003500	400	PN10	430-462	252	C	17,843.42
8001-0-130-11031104000	400	PN16	430-462	252	C	17,843.42
8001-0-140-11031003500	450	PN10	440-472	262	C	19,032.98
8001-0-140-11031104000	450	PN16	440-472	262	C	19,032.98
8001-0-150-11031003500	450	PN10	465-500	268	C	26,913.82
8001-0-150-11031104000	450	PN16	465-500	268	C	26,913.82
8001-0-160-11031003500	450	PN10	480-520	277	C	27,508.60
8001-0-160-11031104000	450	PN16	480-520	277	C	27,508.60
8001-0-170-22031005500	500	PN10	500-540	285	C	28,995.54
8001-0-170-22031106000	500	PN16	500-540	285	C	28,995.54
8001-0-180-22031005500	500	PN10	530-570	302	C	30,110.76
8001-0-180-22031106000	500	PN16	530-570	302	C	30,110.76
8001-0-190-22031005500	500	PN10	550-590	310	C	31,225.97
8001-0-190-22031106000	500	PN16	550-590	310	C	31,225.97
8001-0-210-22031005500	600	PN10	600-640	318	C	32,341.19
8001-0-210-22031106000	600	PN16	600-640	318	C	32,341.19
8001-0-220-22031005500	650	PN10	660-700	330	C	33,456.41
8001-0-220-22031106000	650	PN16	660-700	330	C	33,456.41
8001-0-230-22031005500	650	PN10	680-720	342	C	34,571.61
8001-0-230-22031106000	650	PN16	680-720	342	C	34,571.61
8001-0-240-22031005500	700	PN10	700-740	350	C	36,058.56
8001-0-240-22031106000	700	PN16	700-740	350	C	36,058.56
8001-0-260-22031005500	700	PN10	780-820	365	C	37,173.78
8001-0-260-22031106000	700	PN16	780-820	365	C	37,173.78
8001-0-270-22031005500	800	PN10	810-850	377	C	39,032.47
8001-0-270-22031106000	800	PN16	810-850	377	C	39,032.47
8001-0-280-22031005500	900	PN10	890-930	410	C	40,891.16
8001-0-280-22031106000	900	PN16	890-930	410	C	40,891.16
8001-0-300-22031005500	900	PN10	920-960	422	C	42,749.85
8001-0-300-22031106000	900	PN16	920-960	422	C	42,749.85
8001-0-320-22031005500	900	PN10	980-1020	438	C	44,608.54
8001-0-320-22031106000	900	PN16	980-1020	438	C	44,608.54
8001-0-330-23031005500	1000	PN10	1000-1040	445	C	46,467.22
8001-0-330-23031006000	1000	PN16	1000-1040	445	C	46,467.22
8001-0-340-23031005500	1000	PN10	1030-1070	451	C	48,325.92
8001-0-340-23031106000	1000	PN16	1030-1070	451	C	48,325.92
8001-0-360-23031005500	1000	PN10	1090-1130	478	C	50,184.61
8001-0-360-23031106000	1000	PN16	1090-1130	478	C	50,184.61
8001-0-370-23031005500	1100	PN10	1120-1160	485	C	52,043.29
8001-0-370-23031106000	1100	PN16	1120-1160	485	C	52,043.29
8001-0-390-23031005500	1100	PN10	1180-1220	497	C	53,901.98
8001-0-390-23031106000	1100	PN16	1180-1220	497	C	53,901.98
8001-0-400-23031005500	1200	PN10	1210-1250	505	C	57,619.36
8001-0-400-23031106000	1200	PN16	1210-1250	505	C	57,619.36
8001-0-420-23031005500	1200	PN10	1240-1280	520	C	59,478.05
8001-0-420-23031106000	1200	PN16	1240-1280	520	C	59,478.05
8001-0-450-23031005500	1300	PN10	1320-1360	564	C	61,336.73
8001-0-450-23031106000	1300	PN16	1320-1360	564	C	61,336.73
8001-0-460-23031005500	1300	PN10	1320-1360	570	C	63,195.43
8001-0-460-23031106000	1300	PN16	1320-1360	570	C	63,195.43
8001-0-490-23031005500	1400	PN10	1420-1460	598	C	65,054.12
8001-0-490-23031106000	1400	PN16	1420-1460	598	C	65,054.12

AVK ref. no.	DN mm	Product PN Class	Seal range mm	Theoretical weight/kg	Deliv. code	Gross Price AUD
8001-0-500-23031005500	1400	PN10	1440-1480	610	C	66,912.80
8001-0-500-23031106000	1400	PN16	1440-1480	610	C	66,912.80
8001-0-520-23031005500	1500	PN10	1510-1550	656	C	68,771.49
8001-0-520-23031106000	1500	PN16	1510-1550	656	C	68,771.49
8001-0-530-24031005500	1600	PN10	1600-1640	684	C	70,630.19
8001-0-530-24031106000	1600	PN16	1600-1640	684	C	70,630.19
8001-0-540-24031005500	1600	PN10	1630-1670	695	C	72,488.87
8001-0-540-24031106000	1600	PN16	1630-1670	695	C	72,488.87
8001-0-570-24031005500	1800	PN10	1810-1850	778	C	74,347.56
8001-0-570-24031106000	1800	PN16	1810-1850	778	C	74,347.56
8001-0-580-24031005500	1800	PN10	1840-1880	791	C	76,206.25
8001-0-580-24031106000	1800	PN16	1840-1880	791	C	76,206.25
8001-0-590-24031005500	1800	PN10	1870-1910	802	C	80,146.67
8001-0-590-24031106000	1800	PN16	1870-1910	802	C	80,146.67
8001-0-600-24031005500	2000	PN10	2020-2060	875	C	83,269.26
8001-0-600-24031106000	2000	PN16	2020-2060	875	C	83,269.26
8001-0-610-24031005500	2000	PN10	2040-2080	890	C	86,986.65
8001-0-610-24031106000	2000	PN16	2040-2080	890	C	86,986.65

8001/2-001

Hydro Stop universal pipe encapsulation collar
Steel
EPDM drinking water approved
Plascoat PPA 571 ES, WRAS



AVK ref. no.	DN mm	Product PN Class	Seal range mm	Theoretical weight/kg	Deliv. code	Gross Price AUD
8001-2-020-00031003500	300	PN10	304-326	103	C	7,970.06
8001-2-020-00031104000	300	PN16	304-326	103	C	7,970.06
8001-2-040-00031003500	300	PN10	313-335	110	C	8,445.88
8001-2-040-00031104000	300	PN16	313-335	110	C	8,445.88
8001-2-060-00031003500	350	PN10	332-355	116	C	8,802.75
8001-2-060-00031104000	350	PN16	332-355	116	C	8,802.75
8001-2-080-00031003500	350	PN10	358-386	121	C	9,516.48
8001-2-080-00031104000	350	PN16	358-386	121	C	9,516.48
8001-2-100-00031003500	400	PN10	385-410	135	C	9,694.92
8001-2-100-00031104000	400	PN16	385-410	135	C	9,694.92
8001-2-110-00031003500	400	PN10	405-435	140	C	10,349.18
8001-2-110-00031104000	400	PN16	405-435	140	C	10,349.18
8001-2-130-00031003500	450	PN10	430-462	145	C	12,371.44
8001-2-130-00031104000	450	PN16	430-462	145	C	12,371.44
8001-2-150-00031003500	450	PN10	465-500	151	C	14,274.73
8001-2-150-00031104000	450	PN16	465-500	151	C	14,274.73
8001-2-170-00031005500	500	PN10	500-540	160	C	15,226.38
8001-2-170-00031106000	500	PN16	500-540	160	C	15,226.38
8001-2-180-00031005500	500	PN10	530-570	169	C	21,531.05
8001-2-180-00031106000	500	PN16	530-570	169	C	21,531.05
8001-2-200-00031005500	600	PN10	570-610	182	C	22,006.88
8001-2-200-00031106000	600	PN16	570-610	182	C	22,006.88
8001-2-210-00031005500	600	PN10	600-640	190	C	23,196.43
8001-2-210-00031106000	600	PN16	600-640	190	C	23,196.43
8001-2-230-00031005500	700	PN10	680-720	205	C	24,088.61
8001-2-230-00031106000	700	PN16	680-720	205	C	24,088.61
8001-2-240-00031005500	700	PN10	700-740	212	C	24,980.78
8001-2-240-00031106000	700	PN16	700-740	212	C	24,980.78
8001-2-250-00031005500	700	PN10	730-770	220	C	25,872.95
8001-2-250-00031106000	700	PN16	730-770	220	C	25,872.95
8001-2-260-00031005500	800	PN10	780-820	225	C	26,765.12
8001-2-260-00031106000	800	PN16	780-820	225	C	26,765.12
8001-2-270-00031005500	800	PN10	810-850	234	C	27,657.30
8001-2-270-00031106000	800	PN16	810-850	234	C	27,657.30
8001-2-280-00031005500	900	PN10	890-930	252	C	28,846.86
8001-2-280-00031106000	900	PN16	890-930	252	C	28,846.86
8001-2-290-00031005500	900	PN10	910-950	261	C	29,739.02
8001-2-290-00031106000	900	PN16	910-950	261	C	29,739.02
8001-2-310-00031005500	900	PN10	940-980	269	C	31,225.97
8001-2-310-00031106000	900	PN16	940-980	269	C	31,225.97
8001-2-330-00031005500	1000	PN10	1000-1040	286	C	32,712.93
8001-2-330-00031106000	1000	PN16	1000-1040	286	C	32,712.93
8001-2-340-00031005500	1000	PN10	1030-1070	293	C	34,199.88
8001-2-340-00031106000	1000	PN16	1030-1070	293	C	34,199.88
8001-2-350-00031005500	1000	PN10	1060-1100	302	C	35,686.83
8001-2-350-00031106000	1000	PN16	1060-1100	302	C	35,686.83
8001-2-360-00031005500	1100	PN10	1090-1130	307	C	37,173.78
8001-2-360-00031106000	1100	PN16	1090-1130	307	C	37,173.78
8001-2-370-00031005500	1100	PN10	1120-1160	315	C	38,660.73
8001-2-370-00031106000	1100	PN16	1120-1160	315	C	38,660.73
8001-2-380-00031005500	1100	PN10	1150-1190	322	C	40,147.68
8001-2-380-00031106000	1100	PN16	1150-1190	322	C	40,147.68
8001-2-390-00031005500	1200	PN10	1180-1220	331	C	41,634.63
8001-2-390-00031106000	1200	PN16	1180-1220	331	C	41,634.63
8001-2-410-00031005500	1200	PN10	1220-1260	338	C	43,121.59
8001-2-410-00031106000	1200	PN16	1220-1260	338	C	43,121.59
8001-2-430-00031005500	1200	PN10	1260-1300	345	C	46,095.48
8001-2-430-00031106000	1200	PN16	1260-1300	345	C	46,095.48
8001-2-440-00031005500	1300	PN10	1270-1310	352	C	47,582.44
8001-2-440-00031106000	1300	PN16	1270-1310	352	C	47,582.44
8001-2-450-00031005500	1300	PN10	1320-1360	361	C	50,556.34
8001-2-450-00031106000	1300	PN16	1320-1360	361	C	50,556.34
8001-2-470-00031005500	1300	PN10	1360-1400	370	C	52,043.29
8001-2-470-00031106000	1300	PN16	1360-1400	370	C	52,043.29
8001-2-480-00031005500	1400	PN10	1390-1430	383	C	53,530.24
8001-2-480-00031106000	1400	PN16	1390-1430	383	C	53,530.24

AVK ref. no.	DN mm	Product PN Class	Seal range mm	Theoretical weight/kg	Deliv. code	Gross Price AUD
8001-2-490-00031005500	1400	PN10	1420-1460	389	C	55,017.20
8001-2-490-00031106000	1400	PN16	1420-1460	389	C	55,017.20
8001-2-510-00031005500	1400	PN10	1460-1500	393	C	56,504.14
8001-2-510-00031106000	1400	PN16	1460-1500	393	C	56,504.14
8001-2-520-00031005500	1500	PN10	1510-1550	401	C	57,991.10
8001-2-520-00031106000	1500	PN16	1510-1550	401	C	57,991.10
8001-2-530-00031005500	1600	PN10	1600-1640	427	C	59,478.05
8001-2-530-00031106000	1600	PN16	1600-1640	427	C	59,478.05
8001-2-550-00031005500	1600	PN10	1640-1680	433	C	60,964.99
8001-2-550-00031106000	1600	PN16	1640-1680	433	C	60,964.99
8001-2-560-00031005500	1600	PN10	1660-1700	441	C	64,117.33
8001-2-560-00031106000	1600	PN16	1660-1700	441	C	64,117.33
8001-2-570-00031005500	1800	PN10	1810-1850	475	C	66,615.42
8001-2-570-00031106000	1800	PN16	1810-1850	475	C	66,615.42
8001-2-580-00031005500	1800	PN10	1840-1880	483	C	66,615.42
8001-2-580-00031106000	1800	PN16	1840-1880	483	C	66,615.42
8001-2-600-00031005500	2000	PN10	2020-2060	528	C	69,589.31
8001-2-600-00031106000	2000	PN16	2020-2060	528	C	69,589.31
8001-2-620-00031005500	2000	PN10	2050-2090	534	C	71,819.74
8001-2-620-00031106000	2000	PN16	2050-2090	534	C	71,819.74

8002/0-001

Hydro Fast dedicated socket encapsulation collar
Steel
EPDM drinking water approved
Plascoat PPA 571 ES, WRAS




AVK ref. no.	DN mm	DN2 mm	Product PN Class	Pipe Type	Theoretical weight/kg	Deliv. code	Gross Price AUD
8002-0-0010-000003500	300	150	PN10	CI	104	C	12,490.39
8002-0-0010-000104000	300	150	PN16	CI	104	C	12,490.39
8002-0-0020-000003500	350	150	PN10	CI	126	C	14,795.17
8002-0-0020-000104000	350	150	PN16	CI	126	C	14,795.17
8002-0-0030-000003500	400	150	PN10	CI	145	C	17,397.33
8002-0-0030-000104000	400	150	PN16	CI	145	C	17,397.33
8002-0-0040-000003500	450	150	PN10	CI	159	C	19,032.98
8002-0-0040-000104000	450	150	PN16	CI	159	C	19,032.98
8002-0-0050-000005500	500	250	PN10	CI	181	C	21,263.40
8002-0-0050-000106000	500	250	PN16	CI	181	C	21,263.40
8002-0-0060-000005500	600	250	PN10	CI	201	C	23,419.49
8002-0-0060-000106000	600	250	PN16	CI	201	C	23,419.49
8002-0-0070-000005500	700	250	PN10	CI	219	C	25,278.17
8002-0-0070-000106000	700	250	PN16	CI	219	C	25,278.17
8002-0-0080-000005500	800	250	PN10	CI	243	C	27,136.86
8002-0-0080-000106000	800	250	PN16	CI	243	C	27,136.86
8002-0-0090-000005500	900	250	PN10	CI	267	C	28,995.54
8002-0-0090-000106000	900	250	PN16	CI	267	C	28,995.54
8002-0-0100-000005500	1000	250	PN10	CI	284	C	30,482.50
8002-0-0100-000106000	1000	250	PN16	CI	284	C	30,482.50
8002-0-0110-000005500	1200	250	PN10	CI	311	C	34,571.61
8002-0-0110-000106000	1200	250	PN16	CI	311	C	34,571.61
8002-0-0120-000005500	1400	250	PN10	CI	354	C	37,917.26
8002-0-0120-000106000	1400	250	PN16	CI	354	C	37,917.26
8002-0-0130-000005500	1600	250	PN10	CI	382	C	44,608.54
8002-0-0130-000106000	1600	250	PN16	CI	382	C	44,608.54
8002-0-0140-000005500	1800	250	PN10	CI	424	C	52,786.77
8002-0-0140-000106000	1800	250	PN16	CI	424	C	52,786.77
8002-0-0150-000005500	2000	250	PN10	CI	477	C	61,708.47
8002-0-0150-000106000	2000	250	PN16	CI	477	C	61,708.47
8002-0-0200-000003500	300	150	PN10	ST	109	C	11,003.44
8002-0-0200-000104000	300	150	PN16	ST	109	C	11,003.44
8002-0-0210-000003500	350	150	PN10	ST	123	C	13,308.21
8002-0-0210-000104000	350	150	PN16	ST	123	C	13,308.21
8002-0-0220-000003500	400	150	PN10	ST	142	C	13,754.29
8002-0-0220-000104000	400	150	PN16	ST	142	C	13,754.29
8002-0-0230-000003500	450	150	PN10	ST	155	C	16,282.12
8002-0-0230-000104000	450	150	PN16	ST	155	C	16,282.12
8002-0-0240-000005500	500	250	PN10	ST	164	C	18,438.20
8002-0-0240-000106000	500	250	PN16	ST	164	C	18,438.20
8002-0-0250-000005500	600	250	PN10	ST	182	C	20,594.28
8002-0-0250-000106000	600	250	PN16	ST	182	C	20,594.28
8002-0-0260-000005500	700	250	PN10	ST	205	C	24,162.95
8002-0-0260-000106000	700	250	PN16	ST	205	C	24,162.95
8002-0-0270-000005500	800	250	PN10	ST	223	C	25,575.56
8002-0-0270-000106000	800	250	PN16	ST	223	C	25,575.56
8002-0-0280-000005500	900	250	PN10	ST	247	C	27,805.98
8002-0-0280-000106000	900	250	PN16	ST	247	C	27,805.98
8002-0-0290-000005500	1000	250	PN10	ST	251	C	28,698.16
8002-0-0290-000106000	1000	250	PN16	ST	251	C	28,698.16
8002-0-0300-000005500	1200	250	PN10	ST	307	C	32,638.57
8002-0-0300-000106000	1200	250	PN16	ST	307	C	32,638.57
8002-0-0310-000005500	1400	250	PN10	ST	343	C	28,846.86
8002-0-0310-000106000	1400	250	PN16	ST	343	C	28,846.86
8002-0-0320-000005500	1600	250	PN10	ST	364	C	42,378.11
8002-0-0320-000106000	1600	250	PN16	ST	364	C	42,378.11
8002-0-0330-000005500	1800	250	PN10	ST	405	C	49,441.13
8002-0-0330-000106000	1800	250	PN16	ST	405	C	49,441.13
8002-0-0340-000005500	2000	250	PN10	ST	454	C	59,329.35
8002-0-0340-000106000	2000	250	PN16	ST	454	C	59,329.35
8002-0-0400-000003500	350	250	PN10	PE	135	C	13,754.29
8002-0-0400-000104000	350	250	PN16	PE	135	C	13,754.29
8002-0-0410-000003500	400	250	PN10	PE	152	C	15,241.25
8002-0-0410-000104000	400	250	PN16	PE	152	C	15,241.25
8002-0-0420-000003500	450	250	PN10	PE	161	C	17,992.11
8002-0-0420-000104000	450	250	PN16	PE	161	C	17,992.11

AVK ref. no.	DN mm	DN2 mm	Product PN Class	Pipe Type	Theoretical weight/kg	Deliv. code	Gross Price AUD
8002-0-0430-000005500	500	250	PN10	PE	172	C	21,709.49
8002-0-0430-000106000	500	250	PN16	PE	172	C	21,709.49
8002-0-0440-000005500	500	250	PN10	PE	184	C	23,047.75
8002-0-0440-000106000	500	250	PN16	PE	184	C	23,047.75
8002-0-0450-000005500	600	250	PN10	PE	231	C	24,237.31
8002-0-0450-000106000	600	250	PN16	PE	231	C	24,237.31
8002-0-0460-000005500	700	250	PN10	PE	244	C	26,244.69
8002-0-0460-000106000	700	250	PN16	PE	244	C	26,244.69
8002-0-0470-000005500	800	250	PN10	PE	167	C	27,805.98
8002-0-0470-000106000	800	250	PN16	PE	167	C	27,805.98
8002-0-0480-000005500	900	250	PN10	PE	288	C	30,110.76
8002-0-0480-000106000	900	250	PN16	PE	288	C	30,110.76
8002-0-0490-000005500	1000	250	PN10	PE	308	C	31,225.97
8002-0-0490-000106000	1000	250	PN16	PE	308	C	31,225.97
8002-0-0500-000005500	1100	250	PN10	PE	331	C	31,820.75
8002-0-0500-000106000	1100	250	PN16	PE	331	C	31,820.75
8002-0-0510-000005500	1200	250	PN10	PE	356	C	33,084.67
8002-0-0510-000106000	1200	250	PN16	PE	356	C	33,084.67
8002-0-0600-000003500	300	150	PN10	AC	96	C	12,044.31
8002-0-0600-000104000	300	150	PN16	AC	96	C	12,044.31
8002-0-0610-000003500	350	150	PN10	AC	108	C	13,902.99
8002-0-0610-000104000	350	150	PN16	AC	108	C	13,902.99
8002-0-0620-000003500	400	150	PN10	AC	122	C	16,802.55
8002-0-0620-000104000	400	150	PN16	AC	122	C	16,802.55
8002-0-0630-000003500	450	150	PN10	AC	138	C	18,438.20
8002-0-0630-000104000	450	150	PN16	AC	138	C	18,438.20
8002-0-0640-000005500	500	250	PN10	AC	168	C	20,594.28
8002-0-0640-000106000	500	250	PN16	AC	168	C	20,594.28
8002-0-0650-000005500	600	250	PN10	AC	216	C	22,973.39
8002-0-0650-000106000	600	250	PN16	AC	216	C	22,973.39
8002-0-0660-000005500	700	250	PN10	AC	228	C	25,129.47
8002-0-0660-000106000	700	250	PN16	AC	228	C	25,129.47
8002-0-0670-000005500	800	250	PN10	AC	254	C	28,475.12
8002-0-0670-000106000	800	250	PN16	AC	254	C	28,475.12
8002-0-0680-000005500	900	250	PN10	AC	272	C	29,367.28
8002-0-0680-000106000	900	250	PN16	AC	272	C	29,367.28
8002-0-0690-000005500	1000	250	PN10	AC	293	C	31,597.71
8002-0-0690-000106000	1000	250	PN16	AC	293	C	31,597.71

8002/2-001

Hydro Fast dedicated pipe encapsulation collar
Steel
EPDM drinking water approved
Plascoat PPA 571 ES, WRAS



AVK ref. no.	DN mm	DN2 mm	Product PN Class	Pipe Type	Theoretical weight/kg	Deliv. code	Gross Price AUD
8002-2-0800-000003500	300	150	PN10	CI	65	C	9,992.31
8002-2-0800-000104000	300	150	PN16	CI	65	C	9,992.31
8002-2-0810-000003500	350	150	PN10	CI	80	C	11,836.14
8002-2-0810-000104000	350	150	PN16	CI	80	C	11,836.14
8002-2-0820-000003500	400	150	PN10	CI	89	C	13,917.86
8002-2-0820-000104000	400	150	PN16	CI	89	C	13,917.86
8002-2-0830-000003500	450	150	PN10	CI	97	C	15,226.38
8002-2-0830-000104000	450	150	PN16	CI	97	C	15,226.38
8002-2-0840-000005500	500	250	PN10	CI	108	C	17,010.72
8002-2-0840-000106000	500	250	PN16	CI	108	C	17,010.72
8002-2-0850-000005500	600	250	PN10	CI	120	C	18,735.58
8002-2-0850-000106000	600	250	PN16	CI	120	C	18,735.58
8002-2-0860-000005500	700	250	PN10	CI	132	C	20,222.54
8002-2-0860-000106000	700	250	PN16	CI	132	C	20,222.54
8002-2-0870-000005500	800	250	PN10	CI	151	C	21,709.49
8002-2-0870-000106000	800	250	PN16	CI	151	C	21,709.49
8002-2-0880-000005500	900	250	PN10	CI	169	C	23,196.43
8002-2-0880-000106000	900	250	PN16	CI	169	C	23,196.43
8002-2-0890-000005500	1000	250	PN10	CI	177	C	24,386.00
8002-2-0890-000106000	1000	250	PN16	CI	177	C	24,386.00
8002-2-0900-000005500	1200	250	PN10	CI	270	C	27,657.30
8002-2-0900-000106000	1200	250	PN16	CI	270	C	27,657.30
8002-2-0910-000005500	1400	250	PN10	CI	312	C	30,333.80
8002-2-0910-000106000	1400	250	PN16	CI	312	C	30,333.80
8002-2-0920-000005500	1600	250	PN10	CI	371	C	35,686.83
8002-2-0920-000106000	1600	250	PN16	CI	371	C	35,686.83
8002-2-0930-000005500	1800	250	PN10	CI	394	C	42,229.41
8002-2-0930-000106000	1800	250	PN16	CI	394	C	42,229.41
8002-2-0940-000005500	2000	250	PN10	CI	423	C	49,366.78
8002-2-0940-000106000	2000	250	PN16	CI	423	C	49,366.78
8002-2-1000-000003500	300	150	PN10	ST	68	C	8,802.75
8002-2-1000-000005500	300	250	PN10	ST	270	C	8,802.75
8002-2-1000-000104000	300	150	PN16	ST	68	C	10,646.57
8002-2-1000-000106000	300	250	PN16	ST	270	C	10,646.57
8002-2-1010-000003500	350	150	PN10	ST	76	C	11,003.44
8002-2-1010-000104000	350	150	PN16	ST	76	C	11,003.44
8002-2-1020-000003500	400	150	PN10	ST	85	C	13,025.69
8002-2-1020-000104000	400	150	PN16	ST	85	C	13,025.69
8002-2-1030-000003500	450	150	PN10	ST	93	C	14,750.56
8002-2-1030-000104000	450	150	PN16	ST	93	C	14,750.56
8002-2-1040-000005500	500	250	PN10	ST	104	C	16,475.42
8002-2-1040-000106000	500	250	PN16	ST	104	C	16,475.42
8002-2-1050-000005500	600	250	PN10	ST	115	C	19,330.36
8002-2-1050-000106000	600	250	PN16	ST	115	C	19,330.36
8002-2-1060-000005500	700	250	PN10	ST	129	C	20,460.44
8002-2-1060-000106000	700	250	PN16	ST	129	C	20,460.44
8002-2-1070-000005500	800	250	PN10	ST	144	C	22,244.79
8002-2-1070-000106000	800	250	PN16	ST	144	C	22,244.79
8002-2-1080-000005500	900	250	PN10	ST	160	C	22,958.53
8002-2-1080-000106000	900	250	PN16	ST	160	C	22,958.53
8002-2-1090-000005500	1000	250	PN10	ST	177	C	26,110.87
8002-2-1090-000106000	1000	250	PN16	ST	177	C	26,110.87
8002-2-1110-000005500	1400	250	PN10	ST	305	C	23,077.48
8002-2-1110-000106000	1400	250	PN16	ST	305	C	29,025.29
8002-2-1120-000005500	1600	250	PN10	ST	365	C	33,902.49
8002-2-1120-000106000	1600	250	PN16	ST	365	C	33,902.49
8002-2-1130-000005500	1800	250	PN10	ST	388	C	39,552.90
8002-2-1130-000106000	1800	250	PN16	ST	388	C	39,552.90
8002-2-1140-000005500	2000	250	PN10	ST	416	C	47,463.48
8002-2-1140-000106000	2000	250	PN16	ST	416	C	47,463.48
8002-2-1200-000003500	350	150	PN10	PE	76	C	11,003.44
8002-2-1200-000104000	350	150	PN16	PE	76	C	11,003.44
8002-2-1210-000003500	400	150	PN10	PE	83	C	12,193.00
8002-2-1210-000104000	400	150	PN16	PE	83	C	12,193.00
8002-2-1220-000003500	450	150	PN10	PE	92	C	14,393.68
8002-2-1220-000104000	450	150	PN16	PE	92	C	14,393.68

AVK ref. no.	DN mm	DN2 mm	Product PN Class	Pipe Type	Theoretical weight/kg	Deliv. code	Gross Price AUD
8002-2-1230-000005500	500	250	PN10	PE	102	C	17,367.59
8002-2-1230-000106000	500	250	PN16	PE	102	C	17,367.59
8002-2-1240-000005500	500	250	PN10	PE	110	C	17,783.94
8002-2-1240-000106000	500	250	PN16	PE	110	C	18,438.20
8002-2-1250-000005500	600	250	PN10	PE	118	C	18,438.20
8002-2-1250-000106000	600	250	PN16	PE	118	C	19,389.84
8002-2-1260-000005500	700	250	PN10	PE	129	C	19,389.84
8002-2-1260-000106000	700	250	PN16	PE	129	C	20,995.75
8002-2-1270-000005500	800	250	PN10	PE	142	C	20,995.75
8002-2-1270-000106000	800	250	PN16	PE	142	C	22,244.79
8002-2-1280-000005500	900	250	PN10	PE	156	C	22,244.79
8002-2-1280-000106000	900	250	PN16	PE	156	C	24,088.61
8002-2-1290-000005500	1000	250	PN10	PE	173	C	24,088.61
8002-2-1290-000106000	1000	250	PN16	PE	173	C	24,980.78
8002-2-1300-000005500	1100	250	PN10	PE	177	C	25,456.61
8002-2-1300-000106000	1100	250	PN16	PE	177	C	25,456.61
8002-2-1310-000005500	1200	250	PN10	PE	257	C	26,467.73
8002-2-1310-000106000	1200	250	PN16	PE	257	C	26,467.73
8002-2-1400-000003500	300	150	PN10	AC	68	C	9,635.45
8002-2-1400-000104000	300	150	PN16	AC	68	C	9,635.45
8002-2-1410-000003500	350	150	PN10	AC	83	C	11,122.39
8002-2-1410-000104000	350	150	PN16	AC	83	C	11,122.39
8002-2-1420-000003500	400	150	PN10	AC	93	C	13,442.04
8002-2-1420-000104000	400	150	PN16	AC	93	C	13,442.04
8002-2-1430-000003500	450	150	PN10	AC	231	C	14,750.56
8002-2-1430-000106000	450	150	PN16	AC	105	C	14,750.56
8002-2-1440-000005500	500	250	PN10	AC	245	C	16,475.42
8002-2-1440-000106000	500	250	PN16	AC	111	C	16,475.42
8002-2-1450-000005500	600	250	PN10	AC	111	C	18,378.72
8002-2-1450-000106000	600	250	PN16	AC	125	C	18,378.72
8002-2-1460-000005500	700	250	PN10	AC	125	C	20,103.58
8002-2-1460-000106000	700	250	PN16	AC	141	C	20,103.58
8002-2-1470-000005500	800	250	PN10	AC	141	C	22,780.10
8002-2-1470-000106000	800	250	PN16	AC	157	C	22,780.10
8002-2-1480-000005500	900	250	PN10	AC	157	C	23,493.83
8002-2-1480-000106000	900	250	PN16	AC	175	C	23,493.83
8002-2-1490-000005500	1000	250	PN10	AC	175	C	25,278.17
8002-2-1490-000106000	1000	250	PN16	AC	180	C	25,278.17

8003/0-001

Hydro Smart dedicated pipe encapsulation collar
Steel
EPDM drinking water approved
Plascoat PPA 571 ES, WRAS



AVK ref. no.	DN mm	Pipe Type	D mm	Product PN Class	Theoretical weight/kg	Deliv. code	Gross Price AUD
8003-0-0010-0001000	50	CI	56	PN16	20	C	3,232.22
8003-0-0020-0001000	65	CI	69	PN16	22	C	3,487.41
8003-0-0030-0001000	80	CI	82	PN16	22	C	3,657.52
8003-0-0040-0001000	80	CI	96	PN16	23	C	3,742.58
8003-0-0050-0001000	100	CI	122	PN16	25	C	3,870.17
8003-0-0060-0001000	150	CI	150	PN16	27	C	4,125.34
8003-0-0070-0001000	150	CI	177	PN16	31	C	4,295.46
8003-0-0080-0001000	200	CI	205	PN16	34	C	4,508.11
8003-0-0090-0001000	200	CI	232	PN16	35	C	4,678.22
8003-0-0100-0001000	250	CI	259	PN16	37	C	4,933.41
8003-0-0110-0001000	250	CI	286	PN16	40	C	5,188.58
8003-0-0120-0001000	50	ST	60	PN16	20	C	3,274.76
8003-0-0130-0001000	65	ST	76	PN16	22	C	3,529.93
8003-0-0140-0001000	80	ST	89	PN16	22	C	3,615.00
8003-0-0150-0001000	100	ST	114	PN16	23	C	3,700.05
8003-0-0160-0001000	125	ST	140	PN16	28	C	3,827.64
8003-0-0170-0001000	150	ST	168	PN16	30	C	4,125.34
8003-0-0180-0001000	200	ST	194	PN16	32	C	4,252.93
8003-0-0190-0001000	200	ST	219	PN16	34	C	4,380.52
8003-0-0200-0001000	250	ST	273	PN16	39	C	5,103.51
8003-0-0210-0001000	50	PE	50	PN16	20	C	3,104.64
8003-0-0220-0001000	50	PE	60	PN16	20	C	3,274.76
8003-0-0230-0001000	65	PE	63	PN16	22	C	3,274.76
8003-0-0240-0001000	65	PE	75	PN16	22	C	3,529.93
8003-0-0250-0001000	80	PE	90	PN16	22	C	3,615.00
8003-0-0260-0001000	100	PE	110	PN16	25	C	3,657.52
8003-0-0270-0001000	125	PE	140	PN16	28	C	3,827.64
8003-0-0280-0001000	150	PE	160	PN16	30	C	3,955.22
8003-0-0290-0001000	150	PE	180	PN16	31	C	4,295.46
8003-0-0300-0001000	200	PE	200	PN16	34	C	4,337.99
8003-0-0310-0001000	200	PE	225	PN16	35	C	4,593.17
8003-0-0320-0001000	250	PE	250	PN16	37	C	4,890.87
8003-0-0330-0001000	250	PE	280	PN16	40	C	5,146.05
8003-0-0340-0001000	50	DI	56	PN16	20	C	3,189.70
8003-0-0350-0001000	65	DI	66	PN16	22	C	3,274.76
8003-0-0360-0001000	65	DI	77	PN16	22	C	3,529.93
8003-0-0370-0001000	80	DI	82	PN16	22	C	3,572.46
8003-0-0380-0001000	80	DI	98	PN16	23	C	3,615.00
8003-0-0390-0001000	100	DI	118	PN16	25	C	3,742.58
8003-0-0400-0001000	125	DI	144	PN16	28	C	3,870.17
8003-0-0410-0001000	150	DI	170	PN16	30	C	3,997.76
8003-0-0420-0001000	200	DI	222	PN16	34	C	4,593.17
8003-0-0430-0001000	250	DI	274	PN16	39	C	5,103.51
8003-0-0440-0001000	50	PVC	50	PN16	20	C	3,104.64
8003-0-0450-0001000	50	PVC	60	PN16	20	C	3,274.76
8003-0-0460-0001000	50	PVC	63	PN16	20	C	3,274.76
8003-0-0470-0001000	65	PVC	75	PN16	22	C	3,274.76
8003-0-0480-0001000	80	PVC	89	PN16	22	C	3,615.00
8003-0-0490-0001000	80	PVC	90	PN16	22	C	3,615.00
8003-0-0500-0001000	100	PVC	110	PN16	25	C	3,657.52
8003-0-0510-0001000	100	PVC	114	PN16	25	C	3,700.05
8003-0-0520-0001000	125	PVC	125	PN16	28	C	3,742.58
8003-0-0530-0001000	125	PVC	140	PN16	28	C	3,827.64
8003-0-0540-0001000	125	PVC	141	PN16	28	C	3,827.64
8003-0-0550-0001000	150	PVC	160	PN16	30	C	3,955.22
8003-0-0560-0001000	150	PVC	168	PN16	30	C	3,997.76
8003-0-0570-0001000	150	PVC	194	PN16	32	C	4,252.93
8003-0-0580-0001000	200	PVC	200	PN16	32	C	4,337.99
8003-0-0590-0001000	200	PVC	219	PN16	34	C	4,380.52
8003-0-0600-0001000	200	PVC	225	PN16	34	C	4,593.17
8003-0-0610-0001000	200	PVC	245	PN16	35	C	4,805.81
8003-0-0620-0001000	250	PVC	250	PN16	37	C	4,890.87
8003-0-0630-0001000	250	PVC	273	PN16	39	C	5,060.99
8003-0-0640-0001000	250	PVC	280	PN16	40	C	5,146.05
8003-0-0650-0001000	50	AC	69	PN16	20	C	3,274.76
8003-0-0660-0001000	65	AC	86	PN16	22	C	3,615.00

AVK ref. no.	DN mm	Pipe Type	D mm	Product PN Class	Theoretical weight/kg	Deliv. code	Gross Price AUD
8003-0-0670-0001000	80	AC	96	PN16	23	C	3,615.00
8003-0-0680-0001000	100	AC	122	PN16	27	C	3,742.58
8003-0-0690-0001000	125	AC	126	PN16	28	C	3,742.58
8003-0-0700-0001000	150	AC	153	PN16	30	C	3,870.17
8003-0-0710-0001000	150	AC	177	PN16	31	C	4,295.46
8003-0-0720-0001000	150	AC	178	PN16	31	C	4,295.46
8003-0-0730-0001000	200	AC	232	PN16	34	C	4,295.46
8003-0-0740-0001000	200	AC	234	PN16	35	C	4,635.70
8003-0-0750-0001000	200	AC	240	PN16	35	C	4,635.70
8003-0-0760-0001000	250	AC	259	PN16	37	C	4,805.81
8003-0-0770-0001000	250	AC	268	PN16	39	C	5,018.46
8003-0-0780-0001000	250	AC	286	PN16	39	C	5,188.58
8003-0-0790-0001000	250	AC	288	PN16	39	C	5,188.58
8003-0-0800-0001000	250	AC	295	PN16	40	C	5,316.17

718/0040-001

Bend, Socket 6°
Ductile Iron
Epoxy coated to AS/NZS
4158
Product class: PN35



AVK ref. no.	DN mm	Product PN Class	Theoretical weight/kg	Deliv. code	Gross Price AUD
718-0100-00-40912	100	PN35	7.7	A	101.10
718-0150-00-40912	150	PN35	13	A	165.85
718-0200-00-40912	200	PN35	22	C	382.62
718-0250-00-40912	250	PN35	40	C	717.82
718-0300-00-40912	300	PN35	58	C	791.61
718-0375-00-40912	375	PN35	67	B	1,441.19

718/0101-001

Bend, Spigot 11.25°
Ductile Iron
Epoxy coated to AS/NZS
4158
Product class: PN16



AVK ref. no.	DN mm	Product PN Class	Theoretical weight/kg	Deliv. code	Gross Price AUD
718-0100-01-01912	100	PN16	6.0	C	206.71
718-0150-01-01912	150	PN16	13	C	394.33

718/0110-001

Bend, Flanged, 11.25°
Ductile Iron
Epoxy coated to AS/NZS
4158
Flange drilling: AS 4087
B5/B6,
Product class: PN16/35



AVK ref. no.	DN mm	Product PN Class	Flange drilling	Theoretical weight/kg	Deliv. code	Gross Price AUD
718-0080-01-10512	80	PN16	AS 4087 B5	7.3	C	149.89
718-0100-01-10412	100	PN35	AS 4087 B6	16	C	328.38
718-0100-01-10512	100	PN16	AS 4087 B5	9.3	A	151.16
718-0150-01-10412	150	PN35	AS 4087 B6	30	C	752.69
718-0150-01-10512	150	PN16	AS 4087 B5	18	A	274.13
718-0200-01-10412	200	PN35	AS 4087 B6	50	C	1,194.47
718-0200-01-10512	200	PN16	AS 4087 B5	28	A	582.96
718-0225-01-10512	225	PN16	AS 4087 B5	36	A	816.86
718-0250-01-10412	250	PN35	AS 4087 B6	75	C	1,729.64
718-0250-01-10512	250	PN16	AS 4087 B5	60	A	1,269.24
718-0300-01-10412	300	PN35	AS 4087 B6	100	C	1,841.28
718-0300-01-10512	300	PN16	AS 4087 B5	64	A	1,356.71
718-0375-01-10412	375	PN35	AS 4087 B6	165	C	4,081.38
718-0375-01-10512	375	PN16	AS 4087 B5	135	B	2,457.92
718-0450-01-10412	450	PN35	AS 4087 B6	251	C	6,526.17
718-0450-01-10512	450	PN16	AS 4087 B5	202	B	4,330.92
718-0500-01-10412	500	PN35	AS 4087 B6	334	C	9,780.94
718-0500-01-10512	500	PN16	AS 4087 B5	274	B	5,712.81
718-0600-01-10412	600	PN35	AS 4087 B6	489	C	9,881.41
718-0600-01-10512	600	PN16	AS 4087 B5	415	B	8,248.23
718-0782-01-10512	750	PN16	AS 4087 B5	323	C	9,670.42

718/0140-001

Bend, Socket 11.25°
Ductile Iron
Epoxy coated to AS/NZS
4158
Product class, PN35



AVK ref. no.	DN mm	Product PN Class	Theoretical weight/kg	Deliv. code	Gross Price AUD
718-0100-01-40912	100	PN35	7.0	A	101.10
718-0150-01-40912	150	PN35	13	A	165.85
718-0200-01-40912	200	PN35	26	A	382.62
718-0225-01-40912	225	PN35	30	A	467.23
718-0250-01-40912	250	PN35	36	A	549.19
718-0300-01-40912	300	PN35	50	A	791.61
718-0375-01-40912	375	PN35	81	A	1,441.19
718-0450-01-40912	450	PN35	107	B	1,837.84
718-0500-01-40912	500	PN35	124	B	3,204.64
718-0600-01-40912	600	PN35	170	B	4,689.55
718-0782-01-40912	750	PN35	252	C	5,898.93

718/0201-001

Bend, Spigot 22.5°
Ductile Iron
Epoxy coated to AS/NZS 4158
Product class: PN16



AVK ref. no.	DN mm	Product PN Class	Theoretical weight/kg	Deliv. code	Gross Price AUD
718-0100-02-01912	100	PN16	12	C	206.71
718-0150-02-01912	150	PN16	20	C	394.33



718/0210-001

Bend, Flanged 22.5°
Ductile Iron
Epoxy coated to AS/NZS 4158
Flange drilling: AS 4087 B5/B6
Product class: PN16/35



AVK ref. no.	DN mm	Product PN Class	Flange drilling	Theoretical weight/kg	Deliv. code	Gross Price AUD
718-0080-02-10512	80	PN16	AS 4087 B5	13	C	176.88
718-0100-02-10412	100	PN35	AS 4087 B6	17	C	338.21
718-0100-02-10512	100	PN16	AS 4087 B5	9.3	A	151.16
718-0150-02-10412	150	PN35	AS 4087 B6	35	C	764.02
718-0150-02-10512	150	PN16	AS 4087 B5	18	A	274.13
718-0200-02-10412	200	PN35	AS 4087 B6	50	C	1,229.87
718-0200-02-10512	200	PN16	AS 4087 B5	27	A	593.66
718-0225-02-10512	225	PN16	AS 4087 B5	36	A	838.16
718-0250-02-10412	250	PN35	AS 4087 B6	74	C	1,932.00
718-0250-02-10512	250	PN16	AS 4087 B5	44	A	963.00
718-0300-02-10412	300	PN35	AS 4087 B6	115	C	2,046.28
718-0300-02-10512	300	PN16	AS 4087 B5	64	A	1,356.71
718-0375-02-10412	375	PN35	AS 4087 B6	175	C	4,164.66
718-0375-02-10512	375	PN16	AS 4087 B5	145	A	2,457.92
718-0450-02-10412	450	PN35	AS 4087 B6	244	C	6,576.57
718-0450-02-10512	450	PN16	AS 4087 B5	200	A	4,330.92
718-0500-02-10412	500	PN35	AS 4087 B6	334	C	10,030.61
718-0500-02-10512	500	PN16	AS 4087 B5	290	B	5,712.81
718-0600-02-10412	600	PN35	AS 4087 B6	488	C	10,859.83
718-0600-02-10512	600	PN16	AS 4087 B5	425	B	8,248.22
718-0782-02-10512	750	PN16	AS 4087 B5	380	C	9,670.42



718/0240-001

Bend, Socket 22.5°
Ductile Iron
Epoxy coated to AS/NZS 4158
Product class: PN35



AVK ref. no.	DN mm	Product PN Class	Theoretical weight/kg	Deliv. code	Gross Price AUD
718-0100-02-40912	100	PN35	8.3	A	101.10
718-0150-02-40912	150	PN35	14	A	165.85
718-0200-02-40912	200	PN35	28	A	382.62
718-0225-02-40912	225	PN35	33	A	467.23
718-0250-02-40912	250	PN35	50	A	549.19
718-0300-02-40912	300	PN35	55	A	791.61
718-0375-02-40912	375	PN35	84	B	1,441.19
718-0450-02-40912	450	PN35	147	B	2,254.38
718-0500-02-40912	500	PN35	160	B	3,512.55
718-0600-02-40912	600	PN35	201	B	5,081.81
718-0782-02-40912	750	PN35	297	C	6,655.22



718/0401-001

Bend, Spigot 45°
Ductile Iron
Epoxy coated to AS/NZS 4158
Product class: PN16



AVK ref. no.	DN mm	Product PN Class	Theoretical weight/kg	Deliv. code	Gross Price AUD
718-0100-04-01912	100	PN16	14	C	217.32
718-0150-04-01912	150	PN16	23	C	466.00



718/0410-001

Bend, Flanged 45°

Ductile Iron

Epoxy coated to AS/NZS 4158

Flange drilling: AS 4087 B5/B6

Product class: PN16/35



AVK ref. no.	DN mm	Product PN Class	Flange drilling	Theoretical weight/kg	Deliv. code	Gross Price AUD
718-0080-04-10512	80	PN16	AS 4087 B5	6.1	A	181.16
718-0100-04-10412	100	PN35	AS 4087 B6	18	C	344.52
718-0100-04-10512	100	PN16	AS 4087 B5	9.2	A	154.83
718-0150-04-10412	150	PN35	AS 4087 B6	38	A	784.05
718-0150-04-10512	150	PN16	AS 4087 B5	18	A	280.41
718-0200-04-10412	200	PN35	AS 4087 B6	50	C	1,259.04
718-0200-04-10512	200	PN16	AS 4087 B5	27	A	642.68
718-0225-04-10512	225	PN16	AS 4087 B5	36	A	857.69
718-0250-04-10412	250	PN35	AS 4087 B6	85	C	2,209.55
718-0250-04-10512	250	PN16	AS 4087 B5	44	A	1,012.81
718-0300-04-10412	300	PN35	AS 4087 B6	130	C	2,878.80
718-0300-04-10512	300	PN16	AS 4087 B5	63	A	1,409.17
718-0375-04-10412	375	PN35	AS 4087 B6	160	C	4,304.59
718-0375-04-10512	375	PN16	AS 4087 B5	105	A	2,520.03
718-0450-04-10412	450	PN35	AS 4087 B6	254	B	6,919.95
718-0450-04-10512	450	PN16	AS 4087 B5	210	A	4,519.83
718-0500-04-10412	500	PN35	AS 4087 B6	327	C	10,526.83
718-0500-04-10512	500	PN16	AS 4087 B5	282	B	5,950.42
718-0600-04-10412	600	PN35	AS 4087 B6	477	C	11,268.25
718-0600-04-10512	600	PN16	AS 4087 B5	414	B	8,437.99
718-0782-04-10512	750	PN16	AS 4087 B5	500	C	11,050.52

718/0440-001

Bend, Socket 45°

Ductile Iron

Epoxy coated to AS/NZS 4158

Product class: PN35



AVK ref. no.	DN mm	Product PN Class	Theoretical weight/kg	Deliv. code	Gross Price AUD
718-0100-04-40912	100	PN35	8.9	A	104.33
718-0150-04-40912	150	PN35	16	A	170.09
718-0200-04-40912	200	PN35	33	A	399.83
718-0225-04-40912	225	PN35	39	A	532.82
718-0250-04-40912	250	PN35	46	A	601.76
718-0300-04-40912	300	PN35	65	A	906.08
718-0375-04-40912	375	PN35	108	A	1,719.84
718-0450-04-40912	450	PN35	153	B	2,438.11
718-0500-04-40912	500	PN35	185	B	4,331.42
718-0600-04-40912	600	PN35	262	B	5,612.89
718-0782-04-40912	750	PN35	446	C	9,201.08

718/0601-001

Bend, Spigot 90°

Ductile Iron

Epoxy coated to AS/NZS 4158

Product class: PN16



AVK ref. no.	DN mm	Product PN Class	Theoretical weight/kg	Deliv. code	Gross Price AUD
718-0100-06-01912	100	PN16	16	C	259.95
718-0150-06-01912	150	PN16	30	C	516.43

718/0610-001


Bend, Flanged 90°
Ductile Iron
Epoxy coated to AS/NZS 4158
Flange drilling: AS 4087 B5/B6
Product class: PN16/35



AVK ref. no.	DN mm	Product PN Class	Flange drilling	Theoretical weight/kg	Deliv. code	Gross Price AUD
718-0080-06-10412	80	PN35	AS 4087 B6	19	C	346.83
718-0080-06-10512	80	PN16	AS 4087 B5	8.2	A	183.01
718-0100-06-10412	100	PN35	AS 4087 B6	21	A	415.92
718-0100-06-10512	100	PN16	AS 4087 B5	11	A	174.96
718-0150-06-10412	150	PN35	AS 4087 B6	41	A	805.73
718-0150-06-10512	150	PN16	AS 4087 B5	21	A	313.62
718-0200-06-10412	200	PN35	AS 4087 B6	59	A	1,492.83
718-0200-06-10512	200	PN16	AS 4087 B5	32	A	803.34
718-0225-06-10412	225	PN35	AS 4087 B6	80	C	1,687.82
718-0225-06-10512	225	PN16	AS 4087 B5	41	A	1,072.13
718-0250-06-10412	250	PN35	AS 4087 B6	97	A	2,264.91
718-0250-06-10512	250	PN16	AS 4087 B5	49	A	1,227.55
718-0300-06-10412	300	PN35	AS 4087 B6	115	C	2,978.71
718-0300-06-10512	300	PN16	AS 4087 B5	69	A	1,556.30
718-0375-06-10412	375	PN35	AS 4087 B6	192	C	4,392.67
718-0375-06-10512	375	PN16	AS 4087 B5	112	A	3,012.97
718-0450-06-10412	450	PN35	AS 4087 B6	251	C	7,746.43
718-0450-06-10512	450	PN16	AS 4087 B5	156	A	4,570.49
718-0500-06-10412	500	PN35	AS 4087 B6	330	C	11,007.85
718-0500-06-10512	500	PN16	AS 4087 B5	275	B	6,739.16
718-0600-06-10412	600	PN35	AS 4087 B6	491	C	12,161.44
718-0600-06-10512	600	PN16	AS 4087 B5	428	B	9,109.76
718-0782-06-10512	750	PN16	AS 4087 B5	817	C	16,804.53

718/0614-001

Bend, Flange Socket 90°
Ductile Iron
Epoxy coated to AS/NZS 4158
Flange drilling: AS/NZS 4087 B5
Product class: PN16



AVK ref. no.	DN mm	Flange drilling	Product PN Class	Theoretical weight/kg	Deliv. code	Gross Price AUD
718-0100-06-14512	100	AS 4087 B5	PN16	15	A	213.39
718-0150-06-14512	150	AS4087B5	PN16	20	A	279.03
718-0200-06-14512	200	AS4087B5	PN16	30	A	710.26
718-0225-06-14512	225	AS 4087 B5	PN16	55	A	1,109.66
718-0250-06-14512	250	AS 4087 B5	PN16	70	A	1,263.74
718-0300-06-14512	300	AS4087B5	PN16	99	A	1,593.01
718-0375-06-14512	375	AS4087B5	PN16	180	C	3,596.03

718/0640-001


Bend, Socket 90°
Ductile Iron
Epoxy coated to AS/NZS 4158
Product class: PN35



AVK ref. no.	DN mm	Product PN Class	Theoretical weight/kg	Deliv. code	Gross Price AUD
718-0100-06-40912	100	PN35	10	A	122.08
718-0150-06-40912	150	PN35	19	A	197.59
718-0200-06-40912	200	PN35	41	A	470.67
718-0225-06-40912	225	PN35	52	A	648.63
718-0250-06-40912	250	PN35	58	A	717.76
718-0300-06-40912	300	PN35	85	A	1,203.92
718-0375-06-40912	375	PN35	146	A	2,144.63
718-0450-06-40912	450	PN35	231	A	3,308.08
718-0500-06-40912	500	PN35	312	C	5,838.88
718-0600-06-40912	600	PN35	440	B	8,979.64
718-0782-06-40912	750	PN35	725	C	12,913.79

718/0714-001

Bend, Flange Socket 90°
Ductile Iron
Epoxy coated to AS/NZS 4158
Flange drilling: AS 4087 B5
Product class: PN16



AVK ref. no.	DN mm	Product PN Class	Flange drilling	Theoretical weight/kg	Deliv. code	Gross Price AUD
718-0100-07-14512	100	PN16	AS 4087 B5	11	A	229.13
718-0152-07-14512	150	PN16	AS 4087 B5	14	A	298.60

AVK ref. no.	DN mm	DN2 mm	Product PN Class	Flange drilling	Theoretical weight/kg	Deliv. code	Gross Price AUD
--------------	-------	--------	------------------	-----------------	-----------------------	-------------	-----------------

718/1010-001

Tee, Flanged
 Ductile Iron
 Epoxy coated to AS/NZS
 4158
 Flange drilling: AS 4087
 B5/B6
 Product class: PN16/35



AVK ref. no.	DN mm	DN2 mm	Product PN Class	Flange drilling	Theoretical weight/kg	Deliv. code	Gross Price AUD
718-0080-10-10412	80	80	PN35	AS 4087 B6	25	C	386.40
718-0080-10-10512	80	80	PN16	AS 4087 B5	9.4	A	263.44
718-0100-10-10412	100	100	PN35	AS 4087 B6	23	C	605.10
718-0100-10-10512	100	100	PN16	AS 4087 B5	14	A	204.78
718-0101-10-10512	100	80	PN16	AS 4087 B5	13	A	214.00
718-0150-10-10412	150	150	PN35	AS 4087 B6	53	A	1,204.67
718-0150-10-10512	150	150	PN16	AS 4087 B5	25	A	361.59
718-0152-10-10412	150	100	PN35	AS 4087 B6	50	C	1,027.20
718-0152-10-10512	150	100	PN16	AS 4087 B5	22	A	314.91
718-0153-10-10412	150	80	PN35	AS 4087 B6	32	C	1,001.91
718-0153-10-10512	150	80	PN16	AS 4087 B5	21	A	307.88
718-0200-10-10412	200	200	PN35	AS 4087 B6	52	C	1,824.90
718-0200-10-10512	200	200	PN16	AS 4087 B5	40	A	875.56
718-0201-10-10412	200	150	PN35	AS 4087 B6	78	C	1,673.74
718-0201-10-10512	200	150	PN16	AS 4087 B5	37	A	831.56
718-0203-10-10412	200	100	PN35	AS 4087 B6	69	C	1,557.03
718-0203-10-10512	200	100	PN16	AS 4087 B5	34	A	815.62
718-0204-10-10412	200	80	PN35	AS 4087 B6	65	C	1,500.95
718-0204-10-10512	200	80	PN16	AS 4087 B5	33	A	800.66
718-0225-10-10412	225	225	PN35	AS 4087 B6	110	C	2,179.67
718-0225-10-10512	225	225	PN16	AS 4087 B5	51	A	1,173.31
718-0226-10-10512	225	200	PN16	AS 4087 B5	90	C	1,165.01
718-0228-10-10512	225	150	PN16	AS 4087 B5	45	A	1,061.03
718-0231-10-10412	225	100	PN35	AS 4087 B6	90	C	1,906.58
718-0231-10-10512	225	100	PN16	AS 4087 B5	42	A	1,050.08
718-0250-10-10412	250	250	PN16	AS 4087 B6	130	A	2,351.01
718-0250-10-10512	250	250	PN16	AS 4087 B5	60	A	1,393.54
718-0251-10-10412	250	200	PN35	AS 4087 B6	120	C	2,320.33
718-0251-10-10512	250	200	PN16	AS 4087 B5	55	A	1,352.90
718-0252-10-10412	250	150	PN35	AS 4087 B6	97	C	2,033.66
718-0252-10-10512	250	150	PN16	AS 4087 B5	52	A	1,312.31
718-0254-10-10412	250	100	PN35	AS 4087 B6	80	C	1,969.05
718-0254-10-10512	250	100	PN16	AS 4087 B5	49	A	1,132.17
718-0255-10-10412	250	80	PN35	AS 4087 B6	95	C	1,858.36
718-0255-10-10512	250	80	PN16	AS 4087 B5	48	A	990.86
718-0261-10-10512	250	225	PN16	AS 4087 B5	86	C	1,370.85
718-0300-10-10412	300	300	PN35	AS 4087 B6	145	C	3,596.93
718-0300-10-10512	300	300	PN16	AS 4087 B5	91	A	1,833.72
718-0301-10-10412	300	250	PN35	AS 4087 B6	170	C	3,519.51
718-0301-10-10512	300	250	PN16	AS 4087 B5	106	A	1,772.50
718-0302-10-10412	300	200	PN35	AS 4087 B6	150	C	3,444.94
718-0302-10-10512	300	200	PN16	AS 4087 B5	83	A	1,721.22
718-0303-10-10412	300	150	PN35	AS 4087 B6	145	C	3,346.98
718-0303-10-10512	300	150	PN16	AS 4087 B5	71	A	1,579.54
718-0305-10-10412	300	100	PN35	AS 4087 B6	140	C	3,092.39
718-0305-10-10512	300	100	PN16	AS 4087 B5	68	A	1,438.32
718-0306-10-10412	300	80	PN35	AS 4087 B6	138	C	2,704.98
718-0306-10-10512	300	80	PN16	AS 4087 B5	67	A	1,385.00
718-0312-10-10512	300	225	PN16	AS 4087 B5	104	C	1,756.33
718-0375-10-10412	375	375	PN35	AS 4087 B6	229	C	6,824.20
718-0375-10-10512	375	375	PN16	AS 4087 B5	185	A	3,492.29
718-0377-10-10412	375	300	PN35	AS 4087 B6	197	C	5,375.42
718-0377-10-10512	375	300	PN16	AS 4087 B5	155	A	3,101.16
718-0379-10-10412	375	80	PN35	AS 4087 B6	137	C	3,596.03
718-0379-10-10512	375	80	PN16	AS 4087 B5	125	A	2,468.58
718-0380-10-10412	375	100	PN35	AS 4087 B6	163	C	4,195.60
718-0380-10-10512	375	100	PN16	AS 4087 B5	141	A	2,519.69
718-0381-10-10412	375	150	PN35	AS 4087 B6	144	C	4,736.59
718-0381-10-10512	375	150	PN16	AS 4087 B5	133	A	2,555.92
718-0382-10-10412	375	200	PN35	AS 4087 B6	186	C	4,981.00
718-0382-10-10512	375	200	PN16	AS 4087 B5	148	B	2,688.20
718-0383-10-10412	375	225	PN35	AS 4087 B6	162	C	5,221.23
718-0383-10-10512	375	225	PN16	AS 4087 B5	132	B	2,766.85
718-0384-10-10412	375	250	PN35	AS 4087 B6	194	C	5,336.49
718-0384-10-10512	375	250	PN16	AS 4087 B5	155	A	2,820.61
718-0450-10-10412	450	450	PN35	AS 4087 B6	300	C	7,453.10
718-0450-10-10512	450	450	PN16	AS 4087 B5	234	A	4,635.13

AVK ref. no.	DN mm	DN2 mm	Product PN Class	Flange drilling	Theoretical weight/kg	Deliv. code	Gross Price AUD
718-0453-10-10412	450	300	PN35	AS 4087 B6	268	C	7,204.05
718-0453-10-10512	450	300	PN16	AS 4087 B5	212	B	4,454.34
718-0454-10-10412	450	250	PN35	AS 4087 B6	254	C	6,596.64
718-0454-10-10512	450	250	PN16	AS 4087 B5	201	B	4,247.72
718-0455-10-10412	450	200	PN35	AS 4087 B6	155	C	6,404.10
718-0455-10-10512	450	200	PN16	AS 4087 B5	139	C	4,176.78
718-0456-10-10412	450	150	PN35	AS 4087 B6	190	B	6,141.33
718-0456-10-10512	450	150	PN16	AS 4087 B5	127	B	3,766.05
718-0458-10-10412	450	100	PN35	AS 4087 B6	176	C	5,534.48
718-0458-10-10512	450	100	PN16	AS 4087 B5	127	A	3,503.70
718-0459-10-10412	450	80	PN35	AS 4087 B6	245	C	5,530.22
718-0459-10-10512	450	80	PN16	AS 4087 B5	190	B	3,418.27
718-0466-10-10412	450	375	PN35	AS 4087 B6	287	C	7,596.19
718-0466-10-10512	450	375	PN16	AS 4087 B5	232	B	4,586.35
718-0500-10-10412	500	500	PN35	AS 4087 B6	543	C	9,683.89
718-0500-10-10512	500	500	PN16	AS 4087 B5	460	B	6,461.25
718-0501-10-10412	500	450	PN35	AS 4087 B6	430	C	9,473.28
718-0501-10-10512	500	450	PN16	AS 4087 B5	383	B	6,375.15
718-0504-10-10412	500	300	PN35	AS 4087 B6	340	C	9,056.72
718-0504-10-10512	500	300	PN16	AS 4087 B5	273	B	5,718.97
718-0505-10-10412	500	250	PN35	AS 4087 B6	296	C	8,430.86
718-0505-10-10512	500	250	PN16	AS 4087 B5	259	B	5,618.42
718-0506-10-10412	500	200	PN35	AS 4087 B6	232	C	8,353.90
718-0506-10-10512	500	200	PN16	AS 4087 B5	193	C	5,436.25
718-0507-10-10412	500	150	PN35	AS 4087 B6	217	C	8,304.09
718-0507-10-10512	500	150	PN16	AS 4087 B5	153	C	5,415.58
718-0509-10-10412	500	100	PN35	AS 4087 B6	207	C	8,245.81
718-0509-10-10512	500	100	PN16	AS 4087 B5	151	B	5,197.63
718-0518-10-10412	500	375	PN35	AS4087 B6	361	C	9,410.56
718-0518-10-10512	500	375	PN16	AS 4087 B5	290	B	6,049.19
718-0600-10-10412	600	600	PN35	AS 4087 B6	590	C	17,133.84
718-0600-10-10512	600	600	PN16	AS 4087 B5	494	B	9,422.15
718-0601-10-10412	600	500	PN35	AS 4087 B6	547	C	16,395.91
718-0601-10-10512	600	500	PN16	AS 4087 B5	456	C	9,384.64
718-0602-10-10412	600	450	PN35	AS 4087 B6	514	C	15,651.98
718-0602-10-10512	600	450	PN16	AS 4087 B5	437	B	9,224.75
718-0605-10-10412	600	300	PN35	AS 4087 B6	452	C	13,734.37
718-0605-10-10512	600	300	PN16	AS 4087 B5	378	B	7,839.13
718-0606-10-10412	600	250	PN35	AS 4087 B6	340	C	13,180.92
718-0606-10-10512	600	250	PN16	AS 4087 B5	273	C	7,729.21
718-0607-10-10412	600	200	PN35	AS 4087 B6	302	C	12,889.81
718-0607-10-10512	600	200	PN16	AS 4087 B5	236	C	6,874.09
718-0608-10-10412	600	150	PN35	AS 4087 B6	312	C	12,014.65
718-0608-10-10512	600	150	PN16	AS 4087 B5	246	B	6,824.98
718-0610-10-10412	600	100	PN35	AS 4087 B6	287	C	10,109.66
718-0610-10-10512	600	100	PN16	AS 4087 B5	350	C	6,775.89
718-0611-10-10412	600	80	PN35	AS 4087 B6	300	C	10,016.84
718-0611-10-10512	600	80	PN16	AS 4087 B5	235	C	6,628.59
718-0618-10-10412	600	375	PN35	AS 4087 B6	522	C	15,688.88
718-0618-10-10512	600	375	PN16	AS 4087 B5	444	C	9,030.43
718-0752-10-10512	750	100	PN16	AS 4087 B5	342	C	14,327.00
718-0753-10-10512	750	150	PN16	AS 4087 B5	371	C	14,390.95
718-0758-10-10512	750	375	PN16	AS 4087 B5	575	C	15,446.96
718-0759-10-10512	750	450	PN16	AS 4087 B5	620	C	16,184.90
718-0781-10-10412	750	600	PN35	AS 4087 B6	963	C	21,739.45
718-0781-10-10512	750	600	PN16	AS 4087 B5	805	C	18,937.16
718-0782-10-10412	750	750	PN35	AS 4087 B6	1045	C	23,122.33
718-0782-10-10512	750	750	PN16	AS 4087 B5	995	C	20,104.01
718-0783-10-10412	750	300	PN35	AS 4087 B6	600	C	17,841.83
718-0783-10-10512	750	300	PN16	AS 4087 B5	524	C	15,132.20

718/1040-001

Tee, Socket
Ductile Iron
Epoxy coated to AS/NZS
4158
Product class: PN35



AVK ref. no.	DN mm	DN2 mm	Product PN Class	Theoretical weight/kg	Deliv. code	Gross Price AUD
718-0100-10-40912	100	100	PN35	14	A	170.83
718-0150-10-40912	150	150	PN35	23	A	300.59
718-0152-10-40912	150	100	PN35	21	A	251.49
718-0200-10-40912	200	200	PN35	55	A	731.66
718-0201-10-40912	200	150	PN35	46	A	618.73
718-0203-10-40912	200	100	PN35	40	A	548.19
718-0225-10-40912	225	225	PN35	80	A	982.54
718-0226-10-40912	225	200	PN35	72	A	961.89
718-0228-10-40912	225	150	PN35	65	C	784.40
718-0231-10-40912	225	100	PN35	54	A	710.87
718-0250-10-40912	250	250	PN35	75	A	1,148.47
718-0251-10-40912	250	200	PN35	80	A	973.52
718-0252-10-40912	250	150	PN35	59	A	820.54
718-0254-10-40912	250	100	PN35	62	A	817.17
718-0261-10-40912	250	225	PN35	87	C	1,104.56
718-0300-10-40912	300	300	PN35	118	A	1,769.93
718-0301-10-40912	300	250	PN35	105	C	1,460.64
718-0302-10-40912	300	200	PN35	85	A	1,337.35
718-0303-10-40912	300	150	PN35	77	A	1,131.09
718-0305-10-40912	300	100	PN35	75	A	997.62
718-0312-10-40912	300	225	PN35	95	C	1,440.58
718-0375-10-40912	375	375	PN35	205	B	3,191.55
718-0377-10-40912	375	300	PN35	150	B	3,130.67
718-0380-10-40912	375	100	PN35	113	B	2,133.21
718-0381-10-40912	375	150	PN35	120	B	2,142.71
718-0382-10-40912	375	200	PN35	129	B	2,432.44
718-0383-10-40912	375	225	PN35	134	C	2,623.84
718-0384-10-40912	375	250	PN35	146	B	2,740.40
718-0450-10-40912	450	450	PN35	257	B	5,127.38
718-0453-10-40912	450	300	PN35	193	C	4,155.01
718-0454-10-40912	450	250	PN35	171	C	4,048.47
718-0455-10-40912	450	200	PN35	161	C	3,505.35
718-0456-10-40912	450	150	PN35	147	B	3,206.31
718-0458-10-40912	450	100	PN35	143	C	3,146.30
718-0466-10-40912	450	375	PN35	235	B	4,629.28
718-0500-10-40912	500	500	PN35	312	C	6,731.31
718-0501-10-40912	500	450	PN35	305	C	6,617.03
718-0504-10-40912	500	300	PN35	224	C	6,392.53
718-0505-10-40912	500	250	PN35	221	C	5,153.43
718-0507-10-40912	500	150	PN35	162	C	4,259.02
718-0509-10-40912	500	100	PN35	213	C	4,256.13
718-0518-10-40412	500	375	PN35	290	C	3,961.57
718-0600-10-40912	600	600	PN35	462	C	9,528.53
718-0601-10-40912	600	500	PN35	397	C	9,270.54
718-0602-10-40912	600	450	PN35	362	C	8,982.75
718-0605-10-40912	600	300	PN35	278	C	7,491.11
718-0606-10-40912	600	250	PN35	262	C	6,993.75
718-0607-10-40912	600	200	PN35	240	C	6,802.31
718-0610-10-40912	600	100	PN35	217	C	6,742.96
718-0618-10-40912	600	375	PN35	320	C	8,509.93
718-0781-10-40912	750	600	PN35	686	C	14,002.24
718-0782-10-40912	750	750	PN35	760	C	15,063.02
718-0783-10-40912	750	300	PN35	650	C	11,138.15

718/1042-001

Tee, Socket Flange Socket
 Ductile Iron
 Epoxy coated to AS/NZS
 4158
 Flange drilling: AS 4087
 B5/B6
 Product class: PN16/35



AVK ref. no.	DN mm	DN2 mm	Product PN Class	Flange drilling	Theoretical weight/kg	Deliv. code	Gross Price AUD
718-0100-10-42412	100	100	PN35	AS 4087 B6	21	C	530.44
718-0100-10-42512	100	100	PN16	AS 4087 B5	13	A	168.60
718-0101-10-42412	100	80	PN35	AS 4087 B6	18	C	511.99
718-0101-10-42512	100	80	PN16	AS 4087 B5	12	A	168.60
718-0150-10-42412	150	150	PN35	AS 4087 B6	34	A	847.00
718-0150-10-42512	150	150	PN16	AS 4087 B5	21	A	307.24
718-0152-10-42412	150	100	PN35	AS 4087 B6	30	C	781.03
718-0152-10-42512	150	100	PN16	AS 4087 B5	17	A	241.93
718-0153-10-42412	150	80	PN35	AS 4087 B6	33	C	764.95
718-0153-10-42512	150	80	PN16	AS 4087 B5	16	A	241.93
718-0200-10-42412	200	200	PN35	AS 4087 B6	55	C	994.71
718-0200-10-42512	200	200	PN16	AS 4087 B5	39	A	728.34
718-0201-10-42412	200	150	PN35	AS 4087 B6	53	C	970.37
718-0201-10-42512	200	150	PN16	AS 4087 B5	34	A	605.59
718-0203-10-42412	200	100	PN35	AS 4087 B6	49	C	953.16
718-0203-10-42512	200	100	PN16	AS 4087 B5	28	A	527.10
718-0204-10-42412	200	80	PN35	AS 4087 B6	46	C	950.36
718-0204-10-42512	200	80	PN16	AS 4087 B5	26	A	508.67
718-0225-10-42512	225	225	PN16	AS 4087 B5	82	A	903.34
718-0226-10-42512	225	200	PN16	AS 4087 B5	80	C	866.81
718-0228-10-42512	225	150	PN16	AS 4087 B5	65	A	781.36
718-0231-10-42512	225	100	PN16	AS 4087 B5	33	A	716.16
718-0232-10-42412	225	80	PN35	AS 4087 B6	50	C	983.54
718-0232-10-42512	225	80	PN16	AS 4087 B5	31	A	694.41
718-0250-10-42412	250	250	PN35	AS 4087 B6	90	C	1,842.98
718-0250-10-42512	250	250	PN16	AS 4087 B5	80	A	1,338.48
718-0251-10-42412	250	200	PN35	AS 4087 B6	75	C	1,068.86
718-0251-10-42512	250	200	PN16	AS 4087 B5	75	A	1,106.07
718-0252-10-42412	250	150	PN35	AS 4087 B6	95	C	1,058.57
718-0252-10-42512	250	150	PN16	AS 4087 B5	44	A	910.98
718-0254-10-42412	250	100	PN35	AS 4087 B6	55	C	1,046.52
718-0254-10-42512	250	100	PN16	AS 4087 B5	37	A	773.96
718-0255-10-42412	250	80	PN35	AS 4087 B6	70	C	1,009.62
718-0255-10-42512	250	80	PN16	AS 4087 B5	36	A	685.16
718-0300-10-42412	300	300	PN35	AS 4087 B6	139	C	2,172.97
718-0300-10-42512	300	300	PN16	AS 4087 B5	130	B	2,092.61
718-0301-10-42412	300	250	PN35	AS 4087 B6	159	C	1,876.50
718-0301-10-42512	300	250	PN16	AS 4087 B5	79	A	2,016.95
718-0302-10-42412	300	200	PN35	AS 4087 B6	146	C	1,866.97
718-0302-10-42512	300	200	PN16	AS 4087 B5	60	A	1,565.41
718-0303-10-42412	300	150	PN35	AS 4087 B6	90	C	1,614.69
718-0303-10-42512	300	150	PN16	AS 4087 B5	55	A	1,203.89
718-0305-10-42412	300	100	PN35	AS 4087 B6	80	C	1,536.87
718-0305-10-42512	300	100	PN16	AS 4087 B5	47	A	1,104.42
718-0306-10-42412	300	80	PN35	AS 4087 B6	70	C	1,514.79
718-0306-10-42512	300	80	PN16	AS 4087 B5	45	A	1,005.56
718-0312-10-42512	300	225	PN16	AS 4087 B5	90	C	1,658.13
718-0375-10-42412	375	375	PN35	AS 4087 B6	205	C	4,681.53
718-0375-10-42512	375	375	PN16	AS 4087 B5	200	B	3,187.86
718-0377-10-42412	375	300	PN35	AS 4087 B6	202	C	4,268.24
718-0377-10-42512	375	300	PN16	AS 4087 B5	190	C	2,770.01
718-0379-10-42412	375	80	PN35	AS 4087 B6	105	B	2,448.09
718-0379-10-42512	375	80	PN16	AS 4087 B5	98	A	1,617.91
718-0380-10-42412	375	100	PN35	AS 4087 B6	111	C	2,724.72
718-0380-10-42512	375	100	PN16	AS 4087 B5	110	B	1,828.22
718-0381-10-42412	375	150	PN35	AS 4087 B6	117	C	3,237.10
718-0381-10-42512	375	150	PN16	AS 4087 B5	114	B	2,064.53
718-0382-10-42412	375	200	PN35	AS4087 B6	133	C	4,242.04
718-0382-10-42512	375	200	PN16	AS 4087 B5	124	B	2,308.75
718-0383-10-42512	375	225	PN16	AS 4087 B5	130	C	2,525.30
718-0384-10-42412	375	250	PN35	AS 4087 B6	152	C	4,415.82
718-0384-10-42512	375	250	PN16	AS 4087 B5	143	B	2,536.64
718-0450-10-42412	450	450	PN35	AS 4087 B6	281	C	5,349.24
718-0450-10-42512	450	450	PN16	AS 4087 B5	260	B	5,495.32
718-0453-10-42412	450	300	PN35	AS 4087 B6	231	C	4,654.56
718-0453-10-42512	450	300	PN16	AS 4087 B5	189	B	3,915.13

AVK ref. no.	DN mm	DN2 mm	Product PN Class	Flange drilling	Theoretical weight/kg	Deliv. code	Gross Price AUD
718-0454-10-42412	450	250	PN35	AS 4087 B6	182	B	4,382.81
718-0454-10-42512	450	250	PN16	AS 4087 B5	174	B	3,728.86
718-0455-10-42412	450	200	PN35	AS 4087 B6	162	C	4,223.21
718-0455-10-42512	450	200	PN16	AS 4087 B5	154	C	3,559.05
718-0456-10-42412	450	150	PN35	AS 4087 B6	150	C	4,101.69
718-0456-10-42512	450	150	PN16	AS 4087 B5	146	C	3,040.51
718-0458-10-42412	450	100	PN35	AS 4087 B6	150	C	3,731.27
718-0458-10-42512	450	100	PN16	AS 4087 B5	145	B	2,555.09
718-0459-10-42412	450	80	PN35	AS 4087 B6	132	C	3,731.27
718-0459-10-42512	450	80	PN16	AS 4087 B5	124	C	2,013.63
718-0466-10-42412	450	375	PN35	AS 4087 B6	257	C	4,839.04
718-0466-10-42512	450	375	PN16	AS 4087 B5	240	C	5,234.63
718-0500-10-42412	500	500	PN35	AS 4087 B6	360	C	7,395.32
718-0500-10-42512	500	500	PN16	AS 4087 B5	329	C	6,432.16
718-0501-10-42412	500	450	PN35	AS 4087 B6	342	C	7,223.61
718-0501-10-42512	500	450	PN16	AS 4087 B5	320	C	6,228.12
718-0504-10-42412	500	300	PN35	AS 4087 B6	246	C	6,781.56
718-0504-10-42512	500	300	PN16	AS 4087 B5	224	B	5,197.80
718-0505-10-42412	500	250	PN35	AS 4087 B6	200	C	6,681.94
718-0505-10-42512	500	250	PN16	AS 4087 B5	189	B	5,091.72
718-0506-10-42412	500	200	PN35	AS 4087 B6	195	C	6,449.49
718-0506-10-42512	500	200	PN16	AS 4087 B5	187	C	4,567.77
718-0507-10-42412	500	150	PN35	AS 4087 B6	169	C	6,272.39
718-0507-10-42512	500	150	PN16	AS 4087 B5	166	C	3,850.62
718-0509-10-42412	500	100	PN35	AS 4087 B6	148	C	5,976.55
718-0509-10-42512	500	100	PN16	AS 4087 B5	147	C	3,483.22
718-0510-10-42412	500	80	PN35	AS 4087 B6	151	C	5,708.68
718-0510-10-42512	500	80	PN16	AS 4087 B5	140	C	2,998.81
718-0518-10-42412	500	375	PN35	AS 4087 B6	292	C	7,113.63
718-0518-10-42512	500	375	PN16	AS 4087 B5	277	C	6,123.94
718-0600-10-42412	600	600	PN35	AS 4087 B6	481	C	14,260.52
718-0600-10-42512	600	600	PN16	AS 4087 B5	449	C	8,726.03
718-0602-10-42412	600	450	PN35	AS 4087 B6	390	C	13,834.33
718-0602-10-42512	600	450	PN16	AS 4087 B5	368	C	7,702.16
718-0605-10-42412	600	300	PN35	AS 4087 B6	286	C	13,548.41
718-0605-10-42512	600	300	PN16	AS 4087 B5	279	B	6,740.37
718-0606-10-42412	600	250	PN35	AS 4087 B6	281	C	13,280.14
718-0606-10-42512	600	250	PN16	AS 4087 B5	266	C	6,714.55
718-0607-10-42412	600	200	PN35	AS 4087 B6	276	C	12,894.70
718-0607-10-42512	600	200	PN16	AS 4087 B5	232	C	5,824.48
718-0608-10-42412	600	150	PN35	AS 4087 B6	213	C	12,520.84
718-0608-10-42512	600	150	PN16	AS 4087 B5	200	C	5,746.40
718-0610-10-42412	600	100	PN35	AS 4087 B6	196	C	11,360.45
718-0610-10-42512	600	100	PN16	AS 4087 B5	189	C	5,353.69
718-0611-10-42412	600	80	PN35	AS 4087 B6	195	C	11,049.74
718-0611-10-42512	600	80	PN16	AS 4087 B5	187	C	5,231.93
718-0618-10-42412	600	375	PN35	AS 4087 B6	356	C	13,746.09
718-0618-10-42512	600	375	PN16	AS 4087 B5	341	C	7,656.96
718-0752-10-42512	750	100	PN16	AS 4087 B5	262	C	7,001.12
718-0759-10-42512	750	450	PN16	AS 4087 B5	505	C	12,088.23
718-0780-10-42512	750	500	PN16	AS 4087 B5	550	C	13,780.86
718-0781-10-42412	750	600	PN35	AS 4087 B6	759	C	16,983.80
718-0781-10-42512	750	600	PN16	AS 4087 B5	727	C	14,523.41
718-0783-10-42412	750	300	PN35	AS 4087 B6	330	C	15,818.42
718-0783-10-42512	750	300	PN16	AS 4087 B5	315	C	11,192.23

718/1044-001

Tee, Spigot Flange Spigot
 Ductile Iron
 Epoxy coated to AS/NZS
 4158
 Flange drilling: AS 4087
 B5/B6
 Product class: PN16/35



AVK ref. no.	DN mm	DN2 mm	Product PN Class	Flange drilling	Theoretical weight/kg	Deliv. code	Gross Price AUD
718-0080-10-44512	80	80	PN16	AS 4087 B5	10	C	287.79
718-0100-10-44512	100	100	PN16	AS 4087 B5	12	A	307.84
718-0101-10-44512	100	80	PN16	AS 4087 B5	11	A	304.40
718-0150-10-44412	150	150	PN35	AS 4087 B6	49	C	907.32
718-0150-10-44512	150	150	PN16	AS 4087 B5	20	A	594.03
718-0152-10-44512	150	100	PN16	AS 4087 B5	18	A	444.60
718-0153-10-44512	150	80	PN16	AS 4087 B5	17	A	436.50
718-0200-10-44412	200	200	PN35	AS 4087 B6	61	C	1,076.64
718-0200-10-44512	200	200	PN16	AS 4087 B5	65	A	940.86
718-0201-10-44412	200	150	PN35	AS 4087 B6	53	C	1,057.26
718-0201-10-44512	200	150	PN16	AS 4087 B5	51	A	936.66
718-0203-10-44512	200	100	PN16	AS 4087 B5	44	A	897.81
718-0204-10-44512	200	80	PN16	AS 4087 B5	28	C	779.88
718-0225-10-44512	225	225	PN16	AS 4087 B5	73	C	1,137.37
718-0228-10-44512	225	150	PN16	AS 4087 B5	37	C	995.96
718-0231-10-44512	225	100	PN16	AS 4087 B5	33	A	901.29
718-0250-10-44412	250	250	PN35	AS 4087 B6	70	C	1,562.57
718-0250-10-44512	250	250	PN16	AS 4087 B5	90	C	1,491.54
718-0251-10-44512	250	200	PN16	AS 4087 B5	54	C	1,455.35
718-0252-10-44412	250	150	PN35	AS 4087 B6	57	C	1,538.12
718-0252-10-44512	250	150	PN16	AS 4087 B5	70	C	1,331.78
718-0254-10-44512	250	100	PN16	AS 4087 B5	67	A	1,275.14
718-0255-10-44512	250	80	PN16	AS 4087 B5	37	C	1,242.30
718-0300-10-44512	300	300	PN16	AS 4087 B5	85	C	2,077.55
718-0301-10-44512	300	250	PN16	AS 4087 B5	130	C	1,939.01
718-0302-10-44512	300	200	PN16	AS 4087 B5	115	C	1,736.63
718-0303-10-44512	300	150	PN16	AS 4087 B5	64	C	1,587.47
718-0305-10-44512	300	100	PN16	AS 4087 B5	110	A	1,207.14
718-0306-10-44512	300	80	PN16	AS 4087 B5	47	C	1,180.45
718-0312-10-44512	300	225	PN16	AS 4087 B5	78	C	1,716.41
718-0375-10-44412	375	375	PN35	AS 4087 B6	161	C	5,544.77
718-0375-10-44512	375	375	PN16	AS 4087 B5	146	C	3,835.40
718-0377-10-44412	375	300	PN35	AS 4087 B6	125	C	5,421.18
718-0379-10-44512	375	80	PN16	AS 4087 B5	95	C	2,358.35
718-0380-10-44512	375	100	PN16	AS 4087 B5	100	C	2,379.06
718-0381-10-44512	375	150	PN16	AS 4087 B5	111	B	2,683.84
718-0382-10-44512	375	200	PN16	AS 4087 B5	107	C	2,871.27
718-0383-10-44512	375	225	PN16	AS 4087 B5	116	C	2,909.20
718-0384-10-44512	375	250	PN16	AS 4087 B5	120	C	3,272.26
718-0450-10-44512	450	450	PN16	AS 4087 B5	200	C	4,978.82
718-0453-10-44512	450	300	PN16	AS 4087 B5	153	C	4,735.30
718-0454-10-44512	450	250	PN16	AS 4087 B5	139	C	4,151.97
718-0455-10-44512	450	200	PN16	AS 4087 B5	125	C	3,559.05
718-0456-10-44512	450	150	PN16	AS 4087 B5	120	C	4,047.17
718-0458-10-44512	450	100	PN16	AS 4087 B5	101	C	3,599.63
718-0459-10-44512	450	80	PN16	AS 4087 B5	97	C	3,318.09
718-0466-10-44512	450	375	PN16	AS 4087 B5	255	C	4,821.75
718-0500-10-44512	500	500	PN16	AS 4087 B5	262	C	6,534.01
718-0504-10-44512	500	300	PN16	AS 4087 B5	212	C	6,432.10
718-0505-10-44512	500	250	PN16	AS 4087 B5	185	C	6,265.36
718-0506-10-44512	500	200	PN16	AS 4087 B5	145	C	6,115.88
718-0518-10-44512	500	375	PN16	AS 4087 B5	233	C	6,487.45
718-0600-10-44512	600	600	PN16	AS 4087 B5	349	C	10,603.51
718-0602-10-44512	600	450	PN16	AS 4087 B5	317	C	8,636.21
718-0605-10-44412	600	300	PN35	AS 4087 B6	276	C	9,699.38
718-0605-10-44512	600	300	PN16	AS 4087 B5	264	C	7,997.92
718-0607-10-44512	600	200	PN16	AS 4087 B5	196	C	7,873.75
718-0608-10-44512	600	150	PN16	AS 4087 B5	180	C	6,930.54
718-0618-10-44512	600	375	PN16	AS 4087 B5	280	C	8,541.09
718-0781-10-44512	750	600	PN16	AS 4087 B5	724	C	13,793.41
718-0782-10-44512	750	750	PN16	AS 4087 B5	880	C	14,244.59

718/1045-001

Tee, Spigot Flange Socket
Ductile Iron
Epoxy coated to AS/NZS 4158
Flange drilling: AS 4087 B5/B6
Product class: PN16/35



AVK ref. no.	DN mm	DN2 mm	Product PN Class	Flange drilling	Theoretical weight/kg	Deliv. code	Gross Price AUD
718-0100-10-45412	100	100	PN35	AS 4087 B6	19	C	444.88
718-0100-10-45512	100	100	PN16	AS 4087 B5	17	C	363.31
718-0101-10-45412	100	80	PN35	AS 4087 B6	27	C	415.34
718-0101-10-45512	100	80	PN16	AS 4087 B5	12	A	337.60
718-0152-10-45412	150	100	PN35	AS 4087 B6	27	C	640.53
718-0152-10-45512	150	100	PN16	AS 4087 B5	26	C	563.04
718-0153-10-45412	150	80	PN35	AS 4087 B6	27	C	536.10
718-0153-10-45512	150	80	PN16	AS 4087 B5	18	A	469.57
718-0203-10-45412	200	100	PN35	AS 4087 B6	37	C	791.78
718-0203-10-45512	200	100	PN16	AS 4087 B5	36	C	665.98
718-0204-10-45412	200	80	PN35	AS 4087 B6	34	C	770.36
718-0204-10-45512	200	80	PN16	AS 4087 B5	33	C	650.11
718-0231-10-45412	225	100	PN35	AS 4087 B6	40	C	948.74
718-0231-10-45512	225	100	PN16	AS 4087 B5	39	C	851.17
718-0232-10-45412	225	80	PN35	AS 4087 B6	39	C	809.31
718-0232-10-45512	225	80	PN16	AS 4087 B5	38	C	830.64
718-0254-10-45412	250	100	PN35	AS 4087 B6	49	C	1,334.42
718-0254-10-45512	250	100	PN16	AS 4087 B5	48	C	1,196.44
718-0255-10-45412	250	80	PN35	AS 4087 B6	48	C	1,297.52
718-0255-10-45512	250	80	PN16	AS 4087 B5	47	C	1,159.54
718-0305-10-45412	300	100	PN35	AS 4087 B6	66	C	1,688.48
718-0305-10-45512	300	100	PN16	AS 4087 B5	65	C	1,507.69
718-0306-10-45412	300	80	PN35	AS 4087 B6	60	C	1,559.34
718-0306-10-45512	300	80	PN16	AS 4087 B5	59	C	1,452.34
718-0379-10-45412	375	80	PN35	AS 4087 B6	87	C	2,099.60
718-0379-10-45512	375	80	PN16	AS 4087 B5	86	C	1,971.70
718-0380-10-45412	375	100	PN35	AS 4087 B6	88	C	2,210.29
718-0380-10-45512	375	100	PN16	AS 4087 B5	87	C	2,044.25
718-0458-10-45412	450	100	PN35	AS 4087 B6	111	C	4,291.96
718-0458-10-45512	450	100	PN16	AS 4087 B5	110	C	2,492.82
718-0459-10-45412	450	80	PN35	AS 4087 B6	108	B	4,041.89
718-0459-10-45512	450	80	PN16	AS 4087 B5	107	B	2,348.65
718-0509-10-45412	500	100	PN35	AS 4087 B6	136	C	5,144.25
718-0509-10-45512	500	100	PN16	AS 4087 B5	133	C	3,776.86
718-0510-10-45412	500	80	PN35	AS 4087 B6	131	B	4,978.21
718-0510-10-45512	500	80	PN16	AS 4087 B5	126	C	3,629.24
718-0610-10-45412	600	100	PN35	AS 4087 B6	169	C	6,763.84
718-0610-10-45512	600	100	PN16	AS 4087 B5	168	C	6,062.70
718-0611-10-45412	600	80	PN35	AS 4087 B6	164	C	6,647.62
718-0611-10-45512	600	80	PN16	AS 4087 B5	163	C	5,656.95
718-0752-10-45512	750	100	PN16	AS 4087 B5	252	C	9,159.90
718-0753-10-45512	750	150	PN16	AS 4087 B5	260	C	9,159.90

718/2010-001

Taper, Flanged
Ductile Iron
Epoxy coated to AS/NZS 4158
Flange drilling: AS 4087 B5/B6
Product class: PN16/35



AVK ref. no.	DN mm	DN2 mm	Product PN Class	Flange drilling	Theoretical weight/kg	Deliv. code	Gross Price AUD
718-0101-20-10412	100	80	PN35	AS 4087 B6	15	C	256.71
718-0101-20-10512	100	80	PN16	AS 4087 B5	5.5	A	169.72
718-0152-20-10412	150	100	PN35	AS 4087 B6	21	C	445.53
718-0152-20-10512	150	100	PN16	AS 4087 B5	11	A	241.67
718-0153-20-10412	150	80	PN35	AS 4087 B6	25	C	492.48
718-0153-20-10512	150	80	PN16	AS 4087 B5	12	A	304.40
718-0201-20-10412	200	150	PN35	AS 4087 B6	38	C	934.61
718-0201-20-10512	200	150	PN16	AS 4087 B5	18	A	430.95
718-0203-20-10412	200	100	PN35	AS 4087 B6	38	C	944.94
718-0203-20-10512	200	100	PN16	AS 4087 B5	18	A	477.29
718-0226-20-10512	225	200	PN16	AS 4087 B5	22	A	578.35
718-0228-20-10512	225	150	PN16	AS 4087 B5	23	A	586.01
718-0231-20-10512	225	100	PN16	AS 4087 B5	42	C	617.48
718-0251-20-10412	250	200	PN35	AS 4087 B6	50	C	1,431.59
718-0251-20-10512	250	200	PN16	AS 4087 B5	27	A	684.43
718-0252-20-10412	250	150	PN35	AS 4087 B6	55	C	1,354.86
718-0252-20-10512	250	150	PN16	AS 4087 B5	28	A	698.67
718-0254-20-10412	250	100	PN35	AS 4087 B6	50	C	1,081.99
718-0254-20-10512	250	100	PN16	AS 4087 B5	43	C	816.16
718-0261-20-10412	250	225	PN35	AS 4087 B6	70	C	1,440.98

AVK ref. no.	DN mm	DN2 mm	Product PN Class	Flange drilling	Theoretical weight/kg	Deliv. code	Gross Price AUD
718-0261-20-10512	250	225	PN16	AS 4087 B5	27	A	701.03
718-0301-20-10412	300	250	PN35	AS 4087 B6	70	C	2,076.72
718-0301-20-10512	300	250	PN16	AS 4087 B5	37	A	1,002.46
718-0302-20-10412	300	200	PN35	AS 4087 B6	66	C	1,982.64
718-0302-20-10512	300	200	PN16	AS 4087 B5	39	A	965.46
718-0303-20-10412	300	150	PN35	AS 4087 B6	68	C	1,898.79
718-0303-20-10512	300	150	PN16	AS 4087 B5	40	A	1,040.48
718-0305-20-10412	300	100	PN35	AS 4087 B6	78	C	1,718.46
718-0305-20-10512	300	100	PN16	AS 4087 B5	57	B	1,054.78
718-0312-20-10412	300	225	PN35	AS 4087 B6	82	C	2,082.81
718-0312-20-10512	300	225	PN16	AS 4087 B5	38	A	996.21
718-0377-20-10412	375	300	PN35	AS 4087 B6	98	C	2,747.41
718-0377-20-10512	375	300	PN16	AS 4087 B5	58	A	1,573.64
718-0381-20-10512	375	150	PN16	AS 4087 B5	84	B	1,888.09
718-0382-20-10412	375	200	PN35	AS 4087 B6	90	C	2,673.16
718-0382-20-10512	375	200	PN16	AS 4087 B5	84	B	1,752.72
718-0383-20-10512	375	225	PN16	AS 4087 B5	78	B	1,670.31
718-0384-20-10412	375	250	PN35	AS 4087 B6	100	C	2,784.58
718-0384-20-10512	375	250	PN16	AS 4087 B5	76	B	1,639.98
718-0453-20-10412	450	300	PN35	AS 4087 B6	139	C	4,080.39
718-0453-20-10512	450	300	PN16	AS 4087 B5	105	A	2,526.20
718-0454-20-10412	450	250	PN35	AS 4087 B6	151	C	3,827.71
718-0454-20-10512	450	250	PN16	AS 4087 B5	110	C	2,610.25
718-0455-20-10412	450	200	PN35	AS 4087 B6	138	C	3,577.53
718-0455-20-10512	450	200	PN16	AS 4087 B5	121	C	2,809.45
718-0456-20-10512	450	150	PN16	AS 4087 B5	135	C	3,010.16
718-0465-20-10512	450	225	PN16	AS 4087 B5	126	C	2,760.58
718-0466-20-10412	450	375	PN35	AS 4087 B6	110	B	4,386.58
718-0466-20-10512	450	375	PN16	AS 4087 B5	100	B	2,630.38
718-0501-20-10412	500	450	PN35	AS 4087 B6	166	C	5,335.15
718-0501-20-10512	500	450	PN16	AS 4087 B5	116	B	3,001.76
718-0504-20-10412	500	300	PN35	AS 4087 B6	190	C	5,532.37
718-0504-20-10512	500	300	PN16	AS 4087 B5	150	C	3,263.50
718-0505-20-10412	500	250	PN35	AS 4087 B6	195	C	5,601.29
718-0505-20-10512	500	250	PN16	AS 4087 B5	149	C	3,808.19
718-0518-20-10412	500	375	PN35	AS 4087 B6	170	C	5,682.46
718-0518-20-10512	500	375	PN16	AS 4087 B5	130	B	3,093.94
718-0601-20-10412	600	500	PN35	AS 4087 B6	234	C	6,973.84
718-0601-20-10512	600	500	PN16	AS 4087 B5	175	B	4,799.25
718-0602-20-10412	600	450	PN35	AS 4087 B6	243	C	7,316.32
718-0602-20-10512	600	450	PN16	AS 4087 B5	189	B	4,676.27
718-0605-20-10412	600	300	PN35	AS 4087 B6	276	C	7,758.47
718-0605-20-10512	600	300	PN16	AS 4087 B5	238	C	5,646.56
718-0618-20-10412	600	375	PN35	AS 4087 B5	246	C	7,578.90
718-0618-20-10512	600	375	PN16	AS 4087 B5	220	B	5,628.11
718-0759-20-10412	750	450	PN35	AS 4087 B6	426	C	10,875.11
718-0759-20-10512	750	450	PN16	AS 4087 B5	407	C	9,928.22
718-0780-20-10412	750	500	PN35	AS 4087 B6	447	C	10,891.71
718-0780-20-10512	750	500	PN16	AS 4087 B5	350	C	8,517.59
718-0781-20-10412	750	600	PN35	AS 4087 B6	400	C	11,027.46
718-0781-20-10512	750	600	PN16	AS 4087 B5	380	C	8,799.18

718/2040-001


Taper, Socket
 Ductile Iron
 Epoxy coated to AS/NZS
 4158
 Product class: PN35



AVK ref. no.	DN mm	DN2 mm	Product PN Class	Theoretical weight/kg	Deliv. code	Gross Price AUD
718-0152-20-40912	150	100	PN35	14	A	196.77
718-0201-20-40912	200	150	PN35	24	A	404.24
718-0203-20-40912	200	100	PN35	26	A	430.69
718-0226-20-40912	225	200	PN35	32	C	646.29
718-0228-20-40912	225	150	PN35	34	B	581.54
718-0251-20-40912	250	200	PN35	37	A	825.51
718-0252-20-40912	250	150	PN35	38	A	783.35
718-0261-20-40912	250	225	PN35	41	C	805.27
718-0301-20-40912	300	250	PN35	60	C	939.62
718-0302-20-40912	300	200	PN35	63	C	916.69
718-0303-20-40912	300	150	PN35	69	C	878.99
718-0312-20-40912	300	225	PN35	58	C	927.75
718-0377-20-40912	375	300	PN35	77	A	1,605.59
718-0380-20-40912	375	100	PN35	95	C	1,544.23
718-0381-20-40912	375	150	PN35	89	C	1,544.32
718-0382-20-40912	375	200	PN35	90	B	1,561.00
718-0383-20-40912	375	225	PN35	90	C	1,588.62
718-0384-20-40912	375	250	PN35	85	C	1,602.79
718-0453-20-40912	450	300	PN35	121	B	3,468.17
718-0454-20-40912	450	250	PN35	125	C	3,402.78
718-0455-20-40912	450	200	PN35	133	B	3,196.89
718-0456-20-40912	450	150	PN35	137	C	3,017.88
718-0466-20-40912	450	375	PN35	112	B	3,481.81
718-0501-20-40912	500	450	PN35	132	C	4,471.50
718-0504-20-40912	500	300	PN35	158	C	4,388.48
718-0505-20-40912	500	250	PN35	164	C	4,266.83
718-0506-20-40912	500	200	PN35	172	C	4,137.88
718-0518-20-40912	500	375	PN35	130	C	4,438.93
718-0601-20-40912	600	500	PN35	349	C	6,125.87
718-0602-20-40912	600	450	PN35	295	C	5,687.86
718-0605-20-40912	600	300	PN35	238	C	5,550.61
718-0618-20-40912	600	375	PN35	223	C	5,644.07
718-0758-20-40912	750	375	PN35	328	C	7,300.69
718-0759-20-40912	750	450	PN35	341	C	7,411.37
718-0780-20-40912	750	500	PN35	255	C	7,427.74
718-0781-20-40912	750	600	PN35	283	C	7,571.91

718/2110-001

Taper Ecc, Flange
 Ductile Iron
 Epoxy coated to AS/NZS
 4158
 Connection: Flange
 Product class: PN16/35



AVK ref. no.	DN mm	DN2 mm	Product PN Class	Theoretical weight/kg	Deliv. code	Gross Price AUD
718-0101-21-10412	100	80	PN35	15	C	459.97
718-0101-21-10512	100	80	PN16	12	C	251.13
718-0152-21-10412	150	100	PN35	20	C	700.30
718-0152-21-10512	150	100	PN16	16	C	362.07
718-0153-21-10412	150	80	PN35	17	C	682.46
718-0153-21-10512	150	80	PN16	13	C	354.48
718-0201-21-10512	200	150	PN16	23	C	679.82
718-0203-21-10512	200	100	PN16	23	C	558.06
718-0251-21-10512	250	200	PN16	33	C	713.86
718-0252-21-10512	250	150	PN16	55	C	824.89
718-0301-21-10512	300	250	PN16	50	C	1,140.01
718-0302-21-10412	300	200	PN35	58	C	1,812.54
718-0302-21-10512	300	200	PN16	45	C	1,122.39
718-0303-21-10512	300	150	PN16	52	C	1,166.85
718-0377-21-10412	375	300	PN35	100	C	3,409.96
718-0377-21-10512	375	300	PN16	74	B	2,201.74
718-0382-21-10512	375	200	PN16	84	B	2,089.28
718-0383-21-10512	375	225	PN16	82	C	2,103.83
718-0384-21-10512	375	250	PN16	81	B	2,151.43
718-0453-21-10412	450	300	PN35	164	C	5,419.99
718-0453-21-10512	450	300	PN16	120	C	2,840.20
718-0454-21-10412	450	250	PN35	154	C	5,076.97
718-0454-21-10512	450	250	PN16	123	C	2,840.20
718-0466-21-10512	450	375	PN16	105	B	2,861.45
718-0501-21-10412	500	450	PN35	171	C	6,916.87
718-0501-21-10512	500	450	PN16	121	C	3,230.11
718-0504-21-10412	500	300	PN35	192	C	6,694.63
718-0504-21-10512	500	300	PN16	150	C	4,221.33
718-0505-21-10512	500	250	PN16	163	C	4,276.35
718-0518-21-10512	500	375	PN16	140	C	3,820.36
718-0601-21-10512	600	500	PN16	194	C	5,012.21
718-0602-21-10412	600	450	PN35	225	C	8,810.44
718-0602-21-10512	600	450	PN16	189	C	5,042.02
718-0605-21-10412	600	300	PN35	270	C	7,602.53
718-0605-21-10512	600	300	PN16	232	B	6,077.78
718-0607-21-10512	600	200	PN16	251	C	5,866.80
718-0618-21-10512	600	375	PN16	246	C	5,424.56
718-0781-21-10412	750	600	PN35	415	C	11,138.15
718-0781-21-10512	750	600	PN16	347	C	9,690.23

718/5514-001

Hydrant Bend Anchor Base
 Ductile Iron
 Epoxy coated to AS/NZS
 4158
 Flange drilling: AS 4087 B5
 Product class: PN16



AVK ref. no.	DN mm	DN2 mm	Product PN Class	Flange drilling	Theoretical weight/kg	Deliv. code	Gross Price AUD
718-0101-55-14512	100	80	PN16	AS 4087 B5	13	A	234.83
718-0153-55-14512	150	80	PN16	AS 4087 B5	20	A	329.78

718/7010-001

Bend Duckfoot, Ductile Iron
Ductile Iron
Epoxy coated to AS/NZS
4158
Flange drilling: AS/NZS 4087
B5/B6
Product class: PN16/35



AVK ref. no.	DN mm	Product PN Class	Flange drilling	Theoretical weight/kg	Deliv. code	Gross Price AUD
718-0100-70-10412	100	PN35	AS 4087 B6	38	C	732.06
718-0100-70-10512	100	PN16	AS 4087 B5	15	A	371.81
718-0150-70-10412	150	PN35	AS 4087 B6	45	C	1,234.60
718-0150-70-10512	150	PN16	AS 4087 B5	25	A	657.19
718-0200-70-10412	200	PN35	AS 4087 B6	67	C	2,024.20
718-0200-70-10512	200	PN16	AS 4087 B5	57	C	1,254.91
718-0225-70-10412	225	PN35	AS 4087 B6	85	C	2,544.14
718-0225-70-10512	225	PN16	AS 4087 B5	75	C	1,477.45
718-0250-70-10412	250	PN35	AS 4087 B6	128	C	2,965.60
718-0250-70-10512	250	PN16	AS 4087 B5	92	C	1,899.43
718-0300-70-10412	300	PN35	AS 4087 B6	143	C	3,786.97
718-0300-70-10512	300	PN16	AS 4087 B5	120	C	3,174.39
718-0375-70-10412	375	PN35	AS 4087 B6	234	C	7,832.58
718-0375-70-10512	375	PN16	AS 4087 B5	198	C	5,179.48
718-0450-70-10412	450	PN35	AS 4087 B6	370	C	10,176.76
718-0450-70-10512	450	PN16	AS 4087 B5	286	C	8,437.45
718-0500-70-10412	500	PN35	AS 4087 B6	444	C	11,485.29
718-0500-70-10512	500	PN16	AS 4087 B5	375	C	8,882.81
718-0600-70-10412	600	PN35	AS 4087 B6	732	C	16,668.42
718-0600-70-10512	600	PN16	AS 4087 B5	615	C	14,129.52

718/7140-001

Cap, Socket
Ductile Iron
Epoxy coated to AS/NZS
4158
Product Class: PN35



AVK ref. no.	DN mm	Product PN Class	Theoretical weight/kg	Deliv. code	Gross Price AUD
718-0080-71-40912	80	PN16	6.0	B	76.03
718-0100-71-40912	100	PN35	7.8	A	98.13
718-0150-71-40912	150	PN35	13	A	165.78
718-0200-71-40912	200	PN35	22	A	294.06
718-0225-71-40912	225	PN35	28	A	333.19
718-0250-71-40912	250	PN35	34	A	375.06
718-0300-71-40912	300	PN35	43	A	603.39
718-0375-71-40912	375	PN35	76	A	1,217.10
718-0450-71-40912	450	PN35	84	A	1,733.98
718-0500-71-40912	500	PN35	106	B	2,482.01
718-0600-71-40912	600	PN35	150	A	3,971.54
718-0782-71-40912	750	PN35	220	C	4,941.49

718/7540-001

Connector, Socket
Ductile Iron
Epoxy coated to AS/NZS
4158
Product Class: PN35



AVK ref. no.	DN mm	Product PN Class	Theoretical weight/kg	Deliv. code	Gross Price AUD
718-0100-75-40912	100	PN35	10	A	114.40
718-0150-75-40912	150	PN35	15	A	182.75
718-0200-75-40912	200	PN35	28	A	307.02
718-0225-75-40912	225	PN35	40	C	434.14
718-0250-75-40912	250	PN35	40	A	472.64
718-0300-75-40912	300	PN35	41	A	581.40
718-0375-75-40912	375	PN35	73	A	942.52
718-0450-75-40912	450	PN35	85	A	2,098.75
718-0500-75-40912	500	PN35	91	B	3,057.58
718-0600-75-40912	600	PN35	121	B	3,339.75
718-0782-75-40912	750	PN35	166	C	5,963.89

718/7812-001

Adaptor, Flanged Spigot
Ductile Iron
Epoxy coated to AS/NZS
4158
Flange drilling: AS 4087
B5/B6
Product class: PN16/35



AVK ref. no.	DN mm	Product PN Class	Flange drilling	Theoretical weight/kg	Deliv. code	Gross Price AUD
718-0080-78-12412	80	PN35	AS 4087 B6	10	C	241.65
718-0080-78-12512	80	PN16	AS 4087 B5	4.2	A	151.04
718-0100-78-12412	100	PN35	AS 4087 B6	17	C	242.71
718-0100-78-12512	100	PN16	AS 4087 B5	5.7	A	101.37
718-0150-78-12412	150	PN35	AS 4087 B6	27	C	413.24
718-0150-78-12512	150	PN16	AS 4087 B5	10	A	163.36
718-0200-78-12412	200	PN35	AS 4087 B6	28	C	664.41
718-0200-78-12512	200	PN16	AS 4087 B5	20	A	327.36
718-0225-78-12412	225	PN35	AS 4087 B6	31	C	808.16
718-0225-78-12512	225	PN16	AS 4087 B5	22	A	359.28
718-0250-78-12412	250	PN35	AS 4087 B6	34	C	890.13
718-0250-78-12512	250	PN16	AS 4087 B5	25	A	475.50
718-0300-78-12412	300	PN35	AS 4087 B6	50	C	1,542.74
718-0300-78-12512	300	PN16	AS 4087 B5	35	A	620.78
718-0375-78-12412	375	PN35	AS 4087 B6	71	B	1,977.36
718-0375-78-12512	375	PN16	AS 4087 B5	52	A	981.45
718-0450-78-12412	450	PN35	AS 4087 B6	94	B	3,002.94
718-0450-78-12512	450	PN16	AS 4087 B5	68	A	1,501.23
718-0500-78-12412	500	PN35	AS 4087 B6	128	C	4,254.17
718-0500-78-12512	500	PN16	AS 4087 B5	92	B	2,029.31
718-0600-78-12412	600	PN35	AS 4087 B6	162	B	5,250.38
718-0600-78-12512	600	PN16	AS 4087 B5	130	A	3,099.31
718-0782-78-12412	750	PN35	AS 4087 B6	256	C	8,016.24
718-0782-78-12512	750	PN16	AS 4087 B5	219	C	4,653.02

718/7814-001


Adaptor, Flanged Socket
Ductile Iron
Epoxy coated to AS/NZS
4158
Flange drilling: AS 4087
B5/B6
Product class: PN16/35



AVK ref. no.	DN mm	Product PN Class	Flange drilling	Theoretical weight/kg	Deliv. code	Gross Price AUD
718-0080-78-14412	80	PN35	AS 4087 B6	15	C	238.65
718-0080-78-14512	80	PN16	AS 4087 B5	4.6	A	131.89
718-0100-78-14412	100	PN35	AS 4087 B6	12	A	263.19
718-0100-78-14512	100	PN16	AS 4087 B5	6.8	A	99.49
718-0150-78-14412	150	PN35	AS 4087 B6	17	C	468.88
718-0150-78-14512	150	PN16	AS 4087 B5	12	A	153.40
718-0200-78-14412	200	PN35	AS 4087 B6	32	C	761.06
718-0200-78-14512	200	PN16	AS 4087 B5	19	A	274.52
718-0225-78-14412	225	PN35	AS 4087 B6	40	C	1,010.04
718-0225-78-14512	225	PN16	AS 4087 B5	24	A	393.56
718-0250-78-14412	250	PN35	AS 4087 B6	50	C	1,092.51
718-0250-78-14512	250	PN16	AS 4087 B5	28	A	447.30
718-0300-78-14412	300	PN35	AS 4087 B6	65	C	1,715.83
718-0300-78-14512	300	PN16	AS 4087 B5	37	A	591.81
718-0375-78-14412	375	PN35	AS 4087 B6	92	B	2,311.71
718-0375-78-14512	375	PN16	AS 4087 B5	59	A	1,136.78
718-0450-78-14412	450	PN35	AS 4087 B6	120	B	3,034.74
718-0450-78-14512	450	PN16	AS 4087 B5	76	A	1,710.92
718-0500-78-14412	500	PN35	AS 4087 B6	148	B	4,529.81
718-0500-78-14512	500	PN16	AS 4087 B5	119	B	2,696.80
718-0600-78-14412	600	PN35	AS 4087 B6	200	B	6,493.79
718-0600-78-14512	600	PN16	AS 4087 B5	174	B	3,173.10
718-0782-78-14412	750	PN35	AS 4087 B6	304	C	7,130.04
718-0782-78-14512	750	PN16	AS 4087 B5	267	C	5,886.42

718/AB60-001

Bellmouth, Flanged
Ductile Iron
Epoxy coated to AS/NZS 4158
Flange drilling: AS 4087 B5
Product class: PN16



AVK ref. no.	DN mm	Product PN Class	Flange drilling	Theoretical weight/kg	Deliv. code	Gross Price AUD
718-0100-AB-60512	100	PN16	AS 4087 B5	18	B	476.20
718-0150-AB-60512	150	PN16	AS 4087 B5	24	B	570.22
718-0200-AB-60512	200	PN16	AS 4087 B5	40	C	726.35
718-0225-AB-60512	225	PN16	AS 4087 B5	50	C	788.11
718-0250-AB-60512	250	PN16	AS 4087 B5	50	C	1,176.17
718-0300-AB-60512	300	PN16	AS 4087 B5	84	B	2,507.23
718-0375-AB-60512	375	PN16	AS 4087 B5	122	C	3,207.79
718-0450-AB-60512	450	PN16	AS 4087 B5	140	C	3,891.23
718-0500-AB-60512	500	PN16	AS 4087 B5	188	C	5,346.31
718-0600-AB-60512	600	PN16	AS 4087 B5	281	C	6,153.89
718-0782-AB-60512	750	PN16	AS 4087 B5	520	C	10,008.19

718/4X10-001

Hydrant Riser Flange
Ductile Iron
Epoxy coated to AS/NZS 4158
Flange drilling: AS 4087 B5/B6
Product class: PN16/35



AVK ref. no.	DN mm	Flange drilling	Theoretical weight/kg	L mm	Deliv. code	Gross Price AUD
718-0080-40-10212 ⁽¹⁾	80	AS 4087 B5	7.4	100	A	89.11
718-0080-40-10412	80	AS 4087 B6	7.0	100	C	197.36
718-0080-40-10512	80	AS 4087 B5	3.2	100	A	71.12
718-0080-41-10412	80	AS 4087 B6	8.0	150	C	241.67
718-0080-41-10512	80	AS 4087 B5	3.9	150	A	77.87
718-0080-43-10412	80	AS 4087 B6	9.0	225	C	372.66
718-0080-43-10512	80	AS 4087 B5	4.9	225	A	87.19
718-0080-45-10412	80	AS 4087 B6	10	300	A	322.85
718-0080-45-10512	80	AS 4087 B5	6.5	300	A	103.31
718-0080-46-10412	80	AS 4087 B6	11	375	C	400.42
718-0080-46-10512	80	AS 4087 B5	7.7	375	A	158.23
718-0080-48-10412	80	AS 4087 B6	13	450	C	333.92
718-0080-48-10512	80	AS 4087 B5	8.8	450	A	161.70
718-0080-50-10412	80	AS 4087 B6	20	600	C	417.39
718-0080-50-10512	80	AS 4087 B5	11	600	A	198.62
718-0100-40-10512	100	AS 4087 B5	5.0	100	C	89.11
718-0100-40-10L12 ⁽²⁾	100	AS 4087 B5	5.8	100	A	89.11
718-0100-41-10512	100	AS 4087 B5	5.8	150	A	92.15
718-0100-43-10512	100	AS 4087 B5	7.0	225	A	105.90
718-0100-45-10512	100	AS 4087 B5	8.9	300	A	123.72
718-0100-46-10512	100	AS 4087 B5	10	375	A	191.99
718-0100-48-10512	100	AS 4087 B5	12	450	A	207.61
718-0100-49-10512	100	AS 4087 B5	12	500	A	226.47
718-0100-50-10512	100	AS 4087 B5	14	600	A	234.66
718-0150-45-10512	150	AS 4087 B5	16	300	A	296.09
718-0150-49-10512	150	AS 4087 B5	21	500	A	443.68
718-0150-50-10512	150	AS 4087 B5	23	600	A	450.78

⁽¹⁾ Flange AS4087 B5 / As2129 Table D, Slotted holes

⁽²⁾ Flange As 4087 B5, Slotted flange

718/AF42-001

Scour Tee, Socket Flange Socket
 Ductile Iron
 Epoxy coated to AS/NZS 4158
 Flange drilling: AS 4087 B5/B6
 Product class: PN16/35



AVK ref. no.	DN mm	DN2 mm	Product PN Class	Flange drilling	Theoretical weight/kg	Deliv. code	Gross Price AUD
718-0101-AF-42412	100	80	PN35	AS 4087 B6	19	C	464.90
718-0101-AF-42512	100	80	PN16	AS 4087 B5	18	C	366.60
718-0152-AF-42512	150	100	PN16	AS 4087 B5	28	C	576.11
718-0153-AF-42412	150	80	PN35	AS 4087 B6	28	C	879.98
718-0153-AF-42512	150	80	PN16	AS 4087 B5	27	C	518.58
718-0204-AF-42412	200	80	PN35	AS 4087 B6	44	C	1,300.60
718-0204-AF-42512	200	80	PN16	AS 4087 B5	43	C	918.48
718-0231-AF-42512	225	100	PN16	AS 4087 B5	51	C	1,261.03
718-0254-AF-42412	250	100	PN35	AS 4087 B6	56	C	1,773.03
718-0254-AF-42512	250	100	PN16	AS 4087 B5	52	C	1,493.28
718-0305-AF-42412	300	100	PN35	AS 4087 B6	74	C	2,089.82
718-0305-AF-42512	300	100	PN16	AS 4087 B5	71	B	1,158.20
718-0381-AF-42412	375	150	PN35	AS 4087 B6	116	C	3,590.31
718-0381-AF-42512	375	150	PN16	AS 4087 B5	114	A	2,678.50
718-0456-AF-42412	450	150	PN35	AS 4087 B6	149	B	3,970.64
718-0456-AF-42512	450	150	PN16	AS 4087 B5	146	B	3,044.81
718-0507-AF-42412	500	150	PN35	AS 4087 B6	188	B	5,903.45
718-0507-AF-42512	500	150	PN16	AS 4087 B5	185	B	4,934.18
718-0608-AF-42412	600	150	PN35	AS 4087 B6	218	C	9,408.01
718-0608-AF-42512	600	150	PN16	AS 4087 B5	215	B	5,266.98
718-0754-AF-42512	750	200	PN16	AS 4087 B5	350	C	8,773.17

718/1001-001


Spigot Tee to AS2280
 Ductile Iron
 Epoxy coated to AS/NZS 4158



AVK ref. no.	DN mm	DN2 mm	Theoretical weight/kg	Deliv. code	Gross Price AUD
718-0080-10-01912	80	80	13	C	217.69
718-0150-10-01912	150	150	34	C	497.18
718-0152-10-01912	150	100	28	C	476.89
718-0201-10-01912	200	150	44	C	679.82
718-0203-10-01912	200	100	40	C	671.75

718/3810-001

Blind flange to AS4087
 Ductile Iron
 Epoxy coated to AS/NZS 4158



AVK ref. no.	Deliv. code	Gross Price AUD
718-0080-38-10412	B	146.11
718-0080-38-10512	A	68.44
718-0100-38-10412	C	175.26
718-0100-38-10512	A	73.98
718-0150-38-10412	C	258.18
718-0150-38-10512	A	112.53
718-0200-38-10412	B	412.76
718-0200-38-10512	A	197.95
718-0225-38-10412	B	661.00
718-0225-38-10512	A	271.80
718-0250-38-10412	C	663.40
718-0250-38-10512	A	330.24
718-0300-38-10412	B	916.88
718-0300-38-10512	A	442.42
718-0375-38-10412	B	1,437.86
718-0375-38-10512	A	906.55
718-0450-38-10412	B	2,480.95
718-0450-38-10512	A	1,446.71
718-0500-38-10412	B	3,038.43
718-0500-38-10512	A	1,822.69
718-0600-38-10412	B	5,064.05
718-0600-38-10512	A	2,834.87
718-0782-38-10412	C	7,194.94
718-0782-38-10512	B	5,198.55

265/91-003

Dismantling Joint, PN16,
4087 B5 drilling
Ductile Iron
EPDM rubber



AVK ref. no.	DN mm	Flange drilling	Theoretical weight/kg	Deliv. code	Gross Price AUD
265-9-0080-12-34041200	80	AS 4087 B5	12	A	446.59
265-9-0100-12-34041200	100	AS 4087 B5	16	A	506.45
265-9-0150-12-34041200	150	AS 4087 B5	26	A	879.03
265-9-0200-12-34041200	200	AS 4087 B5	35	C	1,045.43
265-9-0225-12-34041200	225	AS 4087 B5	41	A	1,158.97
265-9-0250-12-34041200	250	AS 4087 B5	53	A	1,672.84
265-9-0300-12-34041200	300	AS 4087 B5	73	A	2,347.50
265-9-0375-12-34041200	375	AS 4087 B5	118	A	3,543.34
265-9-0400-12-34041200	400	AS 4087 B5	123	C	4,370.01
265-9-0450-12-34041200	450	AS 4087 B5	142	A	4,699.56
265-9-0500-12-34041200	500	AS 4087 B5	182	A	5,985.07
265-9-0600-12-34041200	600	AS 4087 B5	273	A	7,863.53
265-9-0750-12-34041200	750	AS 4087 B5	415	A	11,931.36
265-9-0900-12-34041200	900	AS 4087 B5	589	C	17,482.47
265-9-1000-12-34041200	1000	AS 4087 B5	646	C	18,781.60
265-9-1200-12-34041200	1200	AS 4087 B5	942	C	26,147.10

910/21-007

Y-Strainer with SS316 Screen
Ductile Iron
EPDM high temperature
Epoxy coated to AS/NZS
4158
A4 Plug and Fasteners
Flange drilling AS 2129
Table D/E
PN16



AVK ref. no.	DN mm	Flange drilling	Theoretical weight/kg	Deliv. code	Gross Price AUD
910-0080-21-732030012	80	AS2129 D/E	13	C	291.94
910-0100-21-432030012	100	AS2129 D	18	C	381.86
910-0100-21-732030012	100	AS2129 E	18	C	462.39
910-0125-21-732030012	125	AS2129 D/E	26	C	539.61
910-0150-21-432030012	150	AS2129 D	35	C	708.97
910-0150-21-732030012	150	AS2129 E	35	C	919.84
910-0200-21-432030012	200	AS2129 D	58	C	1,375.56
910-0200-21-732030012	200	AS2129 E	59	C	1,826.98
910-0250-21-432030012	250	AS2129 D	97	C	2,158.30
910-0250-21-732030012	250	AS2129 E	92	C	3,247.15
910-0300-21-432030012	300	AS2129 D	142	C	3,063.54
910-0300-21-732030012	300	AS2129 E	147	C	4,015.74

910/21-008

Y-Strainer with SS304 Screen
Ductile Iron
EPDM high temperature
Epoxy coated to AS/NZS
4158
A2 Plug and Fasteners
Flange drilling AS 2129
Table D/E
PN16



AVK ref. no.	DN mm	Flange drilling	Theoretical weight/kg	Deliv. code	Gross Price AUD
910-0080-21-711020012	80	AS2129 D/E	13	C	270.91
910-0100-21-411020012	100	AS2129 D	18	C	347.89
910-0100-21-711020012	100	AS2129 E	18	C	421.24
910-0125-21-711020012	125	AS2129 D/E	26	C	491.55
910-0150-2-1411020012	150	AS2129 D	35	C	645.87
910-0150-21-711020012	150	AS2129 E	35	C	837.97
910-0200-21-411020012	200	AS2129 D	60	C	1,253.10
910-0200-21-711020012	200	AS2129 E	59	C	1,664.32
910-0250-21-411020012	250	AS2129 D	97	C	1,966.17
910-0250-21-711020012	250	AS2129 E	92	C	3,076.25
910-0300-21-411020012	300	AS2129 D	142	C	2,790.81
910-0300-21-711020012	300	AS2129 E	147	C	3,658.21

910/21-011

Screen, AISI 304
Stainless Steel



AVK ref. no.	DN mm	Theoretical weight/kg	Deliv. code	Gross Price AUD
910-0050-13	50	0.1	C	109.80
910-0065-13	65	0.2	C	122.92
910-0080-13	80	0.3	C	140.95
910-0100-13	100	0.5	C	183.57
910-0125-13	125	0.6	C	296.65
910-0150-13	150	0.9	C	363.84
910-0200-13	200	1.9	C	434.31
910-0250-13	250	3.5	C	598.23
910-0300-13	300	5.0	C	811.27

08/A-001

Handwheel, gate valves
Ductile Iron
Epoxy coated to AS/NZS
4158
CC / ACC



AVK ref. no.	DN/DN	D mm	Theoretical weight/kg	Deliv. code	Gross Price AUD
08-050-01-122	40 - 50	180	1.5	C	72.07
08-050-01-1221	50 - 50	180	1.5	B	72.07
08-080-07-122	80	225	2.0	B	72.07
08-080-07-1221	80	225	2.0	B	72.07
08-100-07-122	50 - 100	280	3.0	A	72.07
08-100-07-1221	50 - 100	280	3.2	A	72.07
08-100-08-122	100	280	2.3	C	140.78
08-100-08-1221	150	280	4.0	C	140.78
08-200-07-122	200	360	6.8	B	140.78
08-200-07-1221	150	360	6.8	B	140.78
08-250-07-122	225 - 300	500	10	B	212.85
08-250-07-1221	225 - 300	500	10	B	212.85
08-400-07-122	375 - 400	640	16	C	296.65
08-400-07-1221	375 - 400	640	16	C	296.65
08-600-07-122	600	800	20	C	306.70
08-600-07-1221	600	800	20	C	306.70

57/00-001

Anchor legs, 570/50 &
570/51 Gate Valves, DN100-
150
Ductile Iron
Epoxy coated to AS/NZS
4158



AVK ref. no.	Theoretical weight/kg	Deliv. code	Gross Price AUD
57-000-01-121	1.6	A	118.61

57/C-001

Stem cap, stem square 14-
32, standard valve, ACC -
blue coating
Anti Clockwise Close



AVK ref. no.	DN mm	Theoretical weight/kg	Deliv. code	Gross Price AUD
57-050-16-120	50	0.8	C	20.90
57-090-16-120	100	0.8	C	28.94
57-095-16-120	100	0.5	B	28.66
57-100-16-120	100	0.8	B	28.93
57-150-16-120	150	0.9	C	35.37
57-200-16-120	200	1.3	C	46.16
57-300-16-120	300	1.3	B	64.31
57-400-16-120	400	1.9	C	85.21
57-600-16-120	600	1.6	C	123.80

57/C-002

Stem cap, stem square 14-
24, standard valve, CC/ACC -
lilac coating
CC / ACC



AVK ref. no.	DN mm	Theoretical weight/kg	Deliv. code	Gross Price AUD
57-050-16-040	50	0.8	C	28.46
57-050-16-140	50	0.8	C	20.90
57-090-16-040	100	0.8	C	28.94
57-090-16-140	100	0.8	C	28.94
57-095-16-040	100	0.5	C	28.94
57-095-16-140	100	0.5	C	18.82
57-100-16-040	100	0.8	C	28.46
57-100-16-140	100	0.8	C	28.94
57-150-16-040	150	0.9	C	35.37
57-150-16-140	150	0.9	C	35.37

57/C-003

Stem cap, stem square 14-
32, standard valve, CC - red
coating
Clockwise Close



AVK ref. no.	DN mm	Theoretical weight/kg	Deliv. code	Gross Price AUD
57-050-16-050	50	0.8	C	28.94
57-090-16-050	100	0.8	B	28.94
57-100-16-050	100	0.8	C	28.94
57-150-16-050	150	0.9	C	35.37
57-200-16-050	200	1.3	C	35.37
57-300-16-050	300	1.3	C	64.31
57-400-16-050	400	1.6	C	83.81
57-600-16-050	600	1.6	C	123.80

AVK Australia Holding Pty Ltd

559a Grand Junction Road
Wingfield SA 5013
Australia

enquiries@avkau.com.au
orders@avkau.com.au
www.avkcivil.com.au

©2026 AVK Australia

