

# CERTIFICATE OF CONFORMITY

## Intertek SAI Global hereby grants: **AVK Australia Holding Pty Ltd**

ABN 11 081 236 777

559A Grand Junction Road, Wingfield, SA 5013, Australia

### Watermark Certificate of Conformity

Evaluated to:

**AS/NZS 2638.2:2011 - Gate valves for waterworks purposes - Resilient seated**

"the WaterMark Licensee" the right to use or arrange the use of the WaterMark as shown below only in respect of the goods described and detailed on the product schedule identified on [www.register.saiglobal.com](http://www.register.saiglobal.com) which are produced by the WaterMark Licensee or on behalf of the WaterMark Licensee\* and which comply with the appropriate Standard referred to above as from time to time amended. The Licence is granted subject to the rules governing the use of the WaterMark^ and the Terms and Conditions for certification. The WaterMark Licensee covenants to comply with all the Rules and Terms and Conditions.

**This Certificate is issued by a JAS-ANZ accredited certification body. The Scheme Owner, Administering Body and Accreditation Body do not in any way warrant, guarantee or represent that the product the subject of this Certificate conforms to the WaterMark Certification Scheme Rules, nor accepts any liability arising out of the use of the product. The Scheme Owner disclaims to the extent permitted by law, all liability (including negligence) for claims of losses, expenses, damages and costs arising as a result of the use of the product(s) referred to in this Certificate**

^ Only product that has been listed in the schedule of this certificate as compliant with the Lead Free provisions of the National Construction Code Volume 3 - may use the Lead Free Watermark.

**Certificate No:  
WMKA02420**

Originally Certified:  
10 December 2014

Current Certification:  
16 January 2025

Issued:  
21 January 2025

Expires:  
9 December 2029



Rathin Grover

President, Business Assurance

SAI Global Certification Services Pty. Ltd.  
Level 7 Suite 7.01 45 Clarence Street  
Sydney NSW 2000 Australia

\* For details of manufacture, refer to the licensee

The WATERMARK is a registered certification trademark of Australian Building Codes Board ABN 74 599 608 295 and is issued under licence by SAI Global Certification Services Pty Limited (ACN 108 716 669) ("INTERTEK SAI Global") Level 7 Suite 7.01, 45 Clarence Street, Sydney NSW 2000 Australia and subject to the INTERTEK SAI Global Terms and Conditions for Certification. In the issuance of this certificate, INTERTEK SAI Global assumes no liability to any party other than to the Client, and then only in accordance with the agreed upon Certification Agreement. This certificate's validity is subject to the organization maintaining their system in accordance with INTERTEK SAI Global requirements for systems certification. This certificate may only be reproduced in its entirety and remains the property of INTERTEK SAI Global, to whom it must be returned upon request. Refer to <https://register.saiglobal.com/> for the list of product models.



# SCHEDULE TO CERTIFICATE OF CONFORMITY

## Intertek SAI Global hereby grants: **AVK Australia Holding Pty Ltd**

559A Grand Junction Road, Wingfield, SA 5013, Australia

Evaluated to:

**AS/NZS 2638.2:2011 - Gate valves for waterworks purposes - Resilient seated**

Model identification of the goods on which the WATERMARK may be used:

Model Identification	Model Name	Brand Name	Product Description	Lead Free Compliant	Product Type	Nominal Size (DN)	Valve Class (Allowable Operating Pressure)	Maximum Operating Temperature (°C)	Material Designation	Valve Coating Material	Valve Operating Method	Valve Direction of Closure	End Connection Designation	Date Endorsed
01/91-110mm	RSGV	AVK	DN100 Resilient Seated Gate Valve With PE Socket Ends		Resilient Seated Gate Valve with SDR11 PN16 PE Socket Ends	DN 100	16	40C	Ductile Cast Iron	Polymeric to AS 4158	Option of Stemcap Handwheel or Gearbox	Option of CC or ACC	Restrained PE Socket	4 Aug 2022
01/91-125mm	RSGV	AVK	DN125 Resilient Seated Gate Valve With PE Socket Ends		Resilient Seated Gate Valve with SDR11 PN16 PE Socket Ends	DN 125	16	40C	Ductile Cast Iron	Polymeric to AS 4158	Option of Stemcap Handwheel or Gearbox	Option of CC or ACC	Restrained PE Socket	4 Aug 2022
01/91-140mm	RSGV	AVK	DN125 Resilient Seated Gate Valve With PE Socket Ends		Resilient Seated Gate Valve with SDR11 PN16 PE Socket Ends	DN 125	16	40C	Ductile Cast Iron	Polymeric to AS 4158	Option of Stemcap Handwheel or Gearbox	Option of CC or ACC	Restrained PE Socket	4 Aug 2022
01/91-160mm	RSGV	AVK	DN150 Resilient Seated Gate Valve With PE Socket Ends		Resilient Seated Gate Valve with SDR11 PN16 PE Socket Ends	DN 150	16	40C	Ductile Cast Iron	Polymeric to AS 4158	Option of Stemcap Handwheel or Gearbox	Option of CC or ACC	Restrained PE Socket	4 Aug 2022
01/91-180mm	RSGV	AVK	DN200 Resilient Seated Gate Valve With PE Socket Ends		Resilient Seated Gate Valve with SDR11 PN16 PE Socket Ends	DN 200	16	40C	Ductile Cast Iron	Polymeric to AS 4158	Option of Stemcap Handwheel or Gearbox	Option of CC or ACC	Restrained PE Socket	4 Aug 2022
01/91-200mm	RSGV	AVK	DN200 Resilient Seated Gate Valve With PE Socket Ends		Resilient Seated Gate Valve with SDR11 PN16 PE Socket Ends	DN 200	16	40C	Ductile Cast Iron	Polymeric to AS 4158	Option of Stemcap Handwheel or Gearbox	Option of CC or ACC	Restrained PE Socket	4 Aug 2022
01/91-225mm	RSGV	AVK	DN200 Resilient		Resilient Seated	DN 200	16	40C	Ductile Cast Iron	Polymeric to AS	Option of Stemcap	Option of CC or	Restrained PE Socket	4 Aug 2022

Certificate No: WMKA02420

Issued Date: 21 January 2025

This schedule supersedes all previously issued schedules

\* For details of manufacture, refer to the licensee

The WATERMARK is a registered certification trademark of Australian Building Codes Board ABN 74 599 608 295 and is issued under licence by SAI Global Certification Services Pty Limited (ACN 108 716 669) ("INTERTEK SAI Global") Level 7 Suite 7.01, 45 Clarence Street, Sydney NSW 2000 Australia and subject to the INTERTEK SAI Global Terms and Conditions for Certification. In the issuance of this certificate, INTERTEK SAI Global assumes no liability to any party other than to the Client, and then only in accordance with the agreed upon Certification Agreement. This certificate's validity is subject to the organization maintaining their system in accordance with INTERTEK SAI Global requirements for systems certification. This certificate may only be reproduced in its entirety and remains the property of INTERTEK SAI Global, to whom it must be returned upon request. Refer to <https://register.saiglobal.com/> for the list of product models.



# SCHEDULE TO CERTIFICATE OF CONFORMITY

Model Identification	Model Name	Brand Name	Product Description	Lead Free Compliant	Product Type	Nominal Size (DN)	Valve Class (Allowable Operating Pressure)	Maximum Operating Temperature (°C)	Material Designation	Valve Coating Material	Valve Operating Method	Valve Direction of Closure	End Connection Designation	Date Endorsed
			Seated Gate Valve With PE Socket Ends		Gate Valve with SDR11 PN16 PE Socket Ends					4158	Handwheel or Gearbox	ACC		
01/91-250mm	RSGV	AVK	DN250 Resilient Seated Gate Valve With PE Socket Ends		Resilient Seated Gate Valve with SDR11 PN16 PE Socket Ends	DN 250	16	40C	Ductile Cast Iron	Polymeric to AS 4158	Option of Stemcap Handwheel or Gearbox	Option of CC or ACC	Restrained PE Socket	4 Aug 2022
01/91-280mm	RSGV	AVK	DN250 Resilient Seated Gate Valve With PE Socket Ends		Resilient Seated Gate Valve with SDR11 PN16 PE Socket Ends	DN 250	16	40C	Ductile Cast Iron	Polymeric to AS 4158	Option of Stemcap Handwheel or Gearbox	Option of CC or ACC	Restrained PE Socket	4 Aug 2022
01/91-315mm	RSGV	AVK	DN300 Resilient Seated Gate Valve With PE Socket Ends		Resilient Seated Gate Valve with SDR11 PN16 PE Socket Ends	DN 300	16	40C	Ductile Cast Iron	Polymeric to AS 4158	Option of Stemcap Handwheel or Gearbox	Option of CC or ACC	Restrained PE Socket	4 Aug 2022
01/91-90mm	RSGV	AVK	DN80 Resilient Seated Gate Valve With PE Socket Ends	No	Resilient Seated Gate Valve with SDR11 PN16 PE Socket Ends	DN 080	16	40C	Ductile Cast Iron	Polymeric to AS 4158	Option of Stemcap Handwheel or Gearbox	Option of CC or ACC	Restrained PE Socket	14 Jan 2025
2570/42 DN450	RSGV	Sureflow	DN450 Resilient Seated Gate Valve With DN100&DN150 Bypass		Resilient Seated Gate Valve	DN 450	16	70C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap 2/Handwheel 3/Gearbox	Option of CC or ACC	Flange x Flange Bypass	4 Aug 2022
2570/42 DN500	RSGV	Sureflow	DN500 Resilient Seated Gate Valve With DN100&DN150 Bypass		Resilient Seated Gate Valve	DN 500	16	70C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap 2/Handwheel 3/Gearbox	Option of CC or ACC	Flange x Flange Bypass	4 Aug 2022
2570/42 DN600	RSGV	Sureflow	DN600 Resilient Seated Gate Valve with DN100&DN150 Bypass valve		Resilient Seated Gate Valve	DN 600	16	70C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap 2/Handwheel 3/Gearbox	Option of CC or ACC	Flange x Flange Bypass	4 Aug 2022
2570/42 DN750	RSGV	Sureflow	DN750 Resilient Seated Gate Valve With DN150 Bypass		Resilient Seated Gate Valve	DN 750	16	40C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap 2/Handwheel 3/Gearbox	Option of CC or ACC	Flange x Flange Bypass	4 Aug 2022
2570/50 DN080	RSGV	Sureflow	DN080 Resilient Seated Gate Valve		Resilient Seated Gate Valve	DN 080	16	70C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap [2570/50] 2/Handwheel [2570/58] 3/Gearbox [2570/52]	Option of CC or ACC	Socket x Socket	4 Aug 2022
2570/50 DN100	RSGV	Sureflow	DN100 Resilient Seated Gate Valve		Resilient Seated Gate Valve	DN 100	16	70C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap [2570/50] 2/Handwheel [2570/58]	Option of CC or ACC	Socket x Socket	4 Aug 2022

Certificate No: WMKA02420

Issued Date: 21 January 2025

This schedule supersedes all previously issued schedules

\* For details of manufacture, refer to the licensee

The WATERMARK is a registered certification trademark of Australian Building Codes Board ABN 74 599 608 295 and is issued under licence by SAI Global Certification Services Pty Limited (ACN 108 716 669) ("INTERTEK SAI Global") Level 7 Suite 7.01, 45 Clarence Street, Sydney NSW 2000 Australia and subject to the INTERTEK SAI Global Terms and Conditions for Certification. In the issuance of this certificate, INTERTEK SAI Global assumes no liability to any party other than to the Client, and then only in accordance with the agreed upon Certification Agreement. This certificate's validity is subject to the organization maintaining their system in accordance with INTERTEK SAI Global requirements for systems certification. This certificate may only be reproduced in its entirety and remains the property of INTERTEK SAI Global, to whom it must be returned upon request. Refer to <https://register.saiglobal.com/> for the list of product models.



# SCHEDULE TO CERTIFICATE OF CONFORMITY

Model Identification	Model Name	Brand Name	Product Description	Lead Free Compliant	Product Type	Nominal Size (DN)	Valve Class (Allowable Operating Pressure)	Maximum Operating Temperature (°C)	Material Designation	Valve Coating Material	Valve Operating Method	Valve Direction of Closure	End Connection Designation	Date Endorsed
											3/Gearbox [2570/52]			
2570/50 DN150	RSGV	Sureflow	DN150 Resilient Seated Gate Valve		Resilient Seated Gate Valve	DN 150	16	70C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap [2570/50] 2/Handwheel [2570/58] 3/Gearbox [2570/52]	Option of CC or ACC	Socket x Socket	4 Aug 2022
2570/50 DN200	RSGV	Sureflow	DN200 Resilient Seated Gate Valve		Resilient Seated Gate Valve	DN 200	16	70C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap [2570/50] 2/Handwheel [2570/58] 3/Gearbox [2570/52]	Option of CC or ACC	Socket x Socket	4 Aug 2022
2570/50 DN225	RSGV	Sureflow	DN225 Resilient Seated Gate Valve		Resilient Seated Gate Valve	DN 225	16	70C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap [2570/50] 2/Handwheel [2570/58] 3/Gearbox [2570/52]	Option of CC or ACC	Socket x Socket	4 Aug 2022
2570/50 DN250	RSGV	Sureflow	DN250 Resilient Seated Gate Valve		Resilient Seated Gate Valve	DN 250	16	70C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap [2570/50] 2/Handwheel [2570/58] 3/Gearbox [2570/52]	Option of CC or ACC	Socket x Socket	4 Aug 2022
2570/50 DN300	RSGV	Sureflow	DN300 Resilient Seated Gate Valve		Resilient Seated Gate Valve	DN 300	16	70C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap [2570/50] 2/Handwheel [2570/58] 3/Gearbox [2570/52]	Option of CC or ACC	Socket x Socket	4 Aug 2022
2570/50 DN375	RSGV	Sureflow	DN375 Resilient Seated Gate Valve		Resilient Seated Gate Valve	DN 375	16	70C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap [2570/50] 2/Handwheel [2570/58] 3/Gearbox [2570/52]	Option of CC or ACC	Socket x Socket	4 Aug 2022
2570/60 DN080	RSGV	Sureflow	DN080 Resilient Seated Gate Valve		Resilient Seated Gate Valve	DN 080	16	70C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap [2570/60] 2/Handwheel [2570/68] 3/Gearbox [2570/62]	Option of CC or ACC	Spigot x Spigot	4 Aug 2022
2570/60 DN100	RSGV	Sureflow	DN100 Resilient Seated Gate Valve		Resilient Seated Gate Valve	DN 100	16	70C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap [2570/60] 2/Handwheel [2570/68] 3/Gearbox [2570/62]	Option of CC or ACC	Spigot x Spigot	4 Aug 2022
2570/60 DN150	RSGV	Sureflow	DN150 Resilient Seated Gate Valve		Resilient Seated Gate Valve	DN 150	16	70C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap [2570/60] 2/Handwheel [2570/68] 3/Gearbox [2570/62]	Option of CC or ACC	Spigot x Spigot	4 Aug 2022
2570/60 DN200	RSGV	Sureflow	DN200 Resilient Seated Gate Valve		Resilient Seated Gate Valve	DN 200	16	70C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap [2570/60] 2/Handwheel [2570/68] 3/Gearbox [2570/62]	Option of CC or ACC	Spigot x Spigot	4 Aug 2022
2570/60 DN225	RSGV	Sureflow	DN225 Resilient Seated Gate Valve		Resilient Seated Gate Valve	DN 225	16	70C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap [2570/60] 2/Handwheel [2570/68]	Option of CC or ACC	Spigot x Spigot	4 Aug 2022

Certificate No: WMKA02420

Issued Date: 21 January 2025

This schedule supersedes all previously issued schedules

\* For details of manufacture, refer to the licensee

The WATERMARK is a registered certification trademark of Australian Building Codes Board ABN 74 599 608 295 and is issued under licence by SAI Global Certification Services Pty Limited (ACN 108 716 669) ("INTERTEK SAI Global") Level 7 Suite 7.01, 45 Clarence Street, Sydney NSW 2000 Australia and subject to the INTERTEK SAI Global Terms and Conditions for Certification. In the issuance of this certificate, INTERTEK SAI Global assumes no liability to any party other than to the Client, and then only in accordance with the agreed upon Certification Agreement. This certificate's validity is subject to the organization maintaining their system in accordance with INTERTEK SAI Global requirements for systems certification. This certificate may only be reproduced in its entirety and remains the property of INTERTEK SAI Global, to whom it must be returned upon request. Refer to <https://register.saiglobal.com/> for the list of product models.



# SCHEDULE TO CERTIFICATE OF CONFORMITY

Model Identification	Model Name	Brand Name	Product Description	Lead Free Compliant	Product Type	Nominal Size (DN)	Valve Class (Allowable Operating Pressure)	Maximum Operating Temperature (°C)	Material Designation	Valve Coating Material	Valve Operating Method	Valve Direction of Closure	End Connection Designation	Date Endorsed
											3/Gearbox [2570/62]			
2570/60 DN250	RSGV	Sureflow	DN250 Resilient Seated Gate Valve		Resilient Seated Gate Valve	DN 250	16	70C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap [2570/60] 2/Handwheel [2570/68] 3/Gearbox [2570/62]	Option of CC or ACC	Spigot x Spigot	4 Aug 2022
2570/60 DN300	RSGV	Sureflow	DN300 Resilient Seated Gate Valve		Resilient Seated Gate Valve	DN 300	16	70C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap [2570/60] 2/Handwheel [2570/68] 3/Gearbox [2570/62]	Option of CC or ACC	Spigot x Spigot	4 Aug 2022
2570/70 DN080	RSGV	Sureflow	DN080 Resilient Seated Gate Valve		Resilient Seated Gate Valve	DN 080	16	70C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap [2570/70] 2/Handwheel [2570/78] 3/Gearbox [2570/72]	Option of CC or ACC	Flange x Socket	4 Aug 2022
2570/70 DN100	RSGV	Sureflow	DN100 Resilient Seated Gate Valve		Resilient Seated Gate Valve	DN 100	16	70C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap [2570/70] 2/Handwheel [2570/78] 3/Gearbox [2570/72]	Option of CC or ACC	Flange x Socket	4 Aug 2022
2570/70 DN150	RSGV	Sureflow	DN150 Resilient Seated Gate Valve		Resilient Seated Gate Valve	DN 150	16	70C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap [2570/70] 2/Handwheel [2570/78] 3/Gearbox [2570/72]	Option of CC or ACC	Flange x Socket	4 Aug 2022
2570/90 DN080	RSGV	Sureflow	DN080 Resilient Seated Gate Valve		Resilient Seated Gate Valve	DN 080	16	70C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap [2570/90] 2/Handwheel [2570/98] 3/Gearbox [2570/92]	Option of CC or ACC	Flange x Flange	4 Aug 2022
2570/90 DN100	RSGV	Sureflow	DN100 Resilient Seated Gate Valve		Resilient Seated Gate Valve	DN 100	16	70C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap [2570/90] 2/Handwheel [2570/98] 3/Gearbox [2570/92]	Option of CC or ACC	Flange x Flange	4 Aug 2022
2570/90 DN150	RSGV	Sureflow	DN150 Resilient Seated Gate Valve		Resilient Seated Gate Valve	DN 150	16	70C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap [2570/90] 2/Handwheel [2570/98] 3/Gearbox [2570/92]	Option of CC or ACC	Flange x Flange	4 Aug 2022
2570/90 DN200	RSGV	Sureflow	DN200 Resilient Seated Gate Valve		Resilient Seated Gate Valve	DN 200	16	70C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap [2570/90] 2/Handwheel [2570/98] 3/Gearbox [2570/92]	Option of CC or ACC	Flange x Flange	4 Aug 2022
2570/90 DN225	RSGV	Sureflow	DN225 Resilient Seated Gate Valve		Resilient Seated Gate Valve	DN 225	16	70C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap [2570/90] 2/Handwheel [2570/98] 3/Gearbox [2570/92]	Option of CC or ACC	Flange x Flange	4 Aug 2022
2570/90 DN250	RSGV	Sureflow	DN250 Resilient Seated Gate Valve		Resilient Seated Gate Valve	DN 250	16	70C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap [2570/90] 2/Handwheel [2570/98]	Option of CC or ACC	Flange x Flange	4 Aug 2022

Certificate No: WMKA02420

Issued Date: 21 January 2025

This schedule supersedes all previously issued schedules

\* For details of manufacture, refer to the licensee

The WATERMARK is a registered certification trademark of Australian Building Codes Board ABN 74 599 608 295 and is issued under licence by SAI Global Certification Services Pty Limited (ACN 108 716 669) ("INTERTEK SAI Global") Level 7 Suite 7.01, 45 Clarence Street, Sydney NSW 2000 Australia and subject to the INTERTEK SAI Global Terms and Conditions for Certification. In the issuance of this certificate, INTERTEK SAI Global assumes no liability to any party other than to the Client, and then only in accordance with the agreed upon Certification Agreement. This certificate's validity is subject to the organization maintaining their system in accordance with INTERTEK SAI Global requirements for systems certification. This certificate may only be reproduced in its entirety and remains the property of INTERTEK SAI Global, to whom it must be returned upon request. Refer to <https://register.saiglobal.com/> for the list of product models.



# SCHEDULE TO CERTIFICATE OF CONFORMITY

Model Identification	Model Name	Brand Name	Product Description	Lead Free Compliant	Product Type	Nominal Size (DN)	Valve Class (Allowable Operating Pressure)	Maximum Operating Temperature (°C)	Material Designation	Valve Coating Material	Valve Operating Method	Valve Direction of Closure	End Connection Designation	Date Endorsed
											3/Gearbox [2570/92]			
2570/90 DN300	RSGV	Sureflow	DN300 Resilient Seated Gate Valve		Resilient Seated Gate Valve	DN 300	16	70C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap [2570/90] 2/Handwheel [2570/98] 3/Gearbox [2570/92]	Option of CC or ACC	Flange x Flange	4 Aug 2022
2570/90 DN375	RSGV	Sureflow	DN375 Resilient Seated Gate Valve		Resilient Seated Gate Valve	DN 375	16	70C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap [2570/90] 2/Handwheel [2570/98] 3/Gearbox [2570/92]	Option of CC or ACC	Flange x Flange	4 Aug 2022
2570/90 DN400	RSGV	Sureflow	DN400 Resilient Seated Gate Valve		Resilient Seated Gate Valve	DN 400	16	70C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap [2570/90] 2/Handwheel [2570/98] 3/Gearbox [2570/92]	Option of CC or ACC	Flange x Flange	4 Aug 2022
2570/92 DN450	RSGV	Sureflow	DN450 Resilient Seated Gate Valve		Resilient Seated Gate Valve	DN 450	16	70C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap 2/Handwheel 3/Gearbox	Option of CC or ACC	Flange x Flange	4 Aug 2022
2570/92 DN500	RSGV	Sureflow	DN500 Resilient Seated Gate Valve		Resilient Seated Gate Valve	DN 500	16	70C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap 2/Handwheel 3/Gearbox	Option of CC or ACC	Flange x Flange	4 Aug 2022
2570/92 DN600	RSGV	Sureflow	DN600 Resilient Seated Gate Valve		Resilient Seated Gate Valve	DN 600	16	70C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap 2/Handwheel 3/Gearbox	Option of CC or ACC	Flange x Flange	4 Aug 2022
2570/92 DN750	RSGV	Sureflow	DN750 Resilient Seated Gate Valve		Resilient Seated Gate Valve	DN 750	16	40C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap 2/Handwheel 3/Gearbox	Option of CC or ACC	Flange x Flange	4 Aug 2022
2570/96 DN080	RSGV	Sureflow	DN080 Resilient Seated Gate Valve		Resilient Seated Gate Valve	DN 080	16	70C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Handwheel [2570/96]	CC	FlangexFlange OS&Y	4 Aug 2022
2570/96 DN100	RSGV	Sureflow	DN100 Resilient Seated Gate Valve		Resilient Seated Gate Valve	DN 100	16	70C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Handwheel [2570/96]	CC	FlangexFlange OS&Y	4 Aug 2022
2570/96 DN150	RSGV	Sureflow	DN150 Resilient Seated Gate Valve		Resilient Seated Gate Valve	DN 150	16	70C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Handwheel [2570/96]	CC	FlangexFlange OS&Y	4 Aug 2022
2570/96 DN200	RSGV	Sureflow	DN200 Resilient Seated Gate Valve		Resilient Seated Gate Valve	DN 200	16	70C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Handwheel [2570/96]	CC	FlangexFlange OS&Y	4 Aug 2022
2570/96 DN225	RSGV	Sureflow	DN225 Resilient Seated Gate Valve		Resilient Seated Gate Valve	DN 225	16	70C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Handwheel [2570/96]	CC	FlangexFlange OS&Y	4 Aug 2022
2570/96 DN250	RSGV	Sureflow	DN250 Resilient Seated Gate Valve		Resilient Seated Gate Valve	DN 250	16	70C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Handwheel [2570/96]	CC	FlangexFlange OS&Y	4 Aug 2022
2570/96 DN300	RSGV	Sureflow	DN300 Resilient Seated Gate Valve		Resilient Seated Gate Valve	DN 300	16	70C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Handwheel [2570/96]	CC	FlangexFlange OS&Y	4 Aug 2022
570/42 DN450	RSGV	AVK	DN450 Resilient Seated Gate Valve With DN100&DN150 Bypass		Resilient Seated Gate Valve	DN 450	16	70C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap 2/Handwheel 3/Gearbox	Option of CC or ACC	Flange x Flange Bypass	4 Aug 2022

Certificate No: WMKA02420

Issued Date: 21 January 2025

This schedule supersedes all previously issued schedules

\* For details of manufacture, refer to the licensee

The WATERMARK is a registered certification trademark of Australian Building Codes Board ABN 74 599 608 295 and is issued under licence by SAI Global Certification Services Pty Limited (ACN 108 716 669) ("INTERTEK SAI Global") Level 7 Suite 7.01, 45 Clarence Street, Sydney NSW 2000 Australia and subject to the INTERTEK SAI Global Terms and Conditions for Certification. In the issuance of this certificate, INTERTEK SAI Global assumes no liability to any party other than to the Client, and then only in accordance with the agreed upon Certification Agreement. This certificate's validity is subject to the organization maintaining their system in accordance with INTERTEK SAI Global requirements for systems certification. This certificate may only be reproduced in its entirety and remains the property of INTERTEK SAI Global, to whom it must be returned upon request. Refer to <https://register.saiglobal.com/> for the list of product models.



# SCHEDULE TO CERTIFICATE OF CONFORMITY

Model Identification	Model Name	Brand Name	Product Description	Lead Free Compliant	Product Type	Nominal Size (DN)	Valve Class (Allowable Operating Pressure)	Maximum Operating Temperature (°C)	Material Designation	Valve Coating Material	Valve Operating Method	Valve Direction of Closure	End Connection Designation	Date Endorsed
570/42 DN500	RSGV	AVK	DN500 Resilient Seated Gate Valve With DN100&DN150 Bypass		Resilient Seated Gate Valve	DN 500	16	70C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap 2/Handwheel 3/Gearbox	Option of CC or ACC	Flange x Flange Bypass	4 Aug 2022
570/42 DN600	RSGV	AVK	DN600 Resilient Seated Gate Valve with DN100&DN150 Bypass valve		Resilient Seated Gate Valve	DN 600	16	70C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap 2/Handwheel 3/Gearbox	Option of CC or ACC	Flange x Flange Bypass	4 Aug 2022
570/42 DN750	RSGV	AVK	DN750 Resilient Seated Gate Valve With DN150 Bypass		Resilient Seated Gate Valve	DN 750	16	40C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap 2/Handwheel 3/Gearbox	Option of CC or ACC	Flange x Flange Bypass	4 Aug 2022
570/50 DN080	RSGV	AVK	DN080 Resilient Seated Gate Valve		Resilient Seated Gate Valve	DN 080	16	70C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap [570/50] 2/Handwheel [570/58] 3/Gearbox [570/52]	Option of CC or ACC	Socket x Socket	4 Aug 2022
570/50 DN100	RSGV	AVK	DN100 Resilient Seated Gate Valve		Resilient Seated Gate Valve	DN 100	16	70C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap [570/50] 2/Handwheel [570/58] 3/Gearbox [570/52]	Option of CC or ACC	Socket x Socket	4 Aug 2022
570/50 DN150	RSGV	AVK	DN150 Resilient Seated Gate Valve		Resilient Seated Gate Valve	DN 150	16	70C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap [570/50] 2/Handwheel [570/58] 3/Gearbox [570/52]	Option of CC or ACC	Socket x Socket	4 Aug 2022
570/50 DN200	RSGV	AVK	DN200 Resilient Seated Gate Valve		Resilient Seated Gate Valve	DN 200	16	70C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap [570/50] 2/Handwheel [570/58] 3/Gearbox [570/52]	Option of CC or ACC	Socket x Socket	4 Aug 2022
570/50 DN225	RSGV	AVK	DN225 Resilient Seated Gate Valve		Resilient Seated Gate Valve	DN 225	16	70C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap [570/50] 2/Handwheel [570/58] 3/Gearbox [570/52]	Option of CC or ACC	Socket x Socket	4 Aug 2022
570/50 DN250	RSGV	AVK	DN250 Resilient Seated Gate Valve		Resilient Seated Gate Valve	DN 250	16	70C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap [570/50] 2/Handwheel [570/58] 3/Gearbox [570/52]	Option of CC or ACC	Socket x Socket	4 Aug 2022
570/50 DN300	RSGV	AVK	DN300 Resilient Seated Gate Valve		Resilient Seated Gate Valve	DN 300	16	70C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap [570/50] 2/Handwheel [570/58] 3/Gearbox [570/52]	Option of CC or ACC	Socket x Socket	4 Aug 2022
570/50 DN375	RSGV	AVK	DN375 Resilient Seated Gate Valve		Resilient Seated Gate Valve	DN 375	16	70C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap [570/50] 2/Handwheel [570/58] 3/Gearbox [570/52]	Option of CC or ACC	Socket x Socket	4 Aug 2022
570/51 DN080	RSGV	AVK	DN080 Resilient Seated Gate Valve		Resilient Seated Gate Valve	DN 080	16	70C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap [570/51]	Option of CC or ACC	Socket x Socket	4 Aug 2022

Certificate No: WMKA02420

Issued Date: 21 January 2025

This schedule supersedes all previously issued schedules

\* For details of manufacture, refer to the licensee

The WATERMARK is a registered certification trademark of Australian Building Codes Board ABN 74 599 608 295 and is issued under licence by SAI Global Certification Services Pty Limited (ACN 108 716 669) ("INTERTEK SAI Global") Level 7 Suite 7.01, 45 Clarence Street, Sydney NSW 2000 Australia and subject to the INTERTEK SAI Global Terms and Conditions for Certification. In the issuance of this certificate, INTERTEK SAI Global assumes no liability to any party other than to the Client, and then only in accordance with the agreed upon Certification Agreement. This certificate's validity is subject to the organization maintaining their system in accordance with INTERTEK SAI Global requirements for systems certification. This certificate may only be reproduced in its entirety and remains the property of INTERTEK SAI Global, to whom it must be returned upon request. Refer to <https://register.saiglobal.com/> for the list of product models.



# SCHEDULE TO CERTIFICATE OF CONFORMITY

Model Identification	Model Name	Brand Name	Product Description	Lead Free Compliant	Product Type	Nominal Size (DN)	Valve Class (Allowable Operating Pressure)	Maximum Operating Temperature (°C)	Material Designation	Valve Coating Material	Valve Operating Method	Valve Direction of Closure	End Connection Designation	Date Endorsed
570/51 DN100	RSGV	AVK	DN100 Resilient Seated Gate Valve		Resilient Seated Gate Valve	DN 100	16	70C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap [570/51]	Option of CC or ACC	Socket x Socket	4 Aug 2022
570/51 DN150	RSGV	AVK	DN150 Resilient Seated Gate Valve		Resilient Seated Gate Valve	DN 150	16	70C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap [570/51]	Option of CC or ACC	Socket x Socket	4 Aug 2022
570/51 DN200	RSGV	AVK	DN200 Resilient Seated Gate Valve		Resilient Seated Gate Valve	DN 200	16	70C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap [570/51]	Option of CC or ACC	Socket x Socket	4 Aug 2022
570/51 DN225	RSGV	AVK	DN225 Resilient Seated Gate Valve		Resilient Seated Gate Valve	DN 225	16	70C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap [570/51]	Option of CC or ACC	Socket x Socket	4 Aug 2022
570/51 DN250	RSGV	AVK	DN250 Resilient Seated Gate Valve		Resilient Seated Gate Valve	DN 250	16	70C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap [570/51]	Option of CC or ACC	Socket x Socket	4 Aug 2022
570/51 DN300	RSGV	AVK	DN300 Resilient Seated Gate Valve		Resilient Seated Gate Valve	DN 300	16	70C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap [570/51]	Option of CC or ACC	Socket x Socket	4 Aug 2022
570/60 DN080	RSGV	AVK	DN080 Resilient Seated Gate Valve		Resilient Seated Gate Valve	DN 080	16	70C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap [570/60] 2/Handwheel [570/68] 3/Gearbox [570/62]	Option of CC or ACC	Spigot x Spigot	4 Aug 2022
570/60 DN100	RSGV	AVK	DN100 Resilient Seated Gate Valve		Resilient Seated Gate Valve	DN 100	16	70C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap [570/60] 2/Handwheel [570/68] 3/Gearbox [570/62]	Option of CC or ACC	Spigot x Spigot	4 Aug 2022
570/60 DN150	RSGV	AVK	DN150 Resilient Seated Gate Valve		Resilient Seated Gate Valve	DN 150	16	70C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap [570/60] 2/Handwheel [570/68] 3/Gearbox [570/62]	Option of CC or ACC	Spigot x Spigot	4 Aug 2022
570/60 DN200	RSGV	AVK	DN200 Resilient Seated Gate Valve		Resilient Seated Gate Valve	DN 200	16	70C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap [570/60] 2/Handwheel [570/68] 3/Gearbox [570/62]	Option of CC or ACC	Spigot x Spigot	4 Aug 2022
570/60 DN225	RSGV	AVK	DN225 Resilient Seated Gate Valve		Resilient Seated Gate Valve	DN 225	16	70C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap [570/60] 2/Handwheel [570/68] 3/Gearbox [570/62]	Option of CC or ACC	Spigot x Spigot	4 Aug 2022
570/60 DN250	RSGV	AVK	DN250 Resilient Seated Gate Valve		Resilient Seated Gate Valve	DN 250	16	70C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap [570/60] 2/Handwheel [570/68] 3/Gearbox [570/62]	Option of CC or ACC	Spigot x Spigot	4 Aug 2022
570/60 DN300	RSGV	AVK	DN300 Resilient Seated Gate Valve		Resilient Seated Gate Valve	DN 300	16	70C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap [570/60] 2/Handwheel [570/68] 3/Gearbox [570/62]	Option of CC or ACC	Spigot x Spigot	4 Aug 2022
570/70 DN080	RSGV	AVK	DN080 Resilient Seated Gate Valve		Resilient Seated Gate Valve	DN 080	16	70C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap [570/70]	Option of CC or ACC	Flange x Socket	4 Aug 2022

Certificate No: WMKA02420

Issued Date: 21 January 2025

This schedule supersedes all previously issued schedules

\* For details of manufacture, refer to the licensee

The WATERMARK is a registered certification trademark of Australian Building Codes Board ABN 74 599 608 295 and is issued under licence by SAI Global Certification Services Pty Limited (ACN 108 716 669) ("INTERTEK SAI Global") Level 7 Suite 7.01, 45 Clarence Street, Sydney NSW 2000 Australia and subject to the INTERTEK SAI Global Terms and Conditions for Certification. In the issuance of this certificate, INTERTEK SAI Global assumes no liability to any party other than to the Client, and then only in accordance with the agreed upon Certification Agreement. This certificate's validity is subject to the organization maintaining their system in accordance with INTERTEK SAI Global requirements for systems certification. This certificate may only be reproduced in its entirety and remains the property of INTERTEK SAI Global, to whom it must be returned upon request. Refer to <https://register.saiglobal.com/> for the list of product models.





# SCHEDULE TO CERTIFICATE OF CONFORMITY

Model Identification	Model Name	Brand Name	Product Description	Lead Free Compliant	Product Type	Nominal Size (DN)	Valve Class (Allowable Operating Pressure)	Maximum Operating Temperature (°C)	Material Designation	Valve Coating Material	Valve Operating Method	Valve Direction of Closure	End Connection Designation	Date Endorsed
			Valve		Valve						2/Handwheel [570/78] 3/Gearbox [570/72]			
570/70 DN100	RSGV	AVK	DN100 Resilient Seated Gate Valve		Resilient Seated Gate Valve	DN 100	16	70C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap [570/70] 2/Handwheel [570/78] 3/Gearbox [570/72]	Option of CC or ACC	Flange x Socket	4 Aug 2022
570/70 DN150	RSGV	AVK	DN150 Resilient Seated Gate Valve		Resilient Seated Gate Valve	DN 150	16	70C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap [570/70] 2/Handwheel [570/78] 3/Gearbox [570/72]	Option of CC or ACC	Flange x Socket	4 Aug 2022
570/90 DN080	RSGV	AVK	DN080 Resilient Seated Gate Valve		Resilient Seated Gate Valve	DN 080	16	70C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap [570/90] 2/Handwheel [570/98] 3/Gearbox [570/92]	Option of CC or ACC	Flange x Flange	4 Aug 2022
570/90 DN100	RSGV	AVK	DN100 Resilient Seated Gate Valve		Resilient Seated Gate Valve	DN 100	16	70C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap [570/90] 2/Handwheel [570/98] 3/Gearbox [570/92]	Option of CC or ACC	Flange x Flange	4 Aug 2022
570/90 DN150	RSGV	AVK	DN150 Resilient Seated Gate Valve		Resilient Seated Gate Valve	DN 150	16	70C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap [570/90] 2/Handwheel [570/98] 3/Gearbox [570/92]	Option of CC or ACC	Flange x Flange	4 Aug 2022
570/90 DN200	RSGV	AVK	DN200 Resilient Seated Gate Valve		Resilient Seated Gate Valve	DN 200	16	70C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap [570/90] 2/Handwheel [570/98] 3/Gearbox [570/92]	Option of CC or ACC	Flange x Flange	4 Aug 2022
570/90 DN225	RSGV	AVK	DN225 Resilient Seated Gate Valve		Resilient Seated Gate Valve	DN 225	16	70C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap [570/90] 2/Handwheel [570/98] 3/Gearbox [570/92]	Option of CC or ACC	Flange x Flange	4 Aug 2022
570/90 DN250	RSGV	AVK	DN250 Resilient Seated Gate Valve		Resilient Seated Gate Valve	DN 250	16	70C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap [570/90] 2/Handwheel [570/98] 3/Gearbox [570/92]	Option of CC or ACC	Flange x Flange	4 Aug 2022
570/90 DN300	RSGV	AVK	DN300 Resilient Seated Gate Valve		Resilient Seated Gate Valve	DN 300	16	70C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap [570/90] 2/Handwheel [570/98] 3/Gearbox [570/92]	Option of CC or ACC	Flange x Flange	4 Aug 2022
570/90 DN375	RSGV	AVK	DN375 Resilient Seated Gate Valve		Resilient Seated Gate Valve	DN 375	16	70C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap [570/90] 2/Handwheel [570/98] 3/Gearbox [570/92]	Option of CC or ACC	Flange x Flange	4 Aug 2022
570/90 DN400	RSGV	AVK	DN400 Resilient Seated Gate Valve		Resilient Seated Gate Valve	DN 400	16	70C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap [570/90]	Option of CC or ACC	Flange x Flange	4 Aug 2022

Certificate No: WMKA02420

Issued Date: 21 January 2025

This schedule supersedes all previously issued schedules

\* For details of manufacture, refer to the licensee

The WATERMARK is a registered certification trademark of Australian Building Codes Board ABN 74 599 608 295 and is issued under licence by SAI Global Certification Services Pty Limited (ACN 108 716 669) ("INTERTEK SAI Global") Level 7 Suite 7.01, 45 Clarence Street, Sydney NSW 2000 Australia and subject to the INTERTEK SAI Global Terms and Conditions for Certification. In the issuance of this certificate, INTERTEK SAI Global assumes no liability to any party other than to the Client, and then only in accordance with the agreed upon Certification Agreement. This certificate's validity is subject to the organization maintaining their system in accordance with INTERTEK SAI Global requirements for systems certification. This certificate may only be reproduced in its entirety and remains the property of INTERTEK SAI Global, to whom it must be returned upon request. Refer to <https://register.saiglobal.com/> for the list of product models.



# SCHEDULE TO CERTIFICATE OF CONFORMITY

Model Identification	Model Name	Brand Name	Product Description	Lead Free Compliant	Product Type	Nominal Size (DN)	Valve Class (Allowable Operating Pressure)	Maximum Operating Temperature (°C)	Material Designation	Valve Coating Material	Valve Operating Method	Valve Direction of Closure	End Connection Designation	Date Endorsed
			Valve		Valve						2/Handwheel [570/98] 3/Gearbox [570/92]			
570/91 DN080	RSGV	AVK	DN080 Resilient Seated Gate Valve		Resilient Seated Gate Valve	DN 080	16	70C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap [570/91]	Option of CC or ACC	Flange x Flange	4 Aug 2022
570/91 DN100	RSGV	AVK	DN100 Resilient Seated Gate Valve		Resilient Seated Gate Valve	DN 100	16	70C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap [570/91]	Option of CC or ACC	Flange x Flange	4 Aug 2022
570/91 DN150	RSGV	AVK	DN150 Resilient Seated Gate Valve		Resilient Seated Gate Valve	DN 150	16	70C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap [570/91]	Option of CC or ACC	Flange x Flange	4 Aug 2022
570/91 DN200	RSGV	AVK	DN200 Resilient Seated Gate Valve		Resilient Seated Gate Valve	DN 200	16	70C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap [570/91]	Option of CC or ACC	Flange x Flange	4 Aug 2022
570/91 DN225	RSGV	AVK	DN225 Resilient Seated Gate Valve		Resilient Seated Gate Valve	DN 225	16	70C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap [570/91]	Option of CC or ACC	Flange x Flange	4 Aug 2022
570/91 DN250	RSGV	AVK	DN250 Resilient Seated Gate Valve		Resilient Seated Gate Valve	DN 250	16	70C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap [570/91]	Option of CC or ACC	Flange x Flange	4 Aug 2022
570/91 DN300	RSGV	AVK	DN300 Resilient Seated Gate Valve		Resilient Seated Gate Valve	DN 300	16	70C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap [570/91]	Option of CC or ACC	Flange x Flange	4 Aug 2022
570/92 DN450	RSGV	AVK	DN450 Resilient Seated Gate Valve		Resilient Seated Gate Valve	DN 450	16	70C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap 2/Handwheel 3/Gearbox	Option of CC or ACC	Flange x Flange	4 Aug 2022
570/92 DN500	RSGV	AVK	DN500 Resilient Seated Gate Valve		Resilient Seated Gate Valve	DN 500	16	70C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap 2/Handwheel 3/Gearbox	Option of CC or ACC	Flange x Flange	4 Aug 2022
570/92 DN600	RSGV	AVK	DN600 Resilient Seated Gate Valve		Resilient Seated Gate Valve	DN 600	16	70C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap 2/Handwheel 3/Gearbox	Option of CC or ACC	Flange x Flange	4 Aug 2022
570/92 DN750	RSGV	AVK	DN750 Resilient Seated Gate Valve		Resilient Seated Gate Valve	DN 750	16	40C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap 2/Handwheel 3/Gearbox	Option of CC or ACC	Flange x Flange	4 Aug 2022
570/96 DN080	RSGV	AVK	DN080 Resilient Seated Gate Valve		Resilient Seated Gate Valve	DN 080	16	70C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Handwheel [570/96]	CC	FlangexFlange OS&Y	4 Aug 2022
570/96 DN100	RSGV	AVK	DN100 Resilient Seated Gate Valve		Resilient Seated Gate Valve	DN 100	16	70C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Handwheel [570/96]	CC	FlangexFlange OS&Y	4 Aug 2022
570/96 DN150	RSGV	AVK	DN150 Resilient Seated Gate Valve		Resilient Seated Gate Valve	DN 150	16	70C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Handwheel [570/96]	CC	FlangexFlange OS&Y	4 Aug 2022
570/96 DN200	RSGV	AVK	DN200 Resilient Seated Gate Valve		Resilient Seated Gate Valve	DN 200	16	70C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Handwheel [570/96]	CC	FlangexFlange OS&Y	4 Aug 2022
570/96 DN225	RSGV	AVK	DN225 Resilient Seated Gate Valve		Resilient Seated Gate Valve	DN 225	16	70C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Handwheel [570/96]	CC	FlangexFlange OS&Y	4 Aug 2022
570/96 DN250	RSGV	AVK	DN250 Resilient Seated Gate Valve		Resilient Seated Gate Valve	DN 250	16	70C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Handwheel [570/96]	CC	FlangexFlange OS&Y	4 Aug 2022

Certificate No: WMKA02420

Issued Date: 21 January 2025

This schedule supersedes all previously issued schedules

\* For details of manufacture, refer to the licensee

The WATERMARK is a registered certification trademark of Australian Building Codes Board ABN 74 599 608 295 and is issued under licence by SAI Global Certification Services Pty Limited (ACN 108 716 669) ("INTERTEK SAI Global") Level 7 Suite 7.01, 45 Clarence Street, Sydney NSW 2000 Australia and subject to the INTERTEK SAI Global Terms and Conditions for Certification. In the issuance of this certificate, INTERTEK SAI Global assumes no liability to any party other than to the Client, and then only in accordance with the agreed upon Certification Agreement. This certificate's validity is subject to the organization maintaining their system in accordance with INTERTEK SAI Global requirements for systems certification. This certificate may only be reproduced in its entirety and remains the property of INTERTEK SAI Global, to whom it must be returned upon request. Refer to <https://register.saiglobal.com/> for the list of product models.



# SCHEDULE TO CERTIFICATE OF CONFORMITY

Model Identification	Model Name	Brand Name	Product Description	Lead Free Compliant	Product Type	Nominal Size (DN)	Valve Class (Allowable Operating Pressure)	Maximum Operating Temperature (°C)	Material Designation	Valve Coating Material	Valve Operating Method	Valve Direction of Closure	End Connection Designation	Date Endorsed
570/96 DN300	RSGV	AVK	DN300 Resilient Seated Gate Valve		Resilient Seated Gate Valve	DN 300	16	70C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Handwheel [570/96]	CC	FlangexFlange OS&Y	4 Aug 2022

End of Record

Certificate No: WMKA02420

Issued Date: 21 January 2025

This schedule supersedes all previously issued schedules

**\* For details of manufacture, refer to the licensee**

The WATERMARK is a registered certification trademark of Australian Building Codes Board ABN 74 599 608 295 and is issued under licence by SAI Global Certification Services Pty Limited (ACN 108 716 669) ("INTERTEK SAI Global") Level 7 Suite 7.01, 45 Clarence Street, Sydney NSW 2000 Australia and subject to the INTERTEK SAI Global Terms and Conditions for Certification. In the issuance of this certificate, INTERTEK SAI Global assumes no liability to any party other than to the Client, and then only in accordance with the agreed upon Certification Agreement. This certificate's validity is subject to the organization maintaining their system in accordance with INTERTEK SAI Global requirements for systems certification. This certificate may only be reproduced in its entirety and remains the property of INTERTEK SAI Global, to whom it must be returned upon request. Refer to <https://register.saiglobal.com/> for the list of product models.

